

SUPERIOR 



MY2019 COLLECTION

**READY
FOR THE
RACE**

READY TO WIN!

USN

nansgroh

ABS SA

CAPE

UNTAME... ICAN M



ENJOY YOUR RACING!

Our carbon full suspension bikes bring your racing on another level. Extra grip, higher traction, smoother riding, plenty of energy saved for race final when you fight for glory.

No matter how bumpy the course, with Superior's XF models you will never doubt your ability to tackle the course and ride faster than ever before!

MTB RACE TEAM XF

SUPERIOR 

- WORLD CUP PROVEN RACE GEOMETRY
- EXCELENT KINEMATIC
- LIGHTWEIGHT
- SPEED & ACCELERATION
- EFFICIENT 1X12 DRIVETRIANS



Frame protection

Unique ACROS BlockLock head set protects frame against damage by handlebars

Better traction / Easy control

Factory-installed tubeless system allows use lower tyre pressure for better traction = more effective riding and better control. No tubes means also lower risk of defects

Efficiency

Modern 12 speed SHIMANO XTR and SRAM Eagle drivetrain systems for maximum efficiency and wide gear range

Lightweight, stiff, durable

Complete DT Swiss wheels provide excelent acceleration and keep constant fast speed

TEAM XF 29 ISSUE R

MATTE BLACK/CHROME SILVER



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74.2°	74.2°	74.2°	74.2°
EFFECTIVE TOP TUBE LENGTH	584	602	626	640
REACH	416	431	452	463
STACK	594	605	615	626
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	430	430	430	430
BB DROP	40	40	40	40
WHEELBASE	1089	1102	1127	1135
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	1x12
FRAME	Carbon MTB Race Pro BF-1601, Race geometry, 100 mm travel, 12x142 mm Thru axle, PressFit BB92, Carbon swingarm, Inner cable routing, Dropped post ready
HEAD SET	ACROS AZX-220 R4, Zero Stack 1-1/8"x1.5", BlockLock
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
REAR SHOCK	DT Swiss X 313, remote LO, 165x38 mm, hardware: 25.4x8 mm/14.1x8 mm SmartLink adaptor
SHIFTER	SHIMANO XTR SL-M9100 Rapidfire Plus 1x12
REAR DERAILLEUR	SHIMANO XTR RD-M9100-GS SHADOW RD+
CRANKSET	SHIMANO XTR FC-M9120-1 Hollowtech II 34T
BOTTOM BRACKET	SHIMANO BB-71-41A PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SHIMANO XTR CS-M9100-12 10-45T
CHAIN	SHIMANO CN-M9100
PEDALS	Not included
HANDLEBAR	ONE Race CRB Ultimate
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO XTR BR-M9100, hydraulic disc, 160/160 mm rotor
SADDLE	Fizik Vesta MG
SEAT POST	ONE Race CRB Ultimate, 31.6x400 mm
FRONT HUB	DT Swiss XRC 1200 Spline 25 15x100 mm
REAR HUB	DT Swiss XRC 1200 Spline 25 12x142 mm
RIMS	DT Swiss XRC 1200 Spline 25 Carbon
SPOKES	DT Swiss XRC 1200 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph SnakeSkin TL Easy ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	10.3 kg

TEAM XF 29 ISSUE

MATTE BLACK/WHITE/TEAM RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74.2°	74.2°	74.2°	74.2°
EFFECTIVE TOP TUBE LENGTH	584	602	626	640
REACH	416	431	452	463
STACK	594	605	615	626
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	430	430	430	430
BB DROP	40	40	40	40
WHEELBASE	1089	1102	1127	1135
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	1x12
FRAME	Carbon MTB Race Pro BF-1601, Race geometry, 100 mm travel, 12x142 mm Thru axle, PressFit BB92, Carbon swingarm, Inner cable routing, Dropped post ready
HEAD SET	ACROS AZX-220 R4, Zero Stack 1-1/8"x1.5", BlockLock
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
REAR SHOCK	DT Swiss X 313, remote LO, 165x38 mm, hardware: 25.4x8 mm/14.1x8 mm SmartLink adaptor
SHIFTER	SHIMANO XTR SL-M9100 Rapidfire Plus 1x12
REAR DERAILLEUR	SHIMANO XTR RD-M9100-GS SHADOW RD+
CRANKSET	SHIMANO XTR FC-M9120-1 Hollowtech II 34T
BOTTOM BRACKET	SHIMANO BB-71-41A PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SHIMANO XTR CS-M9100-12 10-45T
CHAIN	SHIMANO CN-M9100
PEDALS	Not included
HANDLEBAR	ONE Race CRB Ultimate
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO XTR BR-M9100, hydraulic disc, 160/160 mm rotor
SADDLE	Fizik Tundra M3 K:iium
SEAT POST	ONE Race CRB Ultimate, 31.6x400 mm
FRONT HUB	DT Swiss XR 1501 Spline One 25 15x100 mm
REAR HUB	DT Swiss XR 1501 Spline One 25 12x142 mm
RIMS	DT Swiss XR 1501 Spline One 25
SPOKES	DT Swiss XR 1501 Spline One 25
TIRES	Schwalbe Racing Ray/Racing Ralph SnakeSkin TL Easy ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	10.5 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

TEAM XF 29 ELITE

MATTE BLACK/WHITE/TEAM RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74.2°	74.2°	74.2°	74.2°
EFFECTIVE TOP TUBE LENGTH	584	602	626	640
REACH	416	431	452	463
STACK	594	605	615	626
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	430	430	430	430
BB DROP	40	40	40	40
WHEELBASE	1089	1102	1127	1135
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	1x11
FRAME	Carbon MTB Race Pro BF-1601, Race geometry, 100 mm travel, 12x142 mm Thru axle, PressFit BB92, Carbon swingarm, Inner cable routing, Dropped post ready
HEAD SET	ACROS AZX-220 R4, Zero Stack 1-1/8"x1.5", BlockLock
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
REAR SHOCK	DT Swiss X 313, remote LO, 165x38 mm, hardware: 25.4x8 mm/14.1x8 mm SmartLink adaptor
SHIFTER	SHIMANO DEORE XT SL-M8000 RapidFire Plus 1x11
REAR DERAILLEUR	SHIMANO DEORE XT RD-M8000-GS SHADOW RD+
CRANKSET	SHIMANO DEORE XT FC-M8000-1 Hollowtech II 34T
BOTTOM BRACKET	SHIMANO BB-71-41A PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMX8 11-46T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO DEORE XT BR-M8000, hydraulic disc, 160/160 mm rotor
SADDLE	Fizik Tundra M5, MG
SEAT POST	ONE Race, 31.6x400 mm
FRONT HUB	DT Swiss X 1900 Spline 25 15x100 mm
REAR HUB	DT Swiss X 1900 Spline 25 12x142 mm
RIMS	DT Swiss X 1900 Spline 25
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	11.2 kg

MTB RACE TEAM

SUPERIOR 

- SUPERLIGHT
- MAXIMUM EFFICIENCY
- EXCELENT HANDLING
- SPEED & ACCELERATION
- TRACTION AND SAFETY



Frame protection

Unique ACROS BlockLock head set protects frame against damage by handlebars

Better traction / Easy control

Factory-installed tubeless system allows use lower tyre pressure for better traction = more effective riding and better control. No tubes means also lower risk of defects

Efficiency

Modern 12 speed SHIMANO XTR and SRAM Eagle drivetrain systems for maximum efficiency and wide gear range

Lightweight, stiff, durable

Complete DT Swiss wheels provide excellent acceleration and keep constant fast speed

TEAM 29 ISSUE R

MATTE BLACK/CHROME SILVER



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605	626	646
REACH	411	427	445	461
STACK	608	620	629	641
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	55	55	55	55
WHEELBASE	1074	1097	1118	1132
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	1x12
FRAME	Carbon MTB Race Pro BF-MB03 High Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
SHIFTER	SHIMANO XTR SL-M9100 Rapidfire Plus 1x12
REAR DERAILLEUR	SHIMANO XTR RD-M9100-GS SHADOW RD+
CRANKSET	SHIMANO XTR FC-M9100-1 Hollowtech II 34T
BOTTOM BRACKET	SHIMANO BB-71-41A PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SHIMANO XTR CS-M9100-12 10-45T
CHAIN	SHIMANO CN-M9100
PEDALS	Not included
HANDLEBAR	ONE Race CRB Ultimate
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO XTR BR-M9100, hydraulic disc, 160/160 mm rotor
SADDLE	Fizik Vesta MG
SEAT POST	ONE Race CRB Ultimate, 27.2x400 mm
FRONT HUB	DT Swiss XRC 1200 Spline 25 15x100 mm
REAR HUB	DT Swiss XRC 1200 Spline 25 12x142 mm
RIMS	DT Swiss XRC 1200 Spline 25 Carbon
SPOKES	DT Swiss XRC 1200 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph SnakeSkin TL Easy ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	8.7 kg

TEAM 29 ISSUE

MATTE BLACK/WHITE/TEAM RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605	626	646
REACH	411	427	445	461
STACK	608	620	629	641
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	55	55	55	55
WHEELBASE	1074	1097	1118	1132
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	1x12
FRAME	Carbon MTB Race Pro BF-MB03 High Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
SHIFTER	SHIMANO XTR SL-M9100 Rapidfire Plus 1x12
REAR DERAILLEUR	SHIMANO XTR RD-M9100-GS SHADOW RD+
CRANKSET	SHIMANO XTR FC-M9100-1 Hollowtech II 34T
BOTTOM BRACKET	SHIMANO BB-71-41A PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SHIMANO XTR CS-M9100-12 10-45T
CHAIN	SHIMANO CN-M9100
PEDALS	Not included
HANDLEBAR	ONE Race CRB Ultimate
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO XTR BR-M9100, hydraulic disc, 160/160 mm rotor
SADDLE	Fizik Tundra M3 K:iium
SEAT POST	ONE Race CRB Ultimate, 27.2x400 mm
FRONT HUB	DT Swiss XR 1501 Spline One 25 15x100 mm
REAR HUB	DT Swiss XR 1501 Spline One 25 12x142 mm
RIMS	DT Swiss XR 1501 Spline One 25
SPOKES	DT Swiss XR 1501 Spline One 25
TIRES	Schwalbe Racing Ray/Racing Ralph SnakeSkin TL Easy ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	8.9 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

TEAM 29 ELITE

MATTE BLACK/WHITE/TEAM RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605	626	646
REACH	411	427	445	461
STACK	608	620	629	641
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	55	55	55	55
WHEELBASE	1074	1097	1118	1132
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	1x11
FRAME	Carbon MTB Race Pro BF-MB03 High Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
SHIFTER	SHIMANO DEORE XT SL-M8000 RapidFire Plus 1x11
REAR DERAILLEUR	SHIMANO DEORE XT RD-M8000-GS SHADOW RD+
CRANKSET	SHIMANO DEORE XT FC-M8000-1 Hollowtech II 34T
BOTTOM BRACKET	SHIMANO BB-71-41A PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMX8 11-46T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO DEORE XT BR-M8000, hydraulic disc, 160/160 mm rotor
SADDLE	Fizik Tundra M5, MG
SEAT POST	ONE Race CRB, 27.2x400 mm
FRONT HUB	DT Swiss X 1900 Spline 25 15x100 mm
REAR HUB	DT Swiss X 1900 Spline 25 12x142 mm
RIMS	DT Swiss X 1900 Spline 25
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	9.8 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

**READY
TO PUSH
YOUR
LIMITS**



MTB TRAIL XF

SUPERIOR 

- TRAIL GEOMETRY
- INCREASED TRAVEL
- IMPROVED TRACTION AND SAFETY
- IMPROVED CONTROL AND MANEUVERING
- PRECISION SHIFTING



Dropped seatpost

Dropping saddle down gives more space to get behind the seat in steeps, and allows riders to conquer all sorts of terrain

Better traction / Easy control

Factory-installed tubeless system allows use lower tyre pressure for better traction = more effective riding and better control. No tubes means also lower risk of defects

Trail capability

Wider rims and tyres together with the carefully selected tyre compound (softer for front, faster for rear wheel) increase traction and push capability in difficult terrain and to the next level

XF 999 TR

MATTE BLACK/BLACK



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74.2°	74.2°	74.2°	74.2°
EFFECTIVE TOP TUBE LENGTH	584	602	626	640
REACH	416	431	452	463
STACK	594	605	615	626
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	430	430	430	430
BB DROP	40	40	40	40
WHEELBASE	1099	1112	1136	1145
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	60	80	90
CRANK LENGTH	170	175	175	175

GEARS	1x12
FRAME	Carbon MTB Trail BF-1602, Trail Geometry, 130 mm travel, Boost 12x148 mm Thru axle, PressFit BB92, Alloy swingarm, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AZX-220 R4, Zero Stack 1-1/8"x1.5", BlockLock
FORK	RockShox Reba RL, Boost 15x110mm, OneLoc Sprint remote LO, 130 mm travel
REAR SHOCK	RockShox Monarch RT3, 184x44 mm, hardware: 25.4x8 mm/14.0x8 mm
SHIFTER	SRAM X01 Eagle Trigger Shifter 1x12
REAR DERAILLEUR	SRAM X01 Eagle
CRANKSET	SRAM X1-Carbon Eagle DUB Boost148 34T
BOTTOM BRACKET	SRAM DUB PF MTB92, shell 41x92 mm
FREEWHEEL/CASSETTE	SRAM XG-1275 Eagle 10-50T
CHAIN	SRAM GX Eagle
PEDALS	Not included
HANDLEBAR	Alloy flat 31.8 mm
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO DEORE XT BR-M8000, hydraulic disc, 180/160 mm rotor
SADDLE	Fi'zi:k Antares R7
SEAT POST	Crank Brothers Highline Dropper, 150 mm travel, 31.6x400 mm
FRONT HUB	DT Swiss X 1900 Spline 25 15x110 mm
REAR HUB	DT Swiss X 1900 Spline 25 12x148 mm
RIMS	DT Swiss X 1900 Spline 25
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Nobby Nic SnakeSkin TL Easy ADDIX Speedgrip 29x2.35"
WEIGHT	11.8 kg

XF 979 TR

MATTE GREY/BLACK/NEON RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74.2°	74.2°	74.2°	74.2°
EFFECTIVE TOP TUBE LENGTH	584	602	626	640
REACH	416	431	452	463
STACK	594	605	615	626
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	430	430	430	430
BB DROP	40	40	40	40
WHEELBASE	1099	1112	1136	1145
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	60	80	90
CRANK LENGTH	170	175	175	175

GEARS	2x11
FRAME	Carbon MTB Trail BF-1602, Trail Geometry, 130 mm travel, Boost 12x148 mm Thru axle, PressFit BB92, Alloy swingarm, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AZX-220 R4, Zero Stack 1-1/8"x1.5", BlockLock
FORK	RockShox Reba RL, Boost 15x110mm, OneLoc Sprint remote LO, 130 mm travel
REAR SHOCK	RockShox Monarch RT3, 184x44 mm, hardware: 25.4x8 mm/14.0x8 mm
SHIFTER	SHIMANO DEORE XT SL-M8000 RapidFire Plus 2x11
FRONT DERAILLEUR	SHIMANO DEORE XT FD-M8020-E
REAR DERAILLEUR	SHIMANO DEORE XT RD-M8000-GS SHADOW RD+
CRANKSET	SHIMANO DEORE XT FC-M8000-B2 Hollowtech II 36-26T
BOTTOM BRACKET	SHIMANO BB-71-41A PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMX8 11-42T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	Alloy flat 31.8 mm
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO DEORE XT BR-M8000, hydraulic disc, 180/160 mm rotor
SADDLE	Fi'zi:k Antares R7
SEAT POST	ONE MT-171 Dropper, 150mm travel, 31.6x440 mm (390x125 mm travel for frame size S)
FRONT HUB	DT Swiss X 1900 Spline 25 15x110 mm
REAR HUB	DT Swiss X 1900 Spline 25 12x148 mm
RIMS	DT Swiss X 1900 Spline 25
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Nobby Nic SnakeSkin TL Easy ADDIX Speedgrip 29x2.35"
WEIGHT	11.8 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

XF 969 RC

MATTE BLACK/WHITE/TEAM RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74.2°	74.2°	74.2°	74.2°
EFFECTIVE TOP TUBE LENGTH	584	602	626	640
REACH	416	431	452	463
STACK	594	605	615	626
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	430	430	430	430
BB DROP	40	40	40	40
WHEELBASE	1099	1112	1136	1145
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	1x12
FRAME	Carbon MTB Race BF-1602, Race Geometry, 100 mm travel, Boost 12x148 mm Thru axle, PressFit BB92, Alloy swingarm, Inner cable routing, Dropped post ready
HEAD SET	ACROS AZX-220 R4, Zero Stack 1-1/8"x1.5", BlockLock
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
REAR SHOCK	DT Swiss X 313, remote LO, 165x38 mm, hardware: 25.4x8 mm/14.1x8 mm SmartLink adaptor
SHIFTER	SRAM GX Eagle Trigger Shifter 1x12
REAR DERAILLEUR	SRAM GX Eagle
CRANKSET	Truvativ Stylo 7K Eagle DUB Boost148 34T
BOTTOM BRACKET	SRAM DUB PF MTB92, shell 41x92 mm
FREEWHEEL/CASSETTE	SRAM XG-1275 Eagle 10-50T
CHAIN	SRAM GX Eagle
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO BL-M6000/BR-M615, hydraulic disc, 180/160 mm rotor
SADDLE	Fi'zi:k Antares R7
SEAT POST	ONE Race, 31.6x400 mm
FRONT HUB	DT Swiss X 1900 Spline 25 15x100 mm
RIMS	DT Swiss X 1900 Spline 25
REAR HUB	DT Swiss X 1900 Spline 25 12x148 mm
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	11.8 kg

XF 939 TR

MATTE PETROL BLUE/NEON RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74.2°	74.2°	74.2°	74.2°
EFFECTIVE TOP TUBE LENGTH	584	602	626	640
REACH	416	431	452	463
STACK	594	605	615	626
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	40	40	40	40
WHEELBASE	1099	1112	1136	1145
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	1x12
FRAME	Alu X6 Ultralite MTB Trail BF-1603, Trail Geometry, 130 mm travel, Boost 12x148 mm Thru axle, PressFit BB92, Inner cable routing, Dropped post ready
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox Reba RL, Boost 15x110mm, OneLoc Sprint remote LO, 130 mm travel
REAR SHOCK	RockShox Monarch RT, 184x44 mm, hardware: 25.4x6 mm/14.0x8 mm
SHIFTER	SRAM GX Eagle Trigger Shifter 1x12
REAR DERAILLEUR	SRAM GX Eagle
CRANKSET	Truvativ Stylo 7K Eagle DUB Boost148 34T
BOTTOM BRACKET	SRAM DUB PF MTB92, shell 41x92 mm
FREEWHEEL/CASSETTE	SRAM PG-1230 Eagle 11-50T
CHAIN	SRAM GX Eagle
PEDALS	Not included
HANDLEBAR	ONE Race
STEM	ONE Race Superflat 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE MT-171 Dropper, 150mm travel, 31.6x440 mm (390x125 mm travel for frame size S)
FRONT HUB	DT Swiss X 1900 Spline 25 15x110 mm
RIMS	DT Swiss X 1900 Spline 25
REAR HUB	DT Swiss X 1900 Spline 25 12x148 mm
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Nobby Nic SnakeSkin TL Easy ADDIX Speedgrip 29x2.35"
WEIGHT	12.8 kg



DISCOVER

SUPERIOR 

- VERSATILE TRAVEL 120MM
- BALANCED ALL-ROUND GEOMETRY
- TRACTION AND SAFETY
- PRECISION SHIFTING

Better comfort

The rider's arms and upper torso are not exposed to such rigorous impacts, enabling to relax and loosen your grip, which allows you to enjoy the ride and feel less tired

Versatile 120mm travel

Fast enough for occasional hobby races, capable enough for trail riding, comfortable enough for all-day long mountain adventure



Greater certainty

Improved traction enables more efficient braking, better climbing and greater certainty on descents and sharp winding trails

XF 919

MATTE GREY/BLACK/NEON RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74.2°	74.2°	74.2°	74.2°
EFFECTIVE TOP TUBE LENGTH	584	602	626	640
REACH	416	431	452	463
STACK	594	605	615	626
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	40	40	40	40
WHEELBASE	1099	1112	1136	1145
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	2x11
FRAME	Alu X6 Ultralite MTB Trail BF-1603, Trail Geometry, 120 mm travel, Boost 12x148 mm Thru axle, PressFit BB92, Inner cable routing, Dropped post ready
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox Recon RL, Boost 15x110 mm, OneLoc Sprint remote LO, 120 mm travel
REAR SHOCK	RockShox Monarch RT, 184x44 mm, hardware: 25.4x6 mm/14.0x8 mm
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 2x11
FRONT DERAILLEUR	SHIMANO FD-M7020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-GS SHADOW RD+
CRANKSET	SHIMANO FC-MT600-B2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMS7 11-42T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 31.6x400 mm
FRONT HUB	SHIMANO HB-M6010 CL 15x110 mm
REAR HUB	SHIMANO FH-M6010 CL 12x148 mm
RIMS	ONE J25D 32H
SPOKES	Sapim Laser/Race
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	13.5 kg

XF 909

MATTE NAVY BLUE/WHITE/RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74.2°	74.2°	74.2°	74.2°
EFFECTIVE TOP TUBE LENGTH	584	602	626	640
REACH	416	431	452	463
STACK	594	605	615	626
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	40	40	40	40
WHEELBASE	1099	1112	1136	1145
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	2x10
FRAME	Alu X6 Ultralite MTB Trail BF-1603, Trail Geometry, 120 mm travel, Boost 12x148 mm Thru axle, PressFit BB92, Inner cable routing, Dropped post ready
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox Judy Silver TK, Boost 15x110mm, PopLoc remote LO, 120 mm travel
REAR SHOCK	RockShox Monarch RT, 184x44 mm, hardware: 25.4x6 mm/14.0x8 mm
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 2x10
FRONT DERAILLEUR	SHIMANO FD-M6020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-SGS SHADOW RD+
CRANKSET	SHIMANO FC-MT500-B2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SHIMANO HG50-10 11-36T
CHAIN	KMC X10
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 31.6x400 mm
FRONT HUB	SHIMANO HB-M6010 CL 15x110 mm
REAR HUB	SHIMANO FH-M6010 CL 12x148 mm
RIMS	ONE J25D 32H
SPOKES	Sapim Leader
TIRES	Schwalbe Rapid Rob KevlarGuard 29x2.25"
WEIGHT	13.9 kg

READY TO BE FASTER



RACE PROVEN RACE READY

Super stiff, super-fast! The XP models are well-proven Superior's race inventory. Specially designed for world's hardest XC tracks. Combining the lightest weight possible with superior stiffness, our XP bikes guarantee full speed right out of the box.

XP models are traditionally available with carbon as well as aluminium frame.

MTB RACE

SUPERIOR 

- LIGHT, STIFF AND DURABLE
- GREAT PRICE/PERFORMANCE RATIO
- RACE GEOMETRY
- TRACTION AND SAFETY



Frame protection

Unique ACROS BlockLock head set protects frame against damage by handlebars.

Better traction / Easy control

Factory-installed tubeless system allows use lower tyre pressure for better traction = more effective riding and better control. No tubes means also lower risk of defects

Efficiency

Modern 12 speed SHIMANO XTR and SRAM Eagle drivetrain systems for maximum efficiency and wide gear range

Lightweight, stiff, durable

Complete DT Swiss wheels provide excellent acceleration and keep constant fast speed

XP 999

MATTE BLACK/BLACK



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605	626	646
REACH	411	427	445	461
STACK	608	620	629	641
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	55	55	55	55
WHEELBASE	1074	1097	1118	1132
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	1x12
FRAME	Carbon MTB Race Pro BF-MB03 Mid Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6,IS52/40 1-1/8"x1.5"
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
SHIFTER	SRAM X01 Eagle Trigger Shifter 1x12
REAR DERAILLEUR	SRAM X01 Eagle
CRANKSET	SRAM X1-Carbon Eagle DUB 34T
BOTTOM BRACKET	SRAM DUB PF MTB92, shell 41x92 mm
FREEWHEEL/CASSETTE	SRAM XG-1275 Eagle 10-50T
CHAIN	SRAM GX Eagle
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO DEORE XT BR-M8000, hydraulic disc, 180/160 mm rotor
SADDLE	Fi'zi:k Antares R7
SEAT POST	ONE Race CRB, 27.2x400 mm
FRONT HUB	DT Swiss X 1900 Spline 25 15x100 mm
REAR HUB	DT Swiss X 1900 Spline 25 12x142 mm
RIMS	DT Swiss X 1900 Spline 25
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	9.9 kg

XP 999

MATTE RED/WHITE/DARK RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605	626	646
REACH	411	427	445	461
STACK	608	620	629	641
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	55	55	55	55
WHEELBASE	1074	1097	1118	1132
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	1x12
FRAME	Carbon MTB Race Pro BF-MB03 Mid Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
SHIFTER	SRAM X01 Eagle Trigger Shifter 1x12
REAR DERAILLEUR	SRAM X01 Eagle
CRANKSET	SRAM X1-Carbon Eagle DUB 34T
BOTTOM BRACKET	SRAM DUB PF MTB92, shell 41x92 mm
FREEWHEEL/CASSETTE	SRAM XG-1275 Eagle 10-50T
CHAIN	SRAM GX Eagle
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO DEORE XT BR-M8000, hydraulic disc, 180/160 mm rotor
SADDLE	Fi'zi:k Antares R7
SEAT POST	ONE Race CRB, 27.2x400 mm
FRONT HUB	DT Swiss X 1900 Spline 25 15x100 mm
REAR HUB	DT Swiss X 1900 Spline 25 12x142 mm
RIMS	DT Swiss X 1900 Spline 25
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	9.9 kg

XP 979

MATTE GREY/BLACK/NEON RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605	626	646
REACH	411	427	445	461
STACK	608	620	629	641
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	55	55	55	55
WHEELBASE	1074	1097	1118	1132
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	2x11
FRAME	Carbon MTB Race Pro BF-MB03 Mid Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
SHIFTER	SHIMANO DEORE XT SL-M8000 RapidFire Plus 2x11
FRONT DERAILLEUR	SHIMANO DEORE XT FD-M8020-E
REAR DERAILLEUR	SHIMANO DEORE XT RD-M8000-GS SHADOW RD+
CRANKSET	SHIMANO DEORE XT FC-M8000-2 Hollowtech II 38-28T
BOTTOM BRACKET	SHIMANO BB-71-41A PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMX8 11-42T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO DEORE XT BR-M8000, hydraulic disc, 180/160 mm rotor
SADDLE	Fi'zi:k Antares R7
SEAT POST	ONE Race CRB, 27.2x400 mm
FRONT HUB	DT Swiss X 1900 Spline 25 15x100 mm
REAR HUB	DT Swiss X 1900 Spline 25 12x142 mm
RIMS	DT Swiss X 1900 Spline 25
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	9.9 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

XP 979

MATTE ORANGE/DARK RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605	626	646
REACH	411	427	445	461
STACK	608	620	629	641
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	55	55	55	55
WHEELBASE	1074	1097	1118	1132
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	2x11
FRAME	Carbon MTB Race Pro BF-MB03 Mid Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
SHIFTER	SHIMANO DEORE XT SL-M8000 RapidFire Plus 2x11
FRONT DERAILLEUR	SHIMANO DEORE XT FD-M8020-E
REAR DERAILLEUR	SHIMANO DEORE XT RD-M8000-GS SHADOW RD+
CRANKSET	SHIMANO DEORE XT FC-M8000-2 Hollowtech II 38-28T
BOTTOM BRACKET	SHIMANO BB-71-41A PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMX8 11-42T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO DEORE XT BR-M8000, hydraulic disc, 180/160 mm rotor
SADDLE	Fi'zi:k Antares R7
SEAT POST	ONE Race CRB, 27.2x400 mm
FRONT HUB	DT Swiss X 1900 Spline 25 15x100 mm
REAR HUB	DT Swiss X 1900 Spline 25 12x142 mm
RIMS	DT Swiss X 1900 Spline 25
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	9.9 kg

XP 969

MATTE GREY/BLACK/NEON RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605	626	646
REACH	411	427	445	461
STACK	608	620	629	641
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	55	55	55	55
WHEELBASE	1074	1097	1118	1132
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	1x11
FRAME	Carbon MTB Race Pro BF-MB03 Mid Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
SHIFTER	SRAM GX Eagle Trigger Shifter 1x12
REAR DERAILLEUR	SRAM GX Eagle
CRANKSET	Truvativ Stylo 7K Eagle DUB 34T
BOTTOM BRACKET	SRAM DUB PF MTB92, shell 41x92 mm
FREEWHEEL/CASSETTE	SRAM XG-1275 Eagle 10-50T
CHAIN	SRAM GX Eagle
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO BL-M6000/BR-M615, hydraulic disc, 180/160 mm rotor
SADDLE	Fi'zi:k Antares R7
SEAT POST	ONE Race CRB, 27.2x400 mm
FRONT HUB	DT Swiss X 1900 Spline 25 15x100 mm
REAR HUB	DT Swiss X 1900 Spline 25 12x142 mm
RIMS	DT Swiss X 1900 Spline 25
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	9.9 kg

XP 969

MATTE BLACK/WHITE/TEAM RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605	626	646
REACH	411	427	445	461
STACK	608	620	629	641
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	55	55	55	55
WHEELBASE	1074	1097	1118	1132
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	1x11
FRAME	Carbon MTB Race Pro BF-MB03 Mid Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
SHIFTER	SRAM GX Eagle Trigger Shifter 1x12
REAR DERAILLEUR	SRAM GX Eagle
CRANKSET	Truvativ Stylo 7K Eagle DUB 34T
BOTTOM BRACKET	SRAM DUB PF MTB92, shell 41x92 mm
FREEWHEEL/CASSETTE	SRAM XG-1275 Eagle 10-50T
CHAIN	SRAM GX Eagle
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO BL-M6000/BR-M615, hydraulic disc, 180/160 mm rotor
SADDLE	Fi'zi:k Antares R7
SEAT POST	ONE Race CRB, 27.2x400 mm
FRONT HUB	DT Swiss X 1900 Spline 25 15x100 mm
REAR HUB	DT Swiss X 1900 Spline 25 12x142 mm
RIMS	DT Swiss X 1900 Spline 25
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	9.9 kg

XP 929

MATTE BLACK/BLACK



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605	626	646
REACH	411	427	445	461
STACK	608	620	629	641
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	55	55	55	55
WHEELBASE	1074	1097	1118	1132
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	2x11
FRAME	Carbon MTB Race Pro BF-MB03 Mid Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	RockShox Recon RL, Boost 15x110 mm, OneLoc Sprint remote LO, 120 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 2x11
FRONT DERAILLEUR	SHIMANO FD-M7020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-GS SHADOW RD+
CRANKSET	SHIMANO FC-MT600-2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMS7 11-42T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x400 mm
FRONT HUB	DT Swiss 370 Straightpull IS 15x100mm
REAR HUB	DT Swiss 370 Straightpull IS 12x142mm
RIMS	ONE J25D 28H
SPOKES	Sapim Laser/Race
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	10.9 kg

XP 929

MATTE BLACK/BLACK/NEON YELLOW



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605	626	646
REACH	411	427	445	461
STACK	608	620	629	641
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	432	432	432	432
BB DROP	55	55	55	55
WHEELBASE	1074	1097	1118	1132
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	2x11
FRAME	Carbon MTB Race Pro BF-MB03 Mid Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	RockShox Recon RL, Boost 15x110 mm, OneLoc Sprint remote LO, 120 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 2x11
FRONT DERAILLEUR	SHIMANO FD-M7020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-GS SHADOW RD+
CRANKSET	SHIMANO FC-MT600-2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMS7 11-42T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x400 mm
FRONT HUB	DT Swiss 370 Straightpull IS 15x100mm
REAR HUB	DT Swiss 370 Straightpull IS 12x142mm
RIMS	ONE J25D 28H
SPOKES	Sapim Laser/Race
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	10.9 kg

XP 939

MATTE BLACK/BLACK



GEARS	1x12
FRAME	Alu X6 Ultralite, Race Geometry, 142x12 mm Thru axle, PressFit BB92, Inner cable routing
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox Recon RL, Boost 15x110 mm, OneLoc Sprint remote LO, 120 mm travel
SHIFTER	SRAM GX Eagle Trigger Shifter 1x12
REAR DERAILLEUR	SRAM GX Eagle
CRANKSET	Truvativ Stylo 7K Eagle DUB 34T
BOTTOM BRACKET	SRAM DUB PF MTB92, shell 41x92 mm
FREEWHEEL/CASSETTE	SRAM PG-1230 Eagle 11-50T
CHAIN	SRAM GX Eagle
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x400 mm
FRONT HUB	DT Swiss 370 Straightpull IS 15x100mm
REAR HUB	DT Swiss 370 Straightpull IS 12x142mm
RIMS	ONE J25D 28H
SPOKES	Sapim Laser/Race
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	11.5 kg

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	586	605	626	646
REACH	412	428	446	463
STACK	607	619	628	640
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	434	434	434	434
BB DROP	55	55	55	55
WHEELBASE	1084	1098	1120	1135
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

XP 939

MATTE SMOKY ALU/BLACK



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	586	605	626	646
REACH	412	428	446	463
STACK	607	619	628	640
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	434	434	434	434
BB DROP	55	55	55	55
WHEELBASE	1084	1098	1120	1135
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	1x12
FRAME	Alu X6 Ultralite, Race Geometry, 142x12 mm Thru axle, PressFit BB92, Inner cable routing
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox Recon RL, Boost 15x110 mm, OneLoc Sprint remote LO, 120 mm travel
SHIFTER	SRAM GX Eagle Trigger Shifter 1x12
REAR DERAILLEUR	SRAM GX Eagle
CRANKSET	Truvativ Stylo 7K Eagle DUB 34T
BOTTOM BRACKET	SRAM DUB PF MTB92, shell 41x92 mm
FREEWHEEL/CASSETTE	SRAM PG-1230 Eagle 11-50T
CHAIN	SRAM GX Eagle
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x400 mm
FRONT HUB	DT Swiss 370 Straightpull IS 15x100mm
REAR HUB	DT Swiss 370 Straightpull IS 12x142mm
RIMS	ONE J25D 28H
SPOKES	Sapim Laser/Race
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	11.5 kg

XP 919

MATTE BLACK/WHITE/TEAM RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	586	605	626	646
REACH	412	428	446	463
STACK	607	619	628	640
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	434	434	434	434
BB DROP	55	55	55	55
WHEELBASE	1084	1098	1120	1135
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	2x11
FRAME	Alu X6 Ultralite, Race Geometry, 9x135 mm QR axle , PressFit BB92, Inner cable routing
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox 30 Silver TK, QR, PopLoc remote LO, 100 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 2x11
FRONT DERAILLEUR	SHIMANO FD-M7020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-GS SHADOW RD+
CRANKSET	SHIMANO FC-MT600-2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMS7 11-42T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x400 mm
FRONT HUB	SHIMANO HB-M6000 CL QR
REAR HUB	SHIMANO FH-M6000 CL QR
RIMS	ONE J25D 32H
SPOKES	Sapim Laser/Race
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	11.8 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

XP 919

MATTE GREY/BLACK/NEON RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	586	605	626	646
REACH	412	428	446	463
STACK	607	619	628	640
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	434	434	434	434
BB DROP	55	55	55	55
WHEELBASE	1084	1098	1120	1135
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	2x11
FRAME	Alu X6 Ultralite, Race Geometry, 9x135 mm QR axle , PressFit BB92, Inner cable routing
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox 30 Silver TK, QR, PopLoc remote LO, 100 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 2x11
FRONT DERAILLEUR	SHIMANO FD-M7020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-GS SHADOW RD+
CRANKSET	SHIMANO FC-MT600-2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMS7 11-42T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x400 mm
FRONT HUB	SHIMANO HB-M6000 CL QR
REAR HUB	SHIMANO FH-M6000 CL QR
RIMS	ONE J25D 32H
SPOKES	Sapim Laser/Race
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	11.8 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

XP 909

MATTE NAVY BLUE/WHITE/RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	586	605	626	646
REACH	412	428	446	463
STACK	607	619	628	640
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	434	434	434	434
BB DROP	55	55	55	55
WHEELBASE	1084	1098	1120	1135
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	2x10
FRAME	Alu X6 Ultralite, Race Geometry, 9x135 mm QR axle , PressFit BB92, Inner cable routing
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox 30 Silver TK, QR, PopLoc remote LO, 100 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 2x10
FRONT DERAILLEUR	SHIMANO FD-M6020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-SGS SHADOW RD+
CRANKSET	SHIMANO FC-MT500-2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SHIMANO HG50-10 11-36T
CHAIN	KMC X10
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x400 mm
FRONT HUB	SHIMANO HB-M6000 CL QR
RIMS	ONE J25D 32H
REAR HUB	SHIMANO FH-M6000 CL QR
SPOKES	Sapim Leader
TIRES	Schwalbe Rapid Rob KevlarGuard 29x2.10"
WEIGHT	12.8 kg

XP 909

MATTE BLACK/DARK GREY/NEON YELLOW



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	586	605	626	646
REACH	412	428	446	463
STACK	607	619	628	640
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	434	434	434	434
BB DROP	55	55	55	55
WHEELBASE	1084	1098	1120	1135
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	2x10
FRAME	Alu X6 Ultralite, Race Geometry, 9x135 mm QR axle , PressFit BB92, Inner cable routing
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox 30 Silver TK, QR, PopLoc remote LO, 100 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 2x10
FRONT DERAILLEUR	SHIMANO FD-M6020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-SGS SHADOW RD+
CRANKSET	SHIMANO FC-MT500-2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SHIMANO HG50-10 11-36T
CHAIN	KMC X10
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x400 mm
FRONT HUB	SHIMANO HB-M6000 CL QR
RIMS	ONE J25D 32H
REAR HUB	SHIMANO FH-M6000 CL QR
SPOKES	Sapim Leader
TIRES	Schwalbe Rapid Rob KevlarGuard 29x2.10"
WEIGHT	12.8 kg

A photograph of two cyclists riding on a dirt path through a lush green forest. The cyclist in the foreground is wearing a black shirt, bright yellow shorts, and a large black backpack. The cyclist in the background is wearing a blue shirt and red shorts. The image has a motion blur effect, suggesting speed. The text 'READY TO RIDE' is overlaid in large white letters on the left side.

READY TO RIDE

CONFIDENT RIDING

They are lightweight, durable, easy to control, efficient and cost-effective. Our XC models offer the perfect mixture that will make your riding confident on and off the road. The upright geometry offers comfort and relief to your back even when long time in the saddle. Same we could not resist implementing the race genes typical to Superior bikes making the XC models surprisingly fast.

MTB SPORT

SUPERIOR 

- SPORT GEOMETRY
- LIGHT AND DURABLE
- IMPROVED COMFORT
- RACE IMAGE
- PRECISION SHIFTING



Light & Durable

Quality frames with butted tubes and smooth welded connections

Better traction and comfort

Wider rims and tyres for better traction, control and reduction of braking distance

Precision shifting

Shimano drivetrain parts and lubricated and sealed bowdrens for precise, smooth and easy shifting

XC 889

MATTE BLACK/DARK GREY/RED



GEARS	2x10
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK droppout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCR32 Air LOR, 100 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 2x10
FRONT DERAILLEUR	SHIMANO DEORE FD-M6025-L
REAR DERAILLEUR	SHIMANO DEORE XT RD-M781-GS SHADOW RD
CRANKSET	SHIMANO FC-MT500-2 36-26T
FREEWHEEL/CASSETTE	SHIMANO HG50-10 11-36T
CHAIN	KMC X10
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm rised
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
REAR HUB	SHIMANO FH-TX5058 CL QR
RIMS	ONE J20S 32H
SPOKES	Sapim Galvanized
TIRES	Impac RidgePac 29x2.10"
WEIGHT	13.9 kg

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	406	457	508	559
SEAT TUBE ANGLE	72.4	72.4	72.4	72.4
EFFECTIVE TOP TUBE LENGTH	570	590	610	630
REACH	372	387	407	421
STACK	620	639	639	657
HEAD TUBE LENGTH	100	120	120	140
HEAD TUBE ANGLE	70°	70°	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
CHAINSTAY LENGTH	445	445	445	445
BB DROP	60	60	60	60
WHEELBASE	1066	1087	1107	1128
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	175	175	175

XC 889

MATTE BLACK/DARK GREY



GEARS	2x10
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCR32 Air LOR, 100 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 2x10
FRONT DERAILLEUR	SHIMANO DEORE FD-M6025-L
REAR DERAILLEUR	SHIMANO DEORE XT RD-M781-GS SHADOW RD
CRANKSET	SHIMANO FC-MT500-2 36-26T
FREEWHEEL/CASSETTE	SHIMANO HG50-10 11-36T
CHAIN	KMC X10
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm rised
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
REAR HUB	SHIMANO FH-TX5058 CL QR
RIMS	ONE J20S 32H
SPOKES	Sapim Galvanized
TIRES	Impac RidgePac 29x2.10"
WEIGHT	13.9 kg

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	406	457	508	559
SEAT TUBE ANGLE	72.4	72.4	72.4	72.4
EFFECTIVE TOP TUBE LENGTH	570	590	610	630
REACH	372	387	407	421
STACK	620	639	639	657
HEAD TUBE LENGTH	100	120	120	140
HEAD TUBE ANGLE	70°	70°	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
CHAINSTAY LENGTH	445	445	445	445
BB DROP	60	60	60	60
WHEELBASE	1066	1087	1107	1128
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	175	175	175

XC 879

MATTE GREY/BLACK/NEON RED



FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	406	457	508	559
SEAT TUBE ANGLE	72.4	72.4	72.4	72.4
EFFECTIVE TOP TUBE LENGTH	570	590	610	630
REACH	372	387	407	421
STACK	620	639	639	657
HEAD TUBE LENGTH	100	120	120	140
HEAD TUBE ANGLE	70°	70°	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
CHAINSTAY LENGTH	445	445	445	445
BB DROP	60	60	60	60
WHEELBASE	1066	1087	1107	1128
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	175	175	175

GEARS	3x9
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK droppout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCR32 Air LOR, 100 mm travel
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
FRONT DERAILLEUR	SHIMANO FD-M3000-TS6
REAR DERAILLEUR	SHIMANO DEORE XT RD-M772-SGS SHADOW RD
CRANKSET	SHIMANO FC-MT100 40-30-22T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG200-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm rised
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac RidgePac 29x2.10"
WEIGHT	14.3 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

XC 879

GLOSS BLACK/DARK GREY/NEON YELLOW



FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	406	457	508	559
SEAT TUBE ANGLE	72.4	72.4	72.4	72.4
EFFECTIVE TOP TUBE LENGTH	570	590	610	630
REACH	372	387	407	421
STACK	620	639	639	657
HEAD TUBE LENGTH	100	120	120	140
HEAD TUBE ANGLE	70°	70°	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
CHAINSTAY LENGTH	445	445	445	445
BB DROP	60	60	60	60
WHEELBASE	1066	1087	1107	1128
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	175	175	175

GEARS	3x9
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK droppout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCR32 Air LOR, 100 mm travel
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
FRONT DERAILLEUR	SHIMANO FD-M3000-TS6
REAR DERAILLEUR	SHIMANO DEORE XT RD-M772-SGS SHADOW RD
CRANKSET	SHIMANO FC-MT100 40-30-22T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG200-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm rised
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac RidgePac 29x2.10"
WEIGHT	14.3 kg

XC 869

MATTE BLACK/DARK GREY/RED



FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	406	457	508	559
SEAT TUBE ANGLE	72.4	72.4	72.4	72.4
EFFECTIVE TOP TUBE LENGTH	570	590	610	630
REACH	372	387	407	421
STACK	620	639	639	657
HEAD TUBE LENGTH	100	120	120	140
HEAD TUBE ANGLE	70°	70°	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
CHAINSTAY LENGTH	445	445	445	445
BB DROP	60	60	60	60
WHEELBASE	1066	1087	1107	1128
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	175	175	175

GEARS	3x9
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCM HLO, 100 mm travel
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
FRONT DERAILLEUR	SHIMANO FD-M2000-TS6
REAR DERAILLEUR	SHIMANO DEORE RD-M592-SGS SHADOW RD
CRANKSET	SHIMANO FC-MT100 40-30-22T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG200-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm rised
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac RidgePac 29x2.10"
WEIGHT	14.3 kg

XC 869

GLOSS ORANGE/DARK RED



FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	406	457	508	559
SEAT TUBE ANGLE	72.4	72.4	72.4	72.4
EFFECTIVE TOP TUBE LENGTH	570	590	610	630
REACH	372	387	407	421
STACK	620	639	639	657
HEAD TUBE LENGTH	100	120	120	140
HEAD TUBE ANGLE	70°	70°	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
CHAINSTAY LENGTH	445	445	445	445
BB DROP	60	60	60	60
WHEELBASE	1066	1087	1107	1128
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	175	175	175

GEARS	3x9
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCM HLO, 100 mm travel
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
FRONT DERAILLEUR	SHIMANO FD-M2000-TS6
REAR DERAILLEUR	SHIMANO DEORE RD-M592-SGS SHADOW RD
CRANKSET	SHIMANO FC-MT100 40-30-22T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG200-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm rised
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac RidgePac 29x2.10"
WEIGHT	14.3 kg

XC 859

MATTE DARK BLUE/NEON BLUE



GEARS	3x8
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCM HLO, 100 mm travel
SHIFTER	SHIMANO SL-M310 RapidFire Plus 3x8
FRONT DERAILLEUR	SHIMANO FD-TY700-TS6
REAR DERAILLEUR	SHIMANO DEORE RD-M591-SGS
CRANKSET	SHIMANO FC-TY501 42-34-24T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm riser
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac RidgePac 29x2.10"
WEIGHT	14.3 kg

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	406	457	508	559
SEAT TUBE ANGLE	72.4	72.4	72.4	72.4
EFFECTIVE TOP TUBE LENGTH	570	590	610	630
REACH	372	387	407	421
STACK	620	639	639	657
HEAD TUBE LENGTH	100	120	120	140
HEAD TUBE ANGLE	70°	70°	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
CHAINSTAY LENGTH	445	445	445	445
BB DROP	60	60	60	60
WHEELBASE	1066	1087	1107	1128
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	175	175	175

XC 859

MATTE BLACK/DARK GREY



GEARS	3x8
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCM HLO, 100 mm travel
SHIFTER	SHIMANO SL-M310 RapidFire Plus 3x8
FRONT DERAILLEUR	SHIMANO FD-TY700-TS6
REAR DERAILLEUR	SHIMANO DEORE RD-M591-SGS
CRANKSET	SHIMANO FC-TY501 42-34-24T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm risen
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac RidgePac 29x2.10"
WEIGHT	14.3 kg

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	406	457	508	559
SEAT TUBE ANGLE	72.4	72.4	72.4	72.4
EFFECTIVE TOP TUBE LENGTH	570	590	610	630
REACH	372	387	407	421
STACK	620	639	639	657
HEAD TUBE LENGTH	100	120	120	140
HEAD TUBE ANGLE	70°	70°	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
CHAINSTAY LENGTH	445	445	445	445
BB DROP	60	60	60	60
WHEELBASE	1066	1087	1107	1128
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	175	175	175

XC 819

GLOSS BLACK/DARK GREY/NEON YELLOW



GEARS	3x7
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCT, 100 mm travel
SHIFTER	SHIMANO ST-EF500 EZ Fire Plus 3x7
FRONT DERAILLEUR	SHIMANO FD-TY500-TS6
REAR DERAILLEUR	SHIMANO ALTUS RD-M310
CRANKSET	SHIMANO FC-TY301 42-34-24T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO TZ21-7 14-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm riser
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	Tektro Novela, mechanical disc, 160/160 mm rotor
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	ONE KT Disc QR
REAR HUB	ONE KT-TD7R
RIMS	ONE J20S 32H
SPOKES	Sapim Galvanized
TIRES	Impac RidgePac 29x2.10"
WEIGHT	14.3 kg

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	406	457	508	559
SEAT TUBE ANGLE	72.4	72.4	72.4	72.4
EFFECTIVE TOP TUBE LENGTH	570	590	610	630
REACH	372	387	407	421
STACK	620	639	639	657
HEAD TUBE LENGTH	100	120	120	140
HEAD TUBE ANGLE	70°	70°	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
CHAINSTAY LENGTH	445	445	445	445
BB DROP	60	60	60	60
WHEELBASE	1066	1087	1107	1128
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	175	175	175

XC 819

MATTE PETROL BLUE/NEON RED



GEARS	3x7
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCT, 100 mm travel
SHIFTER	SHIMANO ST-EF500 EZ Fire Plus 3x7
FRONT DERAILLEUR	SHIMANO FD-TY500-TS6
REAR DERAILLEUR	SHIMANO ALTUS RD-M310
CRANKSET	SHIMANO FC-TY301 42-34-24T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO TZ21-7 14-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm riser
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	Tektro Novela, mechanical disc, 160/160 mm rotor
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	ONE KT Disc QR
REAR HUB	ONE KT-TD7R
RIMS	ONE J20S 32H
SPOKES	Sapim Galvanized
TIRES	Impac RidgePac 29x2.10"
WEIGHT	14.3 kg

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	406	457	508	559
SEAT TUBE ANGLE	72.4	72.4	72.4	72.4
EFFECTIVE TOP TUBE LENGTH	570	590	610	630
REACH	372	387	407	421
STACK	620	639	639	657
HEAD TUBE LENGTH	100	120	120	140
HEAD TUBE ANGLE	70°	70°	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
CHAINSTAY LENGTH	445	445	445	445
BB DROP	60	60	60	60
WHEELBASE	1066	1087	1107	1128
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	175	175	175

READY TO HIT THE RUNAWAY



BLOODY FAST

Superior's brand new road series stand for state-of-the-art road racing machine fine-tuned to offer unrivaled racing cocktail: explosive stiffness for speed and road smoothing for high riding comfort. AERO's specific aerodynamics reducing the wind factor makes you ride even faster when the speed sets high. Combine these qualities with the ultralight weight of our models and you get the ultimate road racing weapon.

ROAD RACE CARBON

SUPERIOR 

- ACCELERATION AND SPEED
- ROAD RACING GEOMETRY
- FAST AND EFFICIENT
- AERO STYLING
- COMFORTABLE AND SAFE



Fast and comfortable

Aero shaped frame and carbon handlebars reduce aero drag and increase riding comfort

Lightweight, stiff, durable

Complete DT Swiss wheels provide excellent acceleration and keep constant fast speed

Comfort, safety and speed

Wide rims and tubeless tyres increase comfort, traction and reduce rolling resistance

ROAD TEAM ISSUE Di2

MATTE BLACK/CHROME SILVER



FRAME SIZE	50cm(XS)	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
WHEEL SIZE	700c	700c	700c	700c	700c
SEAT TUBE LENGTH	480	500	520	540	560
SEAT TUBE ANGLE	73.5	73.5	73.5	73.5	73.5
EFFECTIVE TOP TUBE LENGTH	528	545	565	590	600
REACH	370.3	382.5	396.8	417.1	424.2
STACK	532.5	548.6	567.7	583.9	593.4
HEAD TUBE LENGTH	130	145	165	180	190
HEAD TUBE ANGLE	72.5	73	73	73.5	73.5

FRAME SIZE	50cm(XS)	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
CHAINSTAY LENGTH	404	404	404	404	404
BB DROP	70	70	70	70	70
WHEELBASE	961	974	994	1014	1024
SEAT POST DIAMETER	Aero	Aero	Aero	Aero	Aero
SEAT POST LENGTH	350	350	350	350	350
HANDLEBAR WIDTH	420	420	420	440	440
STEM LENGTH	100	100	120	120	120
CRANK LENGTH	172.5	172.5	175	175	175

GEARS	2x11
FRAME	Carbon Road Race BF-RB05 Mid Modulus, Road Race Geometry, 9x130 mm QR axle, PressFit BB86, Inner Cable Routing, Di2 compatible, Integrated seatpost clamp
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	Road Race Full Carbon UD
SHIFTER	SHIMANO ULTEGRA Di2 ST-R8050 2x11
FRONT DERAILLEUR	SHIMANO ULTEGRA FD-R8050-F Di2
REAR DERAILLEUR	SHIMANO ULTEGRA Di2 RD-R8050-SS SHADOW RD
CRANKSET	SHIMANO ULTEGRA FC-R8000 Hollowtech II 52-36T
BOTTOM BRACKET	SHIMANO BB-71-41B PressFit, shell 41x86.5 mm
FREEWHEEL/CASSETTE	SHIMANO 105 CS-R7000 11-30T
CHAIN	KMC X11L
PEDALS	Not included
HANDLEBAR	ONE Aero CRB Compact
STEM	ONE Race 31.8 mm
GRIPS	Velo StickyGel
BRAKES (FRONT/REAR)	SHIMANO ULTEGRA BR-R8010
SADDLE	Fi'zi:k Antares Versus EVO R5
SEAT POST	Road Aero CRB BF-SP01, 350 mm
FRONT HUB	DT Swiss PR 1600 Spline 32 QR
REAR HUB	DT Swiss PR 1600 Spline 32 QR
RIMS	DT Swiss PR 1600 Spline 32
SPOKES	DT Swiss PR 1600 Spline 32
TIRES	Schwalbe Pro One MicroSkin TL Easy 700x28C
WEIGHT	7.5 kg

ROAD TEAM ISSUE Di2 DISC

MATTE BLACK/CHROME SILVER



FRAME SIZE	50cm(XS)	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
WHEEL SIZE	700c	700c	700c	700c	700c
SEAT TUBE LENGTH	480	500	520	540	560
SEAT TUBE ANGLE	73.5	73.5	73.5	73.5	73.5
EFFECTIVE TOP TUBE LENGTH	528	545	565	590	600
REACH	370.3	382.5	396.8	417.1	424.2
STACK	532.5	548.6	567.7	583.9	593.4
HEAD TUBE LENGTH	130	145	165	180	190
HEAD TUBE ANGLE	72.5	73	73	73.5	73.5

FRAME SIZE	50cm(XS)	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
CHAINSTAY LENGTH	404	404	404	404	404
BB DROP	70	70	70	70	70
WHEELBASE	961	974	994	1014	1024
SEAT POST DIAMETER	Aero	Aero	Aero	Aero	Aero
SEAT POST LENGTH	350	350	350	350	350
HANDLEBAR WIDTH	420	420	420	440	440
STEM LENGTH	100	100	120	120	120
CRANK LENGTH	172.5	172.5	175	175	175

GEARS	2x11
FRAME	Carbon Road Race BF-RB04 Mid Modulus, Road Race Geometry, 12x142 mm Thru axle, PressFit BB86, Inner Cable Routing, Di2 compatible, Integrated seatpost clamp
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6,IS52/40 1-1/8"x1.5"
FORK	Road Race Full Carbon UD
SHIFTER	SHIMANO ULTEGRA Di2 ST-R8070 2x11
FRONT DERAILLEUR	SHIMANO ULTEGRA FD-R8050-F Di2
REAR DERAILLEUR	SHIMANO ULTEGRA Di2 RD-R8050-SS SHADOW RD
CRANKSET	SHIMANO ULTEGRA FC-R8000 Hollowtech II 52-36T
BOTTOM BRACKET	SHIMANO BB-71-41B PressFit, shell 41x86.5 mm
FREEWHEEL/CASSETTE	SHIMANO 105 CS-R7000 11-30T
CHAIN	KMC X11L
PEDALS	Not included
HANDLEBAR	ONE Aero CRB Compact
STEM	ONE Race 31.8 mm
GRIPS	Velo StickyGel
BRAKES (FRONT/REAR)	SHIMANO ULTEGRA BR-R8070, hydraulic disc, 140/140 mm rotor
SADDLE	Fi'zi:k Antares Versus EVO R5
SEAT POST	Road Aero CRB BF-SP01, 350 mm
FRONT HUB	DT Swiss PR 1600 Spline DB 32 12x100 mm
REAR HUB	DT Swiss PR 1600 Spline DB 32 12x142 mm
RIMS	DT Swiss PR 1600 Spline DB 32
SPOKES	DT Swiss PR 1600 Spline DB 32
TIRES	Schwalbe Pro One MicroSkin TL Easy 700x28C
WEIGHT	7.8 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

ROAD TEAM ELITE

MATTE BLACK/CHROME SILVER



GEARS	2x11
FRAME	Carbon Road Race BF-RB05 Mid Modulus, Road Race Geometry, 9x130 mm QR axle, PressFit BB86, Inner Cable Routing, Di2 compatible, Integrated seatpost clamp
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	Road Race Full Carbon UD
SHIFTER	SHIMANO 105 ST-R7000 2x11
FRONT DERAILLEUR	SHIMANO 105 FD-R7000-F
REAR DERAILLEUR	SHIMANO 105 RD-R7000-SS SHADOW RD
CRANKSET	SHIMANO 105 FC-R7000 Hollowtech II 52-36T
BOTTOM BRACKET	SHIMANO BB-71-41B PressFit, shell 41x86.5 mm
FREEWHEEL/CASSETTE	SHIMANO 105 CS-R7000 11-30T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Aero Compact
STEM	ONE Race 31.8 mm
GRIPS	Velo StickyGel
BRAKES (FRONT/REAR)	SHIMANO 105 BR-R7010
SADDLE	Fi'zi:k Antares R7
SEAT POST	Road Aero CRB BF-SP01, 350 mm
FRONT HUB	DT Swiss P 1800 Spline 32 QR
REAR HUB	DT Swiss P 1800 Spline 32 QR
RIMS	DT Swiss P 1800 Spline 32
SPOKES	DT Swiss P 1800 Spline 32
TIRES	Schwalbe Durano RaceGuard 700x28C
WEIGHT	8.5 kg

FRAME SIZE	50cm(XS)	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
WHEEL SIZE	700c	700c	700c	700c	700c
SEAT TUBE LENGTH	480	500	520	540	560
SEAT TUBE ANGLE	73.5	73.5	73.5	73.5	73.5
EFFECTIVE TOP TUBE LENGTH	528	545	565	590	600
REACH	370.3	382.5	396.8	417.1	424.2
STACK	532.5	548.6	567.7	583.9	593.4
HEAD TUBE LENGTH	130	145	165	180	190
HEAD TUBE ANGLE	72.5	73	73	73.5	73.5

FRAME SIZE	50cm(XS)	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
CHAINSTAY LENGTH	404	404	404	404	404
BB DROP	70	70	70	70	70
WHEELBASE	961	974	994	1014	1024
SEAT POST DIAMETER	Aero	Aero	Aero	Aero	Aero
SEAT POST LENGTH	350	350	350	350	350
HANDLEBAR WIDTH	420	420	420	440	440
STEM LENGTH	100	100	120	120	120
CRANK LENGTH	172.5	172.5	175	175	175

A cyclist wearing a blue and black jersey and a black helmet is riding a road bike on a gravel path. The path is on a hillside overlooking a vast mountain valley with rolling hills and a small town in the distance. The sky is blue with scattered white clouds. The text 'READY FOR THE FREEDOM' is overlaid in large white letters on the left side of the image.

READY FOR THE FREEDOM

VERSATILE & FAST

X-Road = Freedom.

Freedom to choose your way same as your riding style. Speedwise X-Road represents the Superior racing heritage, while extending its usability well outside the racecourse. Tarmac or gravel, sun or rain, even snow X-Road is prepared for everything. The choice is yours.

X-ROAD CARBON

SUPERIOR 

- SUPER FAST ON ALL SURFACES
- GRAVEL RACING GEOMETRY
- UP TO 35MM TYRE CLEARANCE
- SUPERLIGHT AND COMFORTABLE
- ALL SEASON ALLROUNDER



Vibration dampening

Subtle upper part of the frame provides hi-efficient vibrationdampening for great ring comfort

Comfort, safety and speed

Wide rims and tubeless tyres increase comfort, traction and reduce rolling resistance

Precise control

Thru axles and hydraulic disc brakes for precise control in every situation

Easy climbing

Wide gear range for easy climbing in any terrain

X-ROAD TEAM ISSUE R

MATTE BLACK/CHROME SILVER



FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
WHEEL SIZE	700C	700C	700C	700C
SEAT TUBE LENGTH	490	510	530	550
SEAT TUBE ANGLE	73.8°	73.5°	73°	73°
EFFECTIVE TOP TUBE LENGTH	530	538	570	590
REACH	371	374	387	403
STACK	550	561	598	607
HEAD TUBE LENGTH	135	145	180	190
HEAD TUBE ANGLE	71.5°	72°	73°	73°

FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
CHAINSTAY LENGTH	412	412	412	412
BB DROP	70	70	70	70
WHEELBASE	984	986	1001	1021
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	420	420	440	440
STEM LENGTH	90	90	100	110
CRANK LENGTH	172.5	175	175	175

GEARS	2x11
FRAME	Carbon X-Road Race BF-RB03 Mid Modulus, X-Road Geometry, 12x142 mm Thru axle, PressFit BB86, Inner Cable Routing, Di2 compatible, Revolvable FD mount, Mudguards ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	X-Road Full Carbon UD
SHIFTER	SHIMANO ULTEGRA Di2 ST-R8070 1x11
REAR DERAILLEUR	SHIMANO ULTEGRA RX RD-RX805-GS SHADOW RD+
CRANKSET	FSA SL-K Light BB386EVO 46T
BOTTOM BRACKET	FSA BB-CF86, shell 41x86.5 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG700 11-34T
CHAIN	KMC X11L
PEDALS	Not included
HANDLEBAR	ONE Aero CRB Compact
STEM	FSA OS-97 Ti 31.8 mm
GRIPS	Velo StickyGel
BRAKES (FRONT/REAR)	SHIMANO ULTEGRA BR-R8070, hydraulic disc, 140/140 mm rotor
SADDLE	Fizik Aliante R5 MG
SEAT POST	FSA K-Force Light SB25 Di2, 27.2x350 mm
FRONT HUB	DT Swiss ERC 1400 Spline DB 47 15x100mm
RIMS	DT Swiss ERC 1400 Spline DB 47 Carbon
REAR HUB	DT Swiss ERC 1400 Spline DB 47 12x142 mm
SPOKES	DT Swiss ERC 1400 Spline DB 47
TIRES	Schwalbe G-One Speed MicroSkin TL Easy 700x35C
WEIGHT	7.9 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

X-ROAD TEAM ISSUE

MATTE BLACK/DARK GREY



FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
WHEEL SIZE	700C	700C	700C	700C
SEAT TUBE LENGTH	490	510	530	550
SEAT TUBE ANGLE	73.8°	73.5°	73°	73°
EFFECTIVE TOP TUBE LENGTH	530	538	570	590
REACH	371	374	387	403
STACK	550	561	598	607
HEAD TUBE LENGTH	135	145	180	190
HEAD TUBE ANGLE	71.5°	72°	73°	73°

FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
CHAINSTAY LENGTH	412	412	412	412
BB DROP	70	70	70	70
WHEELBASE	984	986	1001	1021
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	420	420	440	440
STEM LENGTH	90	90	100	110
CRANK LENGTH	172.5	175	175	175

GEARS	2x11
FRAME	Carbon X-Road Race BF-RB03 Mid Modulus, X-Road Geometry, 12x142 mm Thru axle, PressFit BB86, Inner Cable Routig, Di2 compatible, Revovable FD mount, Mudguards ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6,IS52/40 1-1/8"x1.5"
FORK	X-Road Full Carbon UD
SHIFTER	SHIMANO ULTEGRA ST-R8020 2x11
FRONT DERAILLEUR	SHIMANO ULTEGRA FD-R8000-F
REAR DERAILLEUR	SHIMANO ULTEGRA RX RD-RX800-GS SHADOW RD+
CRANKSET	SHIMANO ULTEGRA FC-R8000 Hollowtech II 50-34T
BOTTOM BRACKET	SHIMANO BB-71-41B PressFit, shell 41x86.5 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG700 11-34T
CHAIN	KMC X11L
PEDALS	Not included
HANDLEBAR	ONE X-Road Compact
STEM	FSA OS-97 Ti 31.8 mm
GRIPS	Velo StickyGel
BRAKES (FRONT/REAR)	SHIMANO ULTEGRA BR-R8070, hydraulic disc, 140/140 mm rotor
SADDLE	Fi'zi:k Aliante Versus EVO R5
SEAT POST	ONE Race CRB Ultimate, 27.2x400 mm
FRONT HUB	DT Swiss ER 1600 Spline DB 32 15x100 mm
RIMS	DT Swiss ER 1600 Spline DB 32
REAR HUB	DT Swiss ER 1600 Spline DB 32 12x142 mm
SPOKES	DT Swiss ER 1600 Spline DB 32
TIRES	Schwalbe G-One Speed MicroSkin TL Easy 700x35C
WEIGHT	8.3 kg

X-ROAD TEAM ELITE

GLOSS ORANGE/DARK RED



FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
WHEEL SIZE	700C	700C	700C	700C
SEAT TUBE LENGTH	490	510	530	550
SEAT TUBE ANGLE	73.8°	73.5°	73°	73°
EFFECTIVE TOP TUBE LENGTH	530	538	570	590
REACH	371	374	387	403
STACK	550	561	598	607
HEAD TUBE LENGTH	135	145	180	190
HEAD TUBE ANGLE	71.5°	72°	73°	73°

FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
CHAINSTAY LENGTH	412	412	412	412
BB DROP	70	70	70	70
WHEELBASE	984	986	1001	1021
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	420	420	440	440
STEM LENGTH	90	90	100	110
CRANK LENGTH	172.5	175	175	175

GEARS	2x11
FRAME	Carbon X-Road Race BF-RB03 Mid Modulus, X-Road Geometry, 12x142 mm Thru axle, PressFit BB86, Inner Cable Routing, Di2 compatible, Revolvable FD mount, Mudguards ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	X-Road Full Carbon UD
SHIFTER	SHIMANO 105 ST-R7020 2x11
FRONT DERAILLEUR	SHIMANO 105 FD-R7000-F
REAR DERAILLEUR	SHIMANO 105 RD-R7000-GS-SHADOW RD
CRANKSET	SHIMANO 105 FC-R7000 Hollowtech II 50-34T
BOTTOM BRACKET	SHIMANO BB-71-41B PressFit, shell 41x86.5 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG700 11-34T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE X-Road Compact
STEM	ONE Race 31.8 mm
GRIPS	Velo StickyGel
BRAKES (FRONT/REAR)	SHIMANO 105 BR-R7070, hydraulic disc, 140/140 mm rotor
SADDLE	Fi'zi:k Aliante Versus EVO R5
SEAT POST	ONE Race CRB, 27.2x350 mm
FRONT HUB	DT Swiss C 1800 Spline DB 23 15x100mm
RIMS	DT Swiss C 1800 Spline DB 23
REAR HUB	DT Swiss C 1800 Spline DB 23 12x142 mm
SPOKES	DT Swiss C 1800 Spline DB 23
TIRES	Schwalbe G-One Speed MicroSkin TL Easy 700x35C
WEIGHT	8.5 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

X-ROAD TEAM COMP

MATTE GREY/BLACK/RED



FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
WHEEL SIZE	700C	700C	700C	700C
SEAT TUBE LENGTH	490	510	530	550
SEAT TUBE ANGLE	73.8°	73.5°	73°	73°
EFFECTIVE TOP TUBE LENGTH	530	538	570	590
REACH	371	374	387	403
STACK	550	561	598	607
HEAD TUBE LENGTH	135	145	180	190
HEAD TUBE ANGLE	71.5°	72°	73°	73°

FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
CHAINSTAY LENGTH	412	412	412	412
BB DROP	70	70	70	70
WHEELBASE	984	986	1001	1021
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	420	420	440	440
STEM LENGTH	90	90	100	110
CRANK LENGTH	172.5	175	175	175

GEARS	2x11
FRAME	Carbon X-Road Race BF-RB03 Mid Modulus, X-Road Geometry, 12x142 mm Thru axle, PressFit BB86, Inner Cable Routing, Di2 compatible, Revolvable FD mount, Mudguards ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	X-Road Full Carbon UD
SHIFTER	SHIMANO 105 ST-R7020 2x11
FRONT DERAILLEUR	SHIMANO 105 FD-R7000-F
REAR DERAILLEUR	SHIMANO 105 RD-R7000-GS-SHADOW RD
CRANKSET	SHIMANO FC-RS510 50-34T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x86.5 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG700 11-34T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE X-Road Compact
STEM	ONE Race 31.8 mm
GRIPS	Velo StickyGel
BRAKES (FRONT/REAR)	SHIMANO 105 BR-R7070, hydraulic disc, 140/140 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x350 mm
FRONT HUB	DT Swiss C 1800 Spline DB 23 15x100mm
RIMS	DT Swiss C 1800 Spline DB 23
REAR HUB	DT Swiss C 1800 Spline DB 23 12x142 mm
SPOKES	DT Swiss C 1800 Spline DB 23
TIRES	Schwalbe G-One Speed RaceGuard 700x35C
WEIGHT	8.7 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

X-ROAD ISSUE

MATTE BLACK/DARK GREY



GEARS	2x11
FRAME	Alu X6 Ultralite X-Road Race, X-Road Geometry, Smooth Welding, 9x123 mm QR axle, BB BSA 68 mm, Inner Cable Routig, Mudguards ready
HEAD SET	FSA Orbit C-40 No.42/ACB
FORK	X-Road Carbon/Alloy
SHIFTER	SHIMANO 105 ST-R7020 2x11
FRONT DERAILLEUR	SHIMANO 105 FD-R7000-F
REAR DERAILLEUR	SHIMANO 105 RD-R7000-GS-SHADOW RD
CRANKSET	SHIMANO FC-RS510 50-34T
FREEWHEEL/CASSETTE	SHIMANO CS-HG700 11-34T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE X-Road Compact
STEM	ONE Race 31.8 mm
GRIPS	Velo StickyGel
BRAKES (FRONT/REAR)	SHIMANO 105 BR-R7070, hydraulic disc, 140/140 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x350 mm
FRONT HUB	ONE Race Ultralight 15x100 mm
RIMS	ONE J18SF 28H
REAR HUB	ONE Race Ultralight QR
SPOKES	Sapim Race
TIRES	Schwalbe G-One Speed RaceGuard 700x35C
WEIGHT	9.5 kg

FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
WHEEL SIZE	700C	700C	700C	700C*
SEAT TUBE LENGTH	490	510	530	550
SEAT TUBE ANGLE	73.8°	73.5°	73°	73°
EFFECTIVE TOP TUBE LENGTH	530	540	570	590
REACH	370	373	386	403
STACK	552	564	601	610
HEAD TUBE LENGTH	135	145	180	190
HEAD TUBE ANGLE	71.5°	72°	73°	73°

FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
CHAINSTAY LENGTH	415	415	415	415
BB DROP	70	70	70	70
WHEELBASE	987	989	1004	1024
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	420	420	440	440
STEM LENGTH	100	100	110	110
CRANK LENGTH	172.5	175	175	175

X-ROAD ELITE

MATTE NAVY BLUE/WHITE/RED



GEARS	2x10
FRAME	Alu X6 Ultralite X-Road Race, X-Road Geometry, Smooth Welding, 9x123 mm QR axle, BB BSA 68 mm, Inner Cable Routig, Mudguards ready
HEAD SET	FSA Orbit C-40 No.42/ACB
FORK	X-Road Carbon/Alloy
SHIFTER	SHIMANO ST-RS405 2x10
FRONT DERAILLEUR	SHIMANO FD-CX70-F-D
REAR DERAILLEUR	SHIMANO TIAGRA RD-4700-SS
CRANKSET	SHIMANO TIAGRA 4700 50-34T
FREEWHEEL/CASSETTE	SHIMANO HG500-10 11-32T
CHAIN	KMC X10
PEDALS	Not included
HANDLEBAR	ONE X-Road Compact
STEM	ONE Race 31.8 mm
GRIPS	Velo StickyGel
BRAKES (FRONT/REAR)	SHIMANO BR-RS405, hydraulic disc, 140/140 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x350 mm
FRONT HUB	ONE Race Ultralight 15x100 mm
RIMS	ONE J18SF 28H
REAR HUB	ONE Race Ultralight QR
SPOKES	Sapim Race
TIRES	Schwalbe G-One Speed RaceGuard 700x35C
WEIGHT	9.8 kg

FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
WHEEL SIZE	700C	700C	700C	700C*
SEAT TUBE LENGTH	490	510	530	550
SEAT TUBE ANGLE	73.8°	73.5°	73°	73°
EFFECTIVE TOP TUBE LENGTH	530	540	570	590
REACH	370	373	386	403
STACK	552	564	601	610
HEAD TUBE LENGTH	135	145	180	190
HEAD TUBE ANGLE	71.5°	72°	73°	73°

FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
CHAINSTAY LENGTH	415	415	415	415
BB DROP	70	70	70	70
WHEELBASE	987	989	1004	1024
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	420	420	440	440
STEM LENGTH	100	100	110	110
CRANK LENGTH	172.5	175	175	175

X-ROAD COMP

GLOSS ORANGE/DARK RED/BLACK



GEARS	2x9
FRAME	Alu X6 Ultralite X-Road Race, X-Road Geometry, Smooth Welding, 9x123 mm QR axle, BB BSA 68 mm, Inner Cable Routig, Mudguards ready
HEAD SET	FSA Orbit C-40 No.42/ACB
FORK	X-Road Carbon/Alloy
SHIFTER	SHIMANO SORA ST-R3000 2x9
FRONT DERAILLEUR	SHIMANO SORA FD-R3000-F
REAR DERAILLEUR	SHIMANO SORA RD-R3000-SS
CRANKSET	SHIMANO SORA FC-R345 50/34
BOTTOM BRACKET	SHIMANO BB-ES300, shell BSA
FREEWHEEL/CASSETTE	SHIMANO CS-HG400-9 11-34T
CHAIN	KMC X9
PEDALS	Not included
HANDLEBAR	ONE X-Road Compact
STEM	ONE Race 31.8 mm
GRIPS	Velo StickyGel
BRAKES (FRONT/REAR)	SHIMANO BR-RS305, mechanical disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x350 mm
FRONT HUB	ONE Race Ultralight 15x100 mm
RIMS	ONE J18SF 28H
REAR HUB	ONE Race Ultralight QR
SPOKES	Sapim Race
TIRES	Schwalbe G-One Speed RaceGuard 700x35C
WEIGHT	9.9 kg

FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
WHEEL SIZE	700C	700C	700C	700C*
SEAT TUBE LENGTH	490	510	530	550
SEAT TUBE ANGLE	73.8°	73.5°	73°	73°
EFFECTIVE TOP TUBE LENGTH	530	540	570	590
REACH	370	373	386	403
STACK	552	564	601	610
HEAD TUBE LENGTH	135	145	180	190
HEAD TUBE ANGLE	71.5°	72°	73°	73°

FRAME SIZE	52cm(S)	54cm(M)	56cm(L)	58cm(XL)
CHAINSTAY LENGTH	415	415	415	415
BB DROP	70	70	70	70
WHEELBASE	987	989	1004	1024
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	420	420	440	440
STEM LENGTH	100	100	110	110
CRANK LENGTH	172.5	175	175	175

A photograph of two women riding mountain bikes on a dirt trail through a lush green forest. The woman in the foreground is wearing a purple cycling jersey with 'SUPERMODO' and 'ENTEXTEP' logos, black shorts, a purple helmet, and sunglasses. She is leaning forward in a racing posture. The second woman is following behind her, also in similar gear. The background is filled with dense green foliage and trees.

READY FOR A GOOD DAY

THE PERFECT MATCH

Identically performance oriented, fine-tuned according to the aesthetics of our women riders. Superior MODO bikes are born with the same race genes as their brothers. They're just more elegant and beautiful, with components and accessory adapted to women's ergonomics. Our MODO bikes are simply the perfect match between speed and beauty. Let's ride!

MODO TEAM XF 29 ISSUE

MATTE TEAM PURPLE/PINK



FRAME SIZE	15.5"(S)	17.5"(M)
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	393	431
SEAT TUBE ANGLE	74.2°	74.2°
EFFECTIVE TOP TUBE LENGTH	584	602
REACH	416	431
STACK	594	605
HEAD TUBE LENGTH	100	110
HEAD TUBE ANGLE	70.5°	71°

FRAME SIZE	15.5"(S)	17.5"(M)
CHAINSTAY LENGTH	430	430
BB DROP	40	40
WHEELBASE	1089	1102
SEAT POST DIAMETER	31.6	31.6
SEAT POST LENGTH	400	400
HANDLEBAR WIDTH	760	760
STEM LENGTH	60	80
CRANK LENGTH	170	175

GEARS	1x12
FRAME	Carbon MTB Race Pro BF-1601, Race geometry, 100 mm travel, 12x142 mm Thru axle, PressFit BB92, Carbon swingarm, Inner cable routing, Dropped post ready
HEAD SET	ACROS AZX-220 R4, Zero Stack 1-1/8"x1.5", BlockLock
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
REAR SHOCK	DT Swiss X 313, remote LO, 165x38 mm, hardware: 25.4x8 mm/14.1x8 mm SmartLink adaptor
SHIFTER	SHIMANO XTR SL-M9100 Rapidfire Plus 1x12
REAR DERAILLEUR	SHIMANO XTR RD-M9100-SGS SHADOW RD+
CRANKSET	SHIMANO XTR FC-M9120-1 Hollowtech II 34T
BOTTOM BRACKET	SHIMANO BB-71-41A PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SHIMANO XTR CS-M9100-12 10-51T
CHAIN	SHIMANO CN-M9100
PEDALS	Not included
HANDLEBAR	ONE Race CRB Ultimate
STEM	ONE Race 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO XTR BR-M9100, hydraulic disc, 160/160 mm rotor
SADDLE	Fi'zi:k Luna R7
SEAT POST	ONE Race CRB Ultimate, 31.6x400 mm
FRONT HUB	DT Swiss XR 1501 Spline One 25 15x100 mm
REAR HUB	DT Swiss XR 1501 Spline One 25 12x142 mm
RIMS	DT Swiss XR 1501 Spline One 25
SPOKES	DT Swiss XR 1501 Spline One 25
TIRES	Schwalbe Racing Ray/Racing Ralph SnakeSkin TL Easy ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	11.3 kg

MODO TEAM 29 ELITE

MATTE TEAM PURPLE/PINK



FRAME SIZE	15.5"(S)	17.5"(M)
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	393	431
SEAT TUBE ANGLE	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605
REACH	411	427
STACK	608	620
HEAD TUBE LENGTH	100	110
HEAD TUBE ANGLE	70.5°	71°

FRAME SIZE	15.5"(S)	17.5"(M)
CHAINSTAY LENGTH	432	432
BB DROP	55	55
WHEELBASE	1074	1097
SEAT POST DIAMETER	27.2	27.2
SEAT POST LENGTH	400	400
HANDLEBAR WIDTH	720	720
STEM LENGTH	60	80
CRANK LENGTH	170	175

GEARS	1x11
FRAME	Carbon MTB Race Pro BF-MB03 High Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
SHIFTER	SHIMANO DEORE XT SL-M8000 RapidFire Plus 1x11
REAR DERAILLEUR	SHIMANO DEORE XT RD-M8000-GS SHADOW RD+
CRANKSET	SHIMANO DEORE XT FC-M8000-B1 Hollowtech II 32T
BOTTOM BRACKET	SHIMANO BB-71-41A PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMX8 11-46T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Race
STEM	ONE Race 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO DEORE XT BR-M8000, hydraulic disc, 160/160 mm rotor
SADDLE	Fi'zi:k Luna R7
SEAT POST	ONE Race CRB, 27.2x400 mm
FRONT HUB	DT Swiss X 1900 Spline 25 15x100 mm
RIMS	DT Swiss X 1900 Spline 25
REAR HUB	DT Swiss X 1900 Spline 25 12x142 mm
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	9.8 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

MODO XF 909

MATTE NIGHT BLUE/TURQUOISE



FRAME SIZE	15.5"(S)	17.5"(M)
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	393	431
SEAT TUBE ANGLE	74.2°	74.2°
EFFECTIVE TOP TUBE LENGTH	584	602
REACH	416	431
STACK	594	605
HEAD TUBE LENGTH	100	110
HEAD TUBE ANGLE	70.5°	71°

FRAME SIZE	15.5"(S)	17.5"(M)
CHAINSTAY LENGTH	432	432
BB DROP	40	40
WHEELBASE	1099	1112
SEAT POST DIAMETER	31.6	31.6
SEAT POST LENGTH	400	400
HANDLEBAR WIDTH	720	760
STEM LENGTH	60	80
CRANK LENGTH	170	175

GEARS	2x10
FRAME	Alu X6 Ultralite MTB Trail BF-1603, Trail Geometry, 120 mm travel, Boost 12x148 mm Thru axle, PressFit BB92, Inner cable routing, Dropped post ready
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox Judy Silver TK, Boost 15x110mm, PopLoc remote LO, 120 mm travel
REAR SHOCK	RockShox Monarch RT, 184x44 mm, hardware: 25.4x6 mm/14.0x8 mm
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 2x10
FRONT DERAILLEUR	SHIMANO FD-M6020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-SGS SHADOW RD+
CRANKSET	SHIMANO FC-MT600-B2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SHIMANO HG50-10 11-36T
CHAIN	KMC X10
PEDALS	Not included
HANDLEBAR	ONE Race
STEM	ONE Race 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Fizik Vesta MG
SEAT POST	ONE Race, 31.6x400 mm
FRONT HUB	SHIMANO HB-M6010 CL 15x110 mm
REAR HUB	SHIMANO FH-M6010 CL 12x148 mm
RIMS	ONE J25D 32H
SPOKES	Sapim Leader
TIRES	Schwalbe Rapid Rob KevlarGuard 29x2.25"
WEIGHT	13.9 kg

MODO XF 969 RC

MATTE BLACK/ANTHRACITE/PINK



FRAME SIZE	15.5"(S)	17.5"(M)
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	393	431
SEAT TUBE ANGLE	74.2°	74.2°
EFFECTIVE TOP TUBE LENGTH	584	602
REACH	416	431
STACK	594	605
HEAD TUBE LENGTH	100	110
HEAD TUBE ANGLE	70.5°	71°

FRAME SIZE	15.5"(S)	17.5"(M)
CHAINSTAY LENGTH	430	430
BB DROP	40	40
WHEELBASE	1099	1112
SEAT POST DIAMETER	31.6	31.6
SEAT POST LENGTH	400	400
HANDLEBAR WIDTH	720	720
STEM LENGTH	60	60
CRANK LENGTH	170	175

GEARS	1x12
FRAME	Carbon MTB Race BF-1602, Race Geometry, 100 mm travel, Boost 12x148 mm Thru axle, PressFit BB92, Alloy swingarm, Inner cable routing, Dropped post ready
HEAD SET	ACROS AZX-220 R4, Zero Stack 1-1/8"x1.5", BlockLock
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
REAR SHOCK	DT Swiss X 313, remote LO, 165x38 mm, hardware: 25.4x8 mm/14.1x8 mm SmartLink adaptor
SHIFTER	SRAM GX Eagle Trigger Shifter 1x12
REAR DERAILLEUR	SRAM GX Eagle
CRANKSET	Truvativ Stylo 7K Eagle DUB Boost148 34T
BOTTOM BRACKET	SRAM DUB PF MTB92, shell 41x92 mm
FREEWHEEL/CASSETTE	SRAM XG-1275 Eagle 10-50T
CHAIN	SRAM GX Eagle
PEDALS	Not included
HANDLEBAR	ONE Race
STEM	ONE Race 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO BL-M6000/BR-M615, hydraulic disc, 180/160 mm rotor
SADDLE	Fizik Vesta MG
SEAT POST	ONE Race, 31.6x400 mm
FRONT HUB	DT Swiss X 1900 Spline 25 15x100 mm
REAR HUB	DT Swiss X 1900 Spline 25 12x142 mm
RIMS	DT Swiss X 1900 Spline 25
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	11.8 kg

MODO XP 969

MATTE BLACK/ANTHRACITE/PINK



FRAME SIZE	15.5"(S)	17.5"(M)
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	393	431
SEAT TUBE ANGLE	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605
REACH	411	427
STACK	608	620
HEAD TUBE LENGTH	100	110
HEAD TUBE ANGLE	70.5°	71°

FRAME SIZE	15.5"(S)	17.5"(M)
CHAINSTAY LENGTH	432	432
BB DROP	55	55
WHEELBASE	1074	1097
SEAT POST DIAMETER	27.2	27.2
SEAT POST LENGTH	400	400
HANDLEBAR WIDTH	720	720
STEM LENGTH	60	80
CRANK LENGTH	170	175

GEARS	1x12
FRAME	Carbon MTB Race Pro BF-MB03 Mid Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	DT Swiss OPM O.D.L., 15x100 mm, Two-In-One remote LO, 100 mm travel
SHIFTER	SRAM GX Eagle Trigger Shifter 1x12
REAR DERAILLEUR	SRAM GX Eagle
CRANKSET	Truvativ Stylo 7K Eagle DUB 34T
BOTTOM BRACKET	SRAM DUB PF MTB92, shell 41x92 mm
FREEWHEEL/CASSETTE	SRAM XG-1275 Eagle 10-50T
CHAIN	SRAM GX Eagle
PEDALS	Not included
HANDLEBAR	ONE Race
STEM	ONE Race 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO BL-M6000/BR-M615, hydraulic disc, 160/160 mm rotor
SADDLE	Fizik Vesta MG
SEAT POST	ONE Race CRB, 27.2x400 mm
FRONT HUB	DT Swiss X 1900 Spline 25 15x100 mm
REAR HUB	DT Swiss X 1900 Spline 25 12x142 mm
RIMS	DT Swiss X 1900 Spline 25
SPOKES	DT Swiss X 1900 Spline 25
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	9.9 kg

MODO XP 929

MATTE NIGHT BLUE/TURQUOISE



FRAME SIZE	15.5"(S)	17.5"(M)
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	393	431
SEAT TUBE ANGLE	74°	74°
EFFECTIVE TOP TUBE LENGTH	585	605
REACH	411	427
STACK	608	620
HEAD TUBE LENGTH	100	110
HEAD TUBE ANGLE	70.5°	71°

FRAME SIZE	15.5"(S)	17.5"(M)
CHAINSTAY LENGTH	432	432
BB DROP	55	55
WHEELBASE	1074	1097
SEAT POST DIAMETER	27.2	27.2
SEAT POST LENGTH	400	400
HANDLEBAR WIDTH	720	720
STEM LENGTH	60	80
CRANK LENGTH	170	175

GEARS	2x11
FRAME	Carbon MTB Race Pro BF-MB03 Mid Modulus, Race Geometry, 12x142 mm Thru axle, PressFit BB92, Inner Cable Routing, Dropped post ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	RockShox Recon RL, Boost 15x110 mm, OneLoc Sprint remote LO, 120 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 2x11
FRONT DERAILLEUR	SHIMANO FD-M7020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-GS SHADOW RD+
CRANKSET	SHIMANO FC-MT600-2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMS7 11-42T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Race
STEM	ONE Race 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Fizik Vesta MG
SEAT POST	ONE Race, 27.2x400 mm
FRONT HUB	DT Swiss 370 Straightpull IS 15x100mm
REAR HUB	DT Swiss 370 Straightpull IS 12x142mm
RIMS	ONE J25D 28H
SPOKES	Sapim Laser/Race
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	10.9 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

MODO XP 919

MATTE TEAM PURPLE/PINK



FRAME SIZE	15.5"(S)	17.5"(M)
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	393	431
SEAT TUBE ANGLE	74°	74°
EFFECTIVE TOP TUBE LENGTH	586	605
REACH	412	428
STACK	607	619
HEAD TUBE LENGTH	100	110
HEAD TUBE ANGLE	70.5°	71°

FRAME SIZE	15.5"(S)	17.5"(M)
CHAINSTAY LENGTH	434	434
BB DROP	55	55
WHEELBASE	1084	1098
SEAT POST DIAMETER	27.2	27.2
SEAT POST LENGTH	400	400
HANDLEBAR WIDTH	720	720
STEM LENGTH	60	60
CRANK LENGTH	170	175

GEARS	2x11
FRAME	Alu X6 Ultralite, Race Geometry, 9x135 mm QR axle , PressFit BB92, Inner cable routing
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox 30 Silver TK, QR, PopLoc remote LO, 100 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 2x11
FRONT DERAILLEUR	SHIMANO FD-M7020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-GS SHADOW RD+
CRANKSET	SHIMANO FC-MT600-2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMS7 11-42T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Race
STEM	ONE Race 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Fizik Vesta MG
SEAT POST	ONE Race, 27.2x400 mm
FRONT HUB	SHIMANO HB-M6000 CL QR
RIMS	ONE J25D 32H
REAR HUB	SHIMANO FH-M6000 CL QR
SPOKES	Sapim Laser/Race
TIRES	Schwalbe Racing Ray/Racing Ralph Performance TL-Ready ADDIX Speedgrip/Speed 29x2.25"
WEIGHT	11.8 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

MODO XP 909

MATTE NIGHT BLUE/TURQUOISE



FRAME SIZE	15.5"(S)	17.5"(M)
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	393	431
SEAT TUBE ANGLE	74°	74°
EFFECTIVE TOP TUBE LENGTH	586	605
REACH	412	428
STACK	607	619
HEAD TUBE LENGTH	100	110
HEAD TUBE ANGLE	70.5°	71°

FRAME SIZE	15.5"(S)	17.5"(M)
CHAINSTAY LENGTH	434	434
BB DROP	55	55
WHEELBASE	1084	1098
SEAT POST DIAMETER	27.2	27.2
SEAT POST LENGTH	400	400
HANDLEBAR WIDTH	720	720
STEM LENGTH	60	60
CRANK LENGTH	170	175

GEARS	2x10
FRAME	Alu X6 Ultralite, Race Geometry, 9x135 mm QR axle, PressFit BB92, Inner cable routing
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox 30 Silver TK, QR, PopLoc remote LO, 100 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 2x10
FRONT DERAILLEUR	SHIMANO FD-M6020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-SGS SHADOW RD+
CRANKSET	SHIMANO FC-MT600-2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SHIMANO HG50-10 11-36T
CHAIN	KMC X10
PEDALS	Not included
HANDLEBAR	ONE Race
STEM	ONE Race 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Fizik Vesta MG
SEAT POST	ONE Race, 27.2x400 mm
FRONT HUB	SHIMANO HB-M6000 CL QR
RIMS	ONE J25D 32H
REAR HUB	SHIMANO FH-M6000 CL QR
SPOKES	Sapim Leader
TIRES	Schwalbe Rapid Rob KevlarGuard 29x2.10"
WEIGHT	12.5 kg

MODO XC 889

MATTE BLACK/ANTHRACITE/PINK



GEARS	2x10
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCR32 Air LOR, 100 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 2x10
FRONT DERAILLEUR	SHIMANO DEORE FD-M6025-L
REAR DERAILLEUR	SHIMANO DEORE XT RD-M781-GS SHADOW RD
CRANKSET	SHIMANO FC-MT500-2 36-26T
FREEWHEEL/CASSETTE	SHIMANO HG50-10 11-36T
CHAIN	KMC X10
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac SmartPac 28x1.75"
WEIGHT	13.5 kg

FRAME SIZE	16.0"(S)	18.0"(M)
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	406	457
SEAT TUBE ANGLE	72.4°	72.4°
EFFECTIVE TOP TUBE LENGTH	570	590
REACH	367	387
STACK	639	639
HEAD TUBE LENGTH	120	120
HEAD TUBE ANGLE	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)
CHAINSTAY LENGTH	435	435
BB DROP	60	60
WHEELBASE	1057	1077
SEAT POST DIAMETER	31.6	31.6
SEAT POST LENGTH	350	350
HANDLEBAR WIDTH	720	720
STEM LENGTH	70	70
CRANK LENGTH	170	175

MODO XC 879

MATTE NIGHT BLUE/TURQUOISE



FRAME SIZE	16.0"(S)	18.0"(M)
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	406	457
SEAT TUBE ANGLE	72.4°	72.4°
EFFECTIVE TOP TUBE LENGTH	570	590
REACH	367	387
STACK	639	639
HEAD TUBE LENGTH	120	120
HEAD TUBE ANGLE	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)
CHAINSTAY LENGTH	435	435
BB DROP	60	60
WHEELBASE	1057	1077
SEAT POST DIAMETER	31.6	31.6
SEAT POST LENGTH	350	350
HANDLEBAR WIDTH	720	720
STEM LENGTH	70	70
CRANK LENGTH	170	175

GEARS	3x9
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCR32 Air LOR, 100 mm travel
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
FRONT DERAILLEUR	SHIMANO FD-M3000-TS6
REAR DERAILLEUR	SHIMANO DEORE XT RD-M772-SGS SHADOW RD
CRANKSET	SHIMANO FC-MT100 40-30-22T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG200-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac SmartPac 28x1.75"
WEIGHT	13.9 kg

MODO XC 869

MATTE TEAM PURPLE/PINK



FRAME SIZE	16.0"(S)	18.0"(M)
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	406	457
SEAT TUBE ANGLE	72.4°	72.4°
EFFECTIVE TOP TUBE LENGTH	570	590
REACH	367	387
STACK	639	639
HEAD TUBE LENGTH	120	120
HEAD TUBE ANGLE	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)
CHAINSTAY LENGTH	435	435
BB DROP	60	60
WHEELBASE	1057	1077
SEAT POST DIAMETER	31.6	31.6
SEAT POST LENGTH	350	350
HANDLEBAR WIDTH	720	720
STEM LENGTH	70	70
CRANK LENGTH	170	175

GEARS	3x9
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCM HLO, 100 mm travel
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
FRONT DERAILLEUR	SHIMANO FD-M2000-TS6
REAR DERAILLEUR	SHIMANO DEORE RD-M592-SGS SHADOW RD
CRANKSET	SHIMANO FC-MT100 40-30-22T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG200-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac SmartPac 28x1.75"
WEIGHT	14.3 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

MODO XC 859

MATTE BLACK/ANTHRACITE/TURQUOISE



GEARS	3x8
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCM HLO, 100 mm travel
SHIFTER	SHIMANO SL-M310 RapidFire Plus 3x8
FRONT DERAILLEUR	SHIMANO FD-TY700-TS6
REAR DERAILLEUR	SHIMANO DEORE RD-M591-SGS
CRANKSET	SHIMANO FC-TY501 42-34-24T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac SmartPac 28x1.75"
WEIGHT	14.3 kg

FRAME SIZE	16.0"(S)	18.0"(M)
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	406	457
SEAT TUBE ANGLE	72.4°	72.4°
EFFECTIVE TOP TUBE LENGTH	570	590
REACH	367	387
STACK	639	639
HEAD TUBE LENGTH	120	120
HEAD TUBE ANGLE	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)
CHAINSTAY LENGTH	435	435
BB DROP	60	60
WHEELBASE	1057	1077
SEAT POST DIAMETER	31.6	31.6
SEAT POST LENGTH	350	350
HANDLEBAR WIDTH	720	720
STEM LENGTH	70	70
CRANK LENGTH	170	175

MODO XC 819

MATTE NIGHT BLUE/PINK



GEARS	3x7
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCT, 100 mm travel
SHIFTER	SHIMANO ST-EF500 EZ Fire Plus 3x7
FRONT DERAILLEUR	SHIMANO FD-TY500-TS6
REAR DERAILLEUR	SHIMANO ALTUS RD-M310
CRANKSET	SHIMANO FC-TY301 42-34-24T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO TZ21-7 14-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	Tektro Novela, mechanical disc, 160/160 mm rotor
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	ONE KT Disc QR
REAR HUB	ONE KT-TD7R
RIMS	ONE J20S 32H
SPOKES	Sapim Galvanized
TIRES	Impac SmartPac 28x1.75"
WEIGHT	14.3 kg

FRAME SIZE	16.0"(S)	18.0"(M)
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	406	457
SEAT TUBE ANGLE	72.4°	72.4°
EFFECTIVE TOP TUBE LENGTH	570	590
REACH	367	387
STACK	639	639
HEAD TUBE LENGTH	120	120
HEAD TUBE ANGLE	70°	70°

FRAME SIZE	16.0"(S)	18.0"(M)
CHAINSTAY LENGTH	435	435
BB DROP	60	60
WHEELBASE	1057	1077
SEAT POST DIAMETER	31.6	31.6
SEAT POST LENGTH	350	350
HANDLEBAR WIDTH	720	720
STEM LENGTH	70	70
CRANK LENGTH	170	175

MODO XC 887

MATTE BLACK/ANTHRACITE/PINK



GEARS	2x10
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCR32 Air LOR, 100 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 2x10
FRONT DERAILLEUR	SHIMANO DEORE FD-M6025-L
REAR DERAILLEUR	SHIMANO DEORE XT RD-M781-GS SHADOW RD
CRANKSET	SHIMANO FC-MT500-2 36-26T
FREEWHEEL/CASSETTE	SHIMANO HG50-10 11-36T
CHAIN	KMC X10
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac SmartPac 27.5x2.10"
WEIGHT	13.4 kg

FRAME SIZE	14.0"(XS)
WHEEL SIZE	27.5"
SEAT TUBE LENGTH	355
SEAT TUBE ANGLE	74°
EFFECTIVE TOP TUBE LENGTH	550
REACH	380
STACK	593
HEAD TUBE LENGTH	110
HEAD TUBE ANGLE	70°

FRAME SIZE	14.0"(XS)
CHAINSTAY LENGTH	420
BB DROP	40
WHEELBASE	1044
SEAT POST DIAMETER	31.6
SEAT POST LENGTH	350
HANDLEBAR WIDTH	720
STEM LENGTH	70
CRANK LENGTH	170

MODO XC 877

MATTE NIGHT BLUE/TURQUOISE



FRAME SIZE	14.0"(XS)
WHEEL SIZE	27.5"
SEAT TUBE LENGTH	355
SEAT TUBE ANGLE	74°
EFFECTIVE TOP TUBE LENGTH	550
REACH	380
STACK	593
HEAD TUBE LENGTH	110
HEAD TUBE ANGLE	70°

FRAME SIZE	14.0"(XS)
CHAINSTAY LENGTH	420
BB DROP	40
WHEELBASE	1044
SEAT POST DIAMETER	31.6
SEAT POST LENGTH	350
HANDLEBAR WIDTH	720
STEM LENGTH	70
CRANK LENGTH	170

GEARS	3x9
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCR32 Air LOR, 100 mm travel
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
FRONT DERAILLEUR	SHIMANO FD-M3000-TS6
REAR DERAILLEUR	SHIMANO DEORE XT RD-M772-SGS SHADOW RD
CRANKSET	SHIMANO FC-MT100 40-30-22T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG200-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac SmartPac 27.5x2.10"
WEIGHT	13.9 kg

MODO XC 867

MATTE TEAM PURPLE/PINK



FRAME SIZE	14.0"(XS)
WHEEL SIZE	27.5"
SEAT TUBE LENGTH	355
SEAT TUBE ANGLE	74°
EFFECTIVE TOP TUBE LENGTH	550
REACH	380
STACK	593
HEAD TUBE LENGTH	110
HEAD TUBE ANGLE	70°

FRAME SIZE	14.0"(XS)
CHAINSTAY LENGTH	420
BB DROP	40
WHEELBASE	1044
SEAT POST DIAMETER	31.6
SEAT POST LENGTH	350
HANDLEBAR WIDTH	720
STEM LENGTH	70
CRANK LENGTH	170

GEARS	3x9
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCM HLO, 100 mm travel
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
FRONT DERAILLEUR	SHIMANO FD-M2000-TS6
REAR DERAILLEUR	SHIMANO DEORE RD-M592-SGS SHADOW RD
CRANKSET	SHIMANO FC-MT100 40-30-22T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG200-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac SmartPac 27.5x2.10"
WEIGHT	14.3 kg

MODO XC 857

MATTE BLACK/ANTHRACITE/TURQUOISE



FRAME SIZE	14.0"(XS)
WHEEL SIZE	27.5"
SEAT TUBE LENGTH	355
SEAT TUBE ANGLE	74°
EFFECTIVE TOP TUBE LENGTH	550
REACH	380
STACK	593
HEAD TUBE LENGTH	110
HEAD TUBE ANGLE	70°

FRAME SIZE	14.0"(XS)
CHAINSTAY LENGTH	420
BB DROP	40
WHEELBASE	1044
SEAT POST DIAMETER	31.6
SEAT POST LENGTH	350
HANDLEBAR WIDTH	720
STEM LENGTH	70
CRANK LENGTH	170

GEARS	3x8
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCM HLO, 100 mm travel
SHIFTER	SHIMANO SL-M310 RapidFire Plus 3x8
FRONT DERAILLEUR	SHIMANO FD-TY700-TS6
REAR DERAILLEUR	SHIMANO DEORE RD-M591-SGS
CRANKSET	SHIMANO FC-TY501 42-34-24T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac SmartPac 27.5x2.10"
WEIGHT	14.1 kg

MODO XC 817

MATTE NIGHT BLUE/PINK



GEARS	3x7
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCT, 100 mm travel
SHIFTER	SHIMANO ST-EF500 EZ Fire Plus 3x7
FRONT DERAILLEUR	SHIMANO FD-TY500-TS6
REAR DERAILLEUR	SHIMANO ALTUS RD-M310
CRANKSET	SHIMANO FC-TY301 42-34-24T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO TZ21-7 14-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	Tektro Novela, mechanical disc, 160/160 mm rotor
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	ONE KT Disc QR
REAR HUB	ONE KT-TD7R
RIMS	ONE J20S 32H
SPOKES	Sapim Galvanized
TIRES	Impac SmartPac 27.5x2.10"
WEIGHT	13.9 kg

FRAME SIZE	14.0"(XS)
WHEEL SIZE	27.5"
SEAT TUBE LENGTH	355
SEAT TUBE ANGLE	74°
EFFECTIVE TOP TUBE LENGTH	550
REACH	380
STACK	593
HEAD TUBE LENGTH	110
HEAD TUBE ANGLE	70°

FRAME SIZE	14.0"(XS)
CHAINSTAY LENGTH	420
BB DROP	40
WHEELBASE	1044
SEAT POST DIAMETER	31.6
SEAT POST LENGTH	350
HANDLEBAR WIDTH	720
STEM LENGTH	70
CRANK LENGTH	170



MODO X-ROAD TEAM ISSUE

MATTE TEAM PURPLE/PINK



FRAME SIZE	50cm(XS)	52cm(S)	54cm(M)
WHEEL SIZE	700C	700C	700C
SEAT TUBE LENGTH	470	490	510
SEAT TUBE ANGLE	74.3°	73.8°	73.5°
EFFECTIVE TOP TUBE LENGTH	523	530	538
REACH	372	371	374
STACK	540	550	561
HEAD TUBE LENGTH	125	135	145
HEAD TUBE ANGLE	71.5°	71.5°	72°

FRAME SIZE	50cm(XS)	52cm(S)	54cm(M)
CHAINSTAY LENGTH	412	412	412
BB DROP	70	70	70
WHEELBASE	982	984	986
SEAT POST DIAMETER	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350
HANDLEBAR WIDTH	420	420	420
STEM LENGTH	80	90	90
CRANK LENGTH	172.5	172.5	175

GEARS	2x11
FRAME	Carbon X-Road Race BF-RB03 Mid Modulus, X-Road Geometry, 12x142 mm Thru axle, PressFit BB86, Inner Cable Routig, Di2 compatible, Revovable FD mount, Mudguards ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6,IS52/40 1-1/8"x1.5"
FORK	X-Road Full Carbon UD
SHIFTER	SHIMANO ULTEGRA ST-R8020 2x11
FRONT DERAILLEUR	SHIMANO ULTEGRA FD-R8000-F
REAR DERAILLEUR	SHIMANO ULTEGRA RX RD-RX800-GS SHADOW RD+
CRANKSET	SHIMANO ULTEGRA FC-R8000 Hollowtech II 50-34T
BOTTOM BRACKET	SHIMANO BB-71-41B PressFit, shell 41x86.5 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG700 11-34T
CHAIN	KMC X11L
PEDALS	Not included
HANDLEBAR	ONE X-Road Compact
STEM	FSA OS-97 Ti 31.8 mm
GRIPS	Velo StickyGel
BRAKES (FRONT/REAR)	SHIMANO ULTEGRA BR-R8070, hydraulic disc, 140/140 mm rotor
SADDLE	Fi'zi:k Arione Donna
SEAT POST	ONE Race CRB Ultimate, 27.2x400 mm
FRONT HUB	DT Swiss ER 1600 Spline DB 32 15x100 mm
RIMS	DT Swiss ER 1600 Spline DB 32
REAR HUB	DT Swiss ER 1600 Spline DB 32 12x142 mm
SPOKES	DT Swiss ER 1600 Spline DB 32
TIRES	Schwalbe G-One Speed MicroSkin TL Easy 700x35C
WEIGHT	8.3 kg

MODO X-ROAD TEAM COMP

MATTE NIGHT BLUE/TURQUOISE



FRAME SIZE	50cm(XS)	52cm(S)	54cm(M)
WHEEL SIZE	700C	700C	700C
SEAT TUBE LENGTH	470	490	510
SEAT TUBE ANGLE	74.3°	73.8°	73.5°
EFFECTIVE TOP TUBE LENGTH	523	530	538
REACH	372	371	374
STACK	540	550	561
HEAD TUBE LENGTH	125	135	145
HEAD TUBE ANGLE	71.5°	71.5°	72°

FRAME SIZE	50cm(XS)	52cm(S)	54cm(M)
CHAINSTAY LENGTH	412	412	412
BB DROP	70	70	70
WHEELBASE	982	984	986
SEAT POST DIAMETER	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350
HANDLEBAR WIDTH	420	420	420
STEM LENGTH	80	90	90
CRANK LENGTH	172.5	172.5	175

GEARS	2x11
FRAME	Carbon X-Road Race BF-RB03 Mid Modulus, X-Road Geometry, 12x142 mm Thru axle, PressFit BB86, Inner Cable Routing, Di2 compatible, Revolvable FD mount, Mudguards ready
HEAD SET	ACROS AIX-333, OD46 IS41.8/28.6, IS52/40 1-1/8"x1.5"
FORK	X-Road Full Carbon UD
SHIFTER	SHIMANO 105 ST-R7025 2x11
FRONT DERAILLEUR	SHIMANO 105 FD-R7000-F
REAR DERAILLEUR	SHIMANO 105 RD-R7000-GS-SHADOW RD
CRANKSET	SHIMANO FC-RS510 50-34T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x86.5 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG700 11-34T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE X-Road Compact
STEM	ONE Race 31.8 mm
GRIPS	Velo StickyGel
BRAKES (FRONT/REAR)	SHIMANO 105 BR-R7070, hydraulic disc, 140/140 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x350 mm
FRONT HUB	DT Swiss C 1800 Spline DB 23 15x100mm
RIMS	DT Swiss C 1800 Spline DB 23
REAR HUB	DT Swiss C 1800 Spline DB 23 12x142 mm
SPOKES	DT Swiss C 1800 Spline DB 23
TIRES	Schwalbe G-One Speed RaceGuard 700x35C
WEIGHT	8.9 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

MODO X-ROAD COMP

MATTE BLACK/ANTHRACITE/PINK



GEARS	2x9
FRAME	Alu X6 Ultralite X-Road Race, X-Road Geometry, Smooth Welding, 9x123 mm QR axle, BB BSA 68 mm, Inner Cable Routig, Mudguards ready
HEAD SET	FSA Orbit C-40 No.42/ACB
FORK	X-Road Carbon/Alloy
SHIFTER	SHIMANO SORA ST-R3000 2x9
FRONT DERAILLEUR	SHIMANO SORA FD-R3000-F
REAR DERAILLEUR	SHIMANO SORA RD-R3000-SS
CRANKSET	SHIMANO FC-R345 50-34T
BOTTOM BRACKET	SHIMANO BB-ES300, shell BSA
FREEWHEEL/CASSETTE	SHIMANO CS-HG400-9 11-34T
CHAIN	KMC X9
PEDALS	Not included
HANDLEBAR	ONE X-Road Compact
STEM	ONE Race 31.8 mm
GRIPS	Velo StickyGel
BRAKES (FRONT/REAR)	SHIMANO BR-RS305, mechanical disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x350 mm
FRONT HUB	ONE Race Ultralight 15x100 mm
RIMS	ONE J18SF 28H
REAR HUB	ONE Race Ultralight QR
SPOKES	Sapim Race
TIRES	Schwalbe G-One Speed RaceGuard 700x35C
WEIGHT	9.9 kg

FRAME SIZE	50cm(XS)	52cm(S)	54cm(M)
WHEEL SIZE	700C	700C	700C
SEAT TUBE LENGTH	470	490	510
SEAT TUBE ANGLE	74.3°	73.8°	73.5°
EFFECTIVE TOP TUBE LENGTH	523	530	540
REACH	370	370	373
STACK	543	552	564
HEAD TUBE LENGTH	125	135	145
HEAD TUBE ANGLE	71.5°	71.5°	72°

FRAME SIZE	50cm(XS)	52cm(S)	54cm(M)
CHAINSTAY LENGTH	415	415	415
BB DROP	70	70	70
WHEELBASE	984	987	989
SEAT POST DIAMETER	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350
HANDLEBAR WIDTH	420	420	420
STEM LENGTH	90	100	100
CRANK LENGTH	172.5	172.5	175

A man and a woman are riding bicycles on a cobblestone path that winds through a vineyard. The man is on the left, wearing a pink polo shirt and blue shorts, pointing towards the vineyard. The woman is on the right, wearing a floral dress and a hat. The path is made of light-colored cobblestones and is flanked by rows of green grapevines. In the background, there is a large body of water and a distant town under a clear sky.

READY FOR A DAY OUT

RIDE EASY

Superior cross bikes combine lightweight, comfort, universality and versatility - this all in a single piece of a bike. They are fast on asphalt, reliable on gravel and not afraid of lighter terrain. Their upright seating position prevents annoying backpain and offers good view of the road ahead of you.

Various postmounts allow for easy and quick installation of all accessory for your daily cycling adventures.

RX 580

GLOSS BLACK/DARK GREY/ORANGE



GEARS	3x9
FRAME	Alu 6061.T6, Sport Geometry, BB BSA 68mm, Inner Cable Routing, IDK droppout, City Set ready
HEAD SET	VP-A77-CK1 SLIMSTAK 1-1/8"
FORK	SR Suntour NCX Air LO, 63 mm travel
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
FRONT DERAILLEUR	SHIMANO FD-M370-M
REAR DERAILLEUR	SHIMANO DEORE XT RD-M772-SGS SHADOW RD
CRANKSET	SHIMANO FC-M371 48-36-26T
BOTTOM BRACKET	SHIMANO BB-UN26, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO HG200-9 11-32T
CHAIN	KMC X9
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm raised
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Essenza Athletic
SEAT POST	ONE Sport XC, 27.2x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
REAR HUB	SHIMANO FH-TX5058 CL QR
RIMS	ONE J20S 32H
SPOKES	Sapim Galvanized
TIRES	Impac CrossPac 700x35C
WEIGHT	13.2 kg

FRAME SIZE	16.5"(S)	19.0"(L)	21.5"(XL)
WHEEL SIZE	700C	700C	700C
SEAT TUBE LENGTH	420	483	546
SEAT TUBE ANGLE	73.5°	73.5°	73°
EFFECTIVE TOP TUBE LENGTH	570	590	610
REACH	392	405	414
STACK	602	625	648
HEAD TUBE LENGTH	120	140	160
HEAD TUBE ANGLE	69°	70°	71°

FRAME SIZE	16.5"(S)	19.0"(L)	21.5"(XL)
CHAINSTAY LENGTH	440	440	440
BB DROP	65	65	65
WHEELBASE	1076	1086	1090
SEAT POST DIAMETER	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350
HANDLEBAR WIDTH	660	660	660
STEM LENGTH	70	90	100
CRANK LENGTH	170	175	175

RX 590

MATTE BLACK/SILVER/DARK GREY



GEARS	3x10
FRAME	Alu 6061.T6, Sport Geometry, BB BSA 68mm, Inner Cable Routing, IDK droppout, City Set ready
HEAD SET	VP-A77-CK1 SLIMSTAK 1-1/8"
FORK	SR Suntour NCX Air LO, 63 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 2x10
FRONT DERAILLEUR	SHIMANO DEORE FD-T6000-L-3
REAR DERAILLEUR	SHIMANO DEORE XT RD-R8000-SGS SHADOW RD+
CRANKSET	SHIMANO FC-T551 48-36-26T
FREEWHEEL/CASSETTE	SHIMANO HG500-10 11-34T
CHAIN	KMC X10
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm riser
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Essenza Athletic
SEAT POST	ONE Sport XC, 27.2x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Galvanized
TIRES	Impac CrossPac 700x35C
WEIGHT	12.9 kg

FRAME SIZE	16.5"(S)	19.0"(L)	21.5"(XL)
WHEEL SIZE	700C	700C	700C
SEAT TUBE LENGTH	420	483	546
SEAT TUBE ANGLE	73.5°	73.5°	73°
EFFECTIVE TOP TUBE LENGTH	570	590	610
REACH	392	405	414
STACK	602	625	648
HEAD TUBE LENGTH	120	140	160
HEAD TUBE ANGLE	69°	70°	71°

FRAME SIZE	16.5"(S)	19.0"(L)	21.5"(XL)
CHAINSTAY LENGTH	440	440	440
BB DROP	65	65	65
WHEELBASE	1076	1086	1090
SEAT POST DIAMETER	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350
HANDLEBAR WIDTH	660	660	660
STEM LENGTH	70	90	100
CRANK LENGTH	170	175	175

RX 570

MATTE BLACK/DARK GREY



GEARS	3x9
FRAME	Alu 6061.T6, Sport Geometry, BB BSA 68mm, Inner Cable Routing, IDK droppout, City Set ready
HEAD SET	VP-A77-CK1 SLIMSTAK 1-1/8"
FORK	SR Suntour NEX HLO, 63 mm travel
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
FRONT DERAILLEUR	SHIMANO FD-M370-M
REAR DERAILLEUR	SHIMANO DEORE RD-M591-SGS
CRANKSET	SHIMANO FC-M371 48-36-26T
BOTTOM BRACKET	SHIMANO BB-UN26, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO HG200-9 11-32T
CHAIN	KMC X9
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm riser
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 27.2x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
REAR HUB	SHIMANO FH-TX5058 CL QR
RIMS	ONE J20S 32H
SPOKES	Sapim Galvanized
TIRES	Impac CrossPac 700x35C
WEIGHT	13.9 kg

FRAME SIZE	16.5"(S)	19.0"(L)	21.5"(XL)
WHEEL SIZE	700C	700C	700C
SEAT TUBE LENGTH	420	483	546
SEAT TUBE ANGLE	73.5°	73.5°	73°
EFFECTIVE TOP TUBE LENGTH	570	590	610
REACH	392	405	414
STACK	602	625	648
HEAD TUBE LENGTH	120	140	160
HEAD TUBE ANGLE	69°	70°	71°

FRAME SIZE	16.5"(S)	19.0"(L)	21.5"(XL)
CHAINSTAY LENGTH	440	440	440
BB DROP	65	65	65
WHEELBASE	1076	1086	1090
SEAT POST DIAMETER	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350
HANDLEBAR WIDTH	660	660	660
STEM LENGTH	70	90	100
CRANK LENGTH	170	175	175

RX 530

GLOSS BLACK/DARK GREY/NEON YELLOW



GEARS	3x8
FRAME	Alu 6061.T6, Sport Geometry, BB BSA 68mm, Inner Cable Routing, IDK droppout, City Set ready
HEAD SET	VP-A77-CK1 SLIMSTAK 1-1/8"
FORK	SR Suntour NEX HLO, 63 mm travel
SHIFTER	SHIMANO ST-EF65 EZ Fire Plus 3x8
FRONT DERAILLEUR	SHIMANO FD-TY710-TS
REAR DERAILLEUR	SHIMANO DEORE RD-M591-SGS
CRANKSET	SHIMANO FC-TY701 48-38-28T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-32T
CHAIN	KMC Z51
PEDALS	Marwi SP-813 Non-Slip
HANDLEBAR	Alloy, 12 mm riser
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 27.2x350 mm
FRONT HUB	SHIMANO HB-TX500 QR
REAR HUB	SHIMANO FH-TX500 QR
RIMS	ONE J19SZ 32H
SPOKES	Sapim Galvanized
TIRES	Impac CrossPac 700x35C
WEIGHT	13.5 kg

FRAME SIZE	16.5"(S)	19.0"(L)	21.5"(XL)
WHEEL SIZE	700C	700C	700C
SEAT TUBE LENGTH	420	483	546
SEAT TUBE ANGLE	73.5°	73.5°	73°
EFFECTIVE TOP TUBE LENGTH	570	590	610
REACH	392	405	414
STACK	602	625	648
HEAD TUBE LENGTH	120	140	160
HEAD TUBE ANGLE	69°	70°	71°

FRAME SIZE	16.5"(S)	19.0"(L)	21.5"(XL)
CHAINSTAY LENGTH	440	440	440
BB DROP	65	65	65
WHEELBASE	1076	1086	1090
SEAT POST DIAMETER	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350
HANDLEBAR WIDTH	660	660	660
STEM LENGTH	70	90	100
CRANK LENGTH	170	175	175

RX 510

MATTE BLACK/DARK GREY/RED



GEARS	3x7
FRAME	Alu 6061.T6, Sport Geometry, BB BSA 68mm, Inner Cable Routing, IDK droppout, City Set ready
HEAD SET	VP-A77-CK1 SLIMSTAK 1-1/8"
FORK	SR Suntour M3010, 50 mm travel
SHIFTER	SHIMANO ST-EF500 EZ Fire Plus 3x7
FRONT DERAILLEUR	SHIMANO FD-TY510-TS
REAR DERAILLEUR	SHIMANO ALTUS RD-M310
CRANKSET	SHIMANO FC-TY301 48-38-28T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO TZ21-7 14-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-813 Non-Slip
HANDLEBAR	Alloy, 12 mm rised
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 27.2x350 mm
FRONT HUB	ONE Freewheel type QR
RIMS	ONE J19SZ 32H
REAR HUB	ONE KT QR
SPOKES	Sapim Galvanized
TIRES	Impac CrossPac 700x35C
WEIGHT	13.2 kg

FRAME SIZE	16.5"(S)	19.0"(L)	21.5"(XL)
WHEEL SIZE	700C	700C	700C
SEAT TUBE LENGTH	420	483	546
SEAT TUBE ANGLE	73.5°	73.5°	73°
EFFECTIVE TOP TUBE LENGTH	570	590	610
REACH	392	405	414
STACK	602	625	648
HEAD TUBE LENGTH	120	140	160
HEAD TUBE ANGLE	69°	70°	71°

FRAME SIZE	16.5"(S)	19.0"(L)	21.5"(XL)
CHAINSTAY LENGTH	440	440	440
BB DROP	65	65	65
WHEELBASE	1076	1086	1090
SEAT POST DIAMETER	27.2	27.2	27.2
SEAT POST LENGTH	350	350	350
HANDLEBAR WIDTH	660	660	660
STEM LENGTH	70	90	100
CRANK LENGTH	170	175	175

RX 530 LADY

GLOSS BLACK/ANTHRACITE/PINK



GEARS	3x8
FRAME	Alu 6061.T6, Sport Geometry, BB BSA 68mm, Inner Cable Routing, IDK droppout, City Set ready
HEAD SET	VP-A77-CK1 SLIMSTAK 1-1/8"
FORK	SR Suntour NEX HLO, 63 mm travel
SHIFTER	SHIMANO ST-EF65 EZ Fire Plus 3x8
FRONT DERAILLEUR	SHIMANO FD-TY710-TS
REAR DERAILLEUR	SHIMANO DEORE RD-M591-SGS
CRANKSET	SHIMANO FC-TY701 48-38-28T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-32T
CHAIN	KMC Z51
PEDALS	Marwi SP-813 Non-Slip
HANDLEBAR	Alloy, 12 mm riser
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 27.2x350 mm
FRONT HUB	SHIMANO HB-TX500 QR
REAR HUB	SHIMANO FH-TX500 QR
RIMS	ONE J19SZ 32H
SPOKES	Sapim Galvanized
TIRES	Impac CrossPac 700x35C
WEIGHT	13.5 kg

FRAME SIZE	16,5"L(S)	18.0"L(M)
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	420	457
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	575	585
REACH	386	394
STACK	639	643
HEAD TUBE LENGTH	160	160
HEAD TUBE ANGLE	69°	70°

FRAME SIZE	16,5"L(S)	18.0"L(M)
CHAINSTAY LENGTH	440	440
BB DROP	65	65
WHEELBASE	1084	1083
SEAT POST DIAMETER	27.2	27.2
SEAT POST LENGTH	300	300
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170

RX 510 LADY

MATTE NIGHT BLUE/TURQUOISE



GEARS	3x7
FRAME	Alu 6061.T6, Sport Geometry, BB BSA 68mm, Inner Cable Routing, IDK dropout, City Set ready
HEAD SET	VP-A77-CK1 SLIMSTAK 1-1/8"
FORK	SR Suntour M3010, 50 mm travel
SHIFTER	SHIMANO ST-EF500 EZ Fire Plus 3x7
FRONT DERAILLEUR	SHIMANO FD-TY510-TS
REAR DERAILLEUR	SHIMANO ALTUS RD-M310
CRANKSET	SHIMANO FC-TY301 48-38-28T
BOTTOM BRACKET	SHIMANO BB-UN100 122.5 mm, shell BSA 73 mm
FREEWHEEL/CASSETTE	SHIMANO TZ21-7 14-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-813 Non-Slip
HANDLEBAR	Alloy, 12 mm riser
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC, 27.2x350 mm
FRONT HUB	ONE Freewheel type QR
RIMS	ONE J19SZ 32H
REAR HUB	ONE KT QR
SPOKES	Sapim Galvanized
TIRES	Impac CrossPac 700x35C
WEIGHT	13.2 kg

FRAME SIZE	16,5"L(S)	18.0"L(M)
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	420	457
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	575	585
REACH	386	394
STACK	639	643
HEAD TUBE LENGTH	160	160
HEAD TUBE ANGLE	69°	70°

FRAME SIZE	16,5"L(S)	18.0"L(M)
CHAINSTAY LENGTH	440	440
BB DROP	65	65
WHEELBASE	1084	1083
SEAT POST DIAMETER	27.2	27.2
SEAT POST LENGTH	300	300
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170



**READY
TO BE A
CHAMPION**

RACE READY!

Superior's race genes are evident throughout our new kids' line. Famous for their extreme lightweight, agile & playful performance, Superior Kids Team bikes are easy to ride and ready to win all races. Hydraulic disc brakes specifically designed for kid's palms guaranteed safe braking when unexpectedly crossed the road. Graphics inspired by our

Team top models underline what these bikes really are: Race ready!

TEAM JUNIOR

SUPERIOR 

- ADULT BIKES INSPIRED RACE GEOMETRY
- HYDRAULIC DISC BRAKES
- LIGHTWEIGHT
- EFFICIENT

Efficiency

Simple one-by drivetrain combines single chainring with wide range cassette for maximum efficiency

Perfect ergonomomy

Easy operation shifters and brake levers adjustable for small kid's hand for perfect ergonomomy



Lightweight, stiff, durable

Lightweight wheels with double-buttet spokes for excelent acceleration

Easy and predictable braking

Hydraulic disc brakes offer stable and predictable performance with minimum force needed for brake lever

TEAM 27

MATTE BLACK/WHITE/TEAM RED



FRAME SIZE	13"(XS)	15.5"(S)
WHEEL SIZE	27.5"	27.5"
SEAT TUBE LENGTH	330	393
SEAT TUBE ANGLE	74	74
EFFECTIVE TOP TUBE LENGTH	545	586
REACH	382	423
STACK	569	569
HEAD TUBE LENGTH	90	90
HEAD TUBE ANGLE	69°	69°

FRAME SIZE	13"(XS)	15.5"(S)
CHAINSTAY LENGTH	420	420
BB DROP	40	40
WHEELBASE	1048	1089
SEAT POST DIAMETER	27.2	27.2
SEAT POST LENGTH	350	350
HANDLEBAR WIDTH	660	660
STEM LENGTH	60	60
CRANK LENGTH	160	170

GEARS	1x11
FRAME	Alu X6 Ultralite, Race Geometry, 9x135 mm QR axle , PressFit BB92, Inner cable routing
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox 30 Silver TK, QR, PopLoc remote LO, 100 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 2x11
REAR DERAILLEUR	SHIMANO DEORE XT RD-M8000-GS SHADOW RD+
CRANKSET	SR Suntour Zeron X1 32T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SunRace CSMS8 11-46T
CHAIN	KMC X11
PEDALS	Not included
HANDLEBAR	ONE Race
STEM	ONE Race 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta WMN
SEAT POST	ONE Race CRB, 27.2x350 mm
FRONT HUB	ONE KT QR
RIMS	ONE J18SF 28H
REAR HUB	ONE KT QR
SPOKES	Sapim Laser
TIRES	Schwalbe Smart Sam KevlarGuard 27.5x2.10"
WEIGHT	11.5 kg

TEAM 24

MATTE BLACK/WHITE/TEAM RED



GEARS	1x9
FRAME	Alu 6061.T6 Double Butted, Junior Race Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	SR Suntour XCR Air LO, 80 mm travel
SHIFTER	SRAM, X9 Twist Shifter 1x9
REAR DERAILLEUR	SRAM X7 Short Cage
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO CS-HG200-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-400
HANDLEBAR	HL Corp Alloy
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G213
BRAKES (FRONT/REAR)	Tektro TK-D57, hydraulic disc, 160/140 mm rotor
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
RIMS	ONE J18SF 20H
REAR HUB	ONE KT QR
SPOKES	Sapim Laser
TIRES	Schwalbe Rocket Ron Performance ADDIX OEM 24x2.10"
WEIGHT	9.9 kg
WEIGHT	8.9 kg

FRAME SIZE	11"
WHEEL SIZE	24"
SEAT TUBE LENGTH	280
SEAT TUBE ANGLE	73°
EFFECTIVE TOP TUBE LENGTH	500
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	390

FRAME SIZE	11"
BB DROP	25
WHEELBASE	968
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	300
HANDLEBAR WIDTH	540
STEM LENGTH	35
CRANK LENGTH	140

TEAM 20

MATTE BLACK/WHITE/TEAM RED



GEARS	1x7
FRAME	Alu 6061.T6 Double Butted, Junior Race Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	Hi-ten rigid
SHIFTER	SHIMANO SL-RS45 Revoshift 1x8
REAR DERAILLEUR	SHIMANO TOURNEY RD-FT35A
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz 128 mm, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG200-7 12-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-202
HANDLEBAR	Alloy
STEM	Alloy 25.4 mm
GRIPS	ONE MTB dual density kraton-gel
BRAKES (FRONT/REAR)	Tektro TK-D57, hydraulic disc, 140/140 mm rotor
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
REAR HUB	ONE KT QR
RIMS	ONE J18SF 20H
SPOKES	Sapim Laser
TIRES	Schwalbe Little Joe KevlarGuard LiteSkin 20x2.00"
WEIGHT	7.9 kg

FRAME SIZE	9"
WHEEL SIZE	20"
SEAT TUBE LENGTH	230
SEAT TUBE ANGLE	71°
EFFECTIVE TOP TUBE LENGTH	450
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	330

FRAME SIZE	9"
BB DROP	0
WHEELBASE	830
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	230
HANDLEBAR WIDTH	500
STEM LENGTH	35
CRANK LENGTH	127



SKINNIEST OF ALL

Weight is all for what FLY cares. Everything, simply everything, was adapted to just one single goal: Make the slimmest, skinniest, scraggiest bike possible. The ultra-lightweight aluminium frame, wheels, carefully selected components...

Superior FLY kids bikes deliver all that will make your children fall in love with riding a bike.

F.L.Y

SUPERIOR 

- SUPERLIGHT FRAME AND COMPONENTS
- STABLE AND PREDICTABLE
- SIMPLE & SAFE

Perfect ergonomy

Cocpit parts respecting size and ergonomy of young riders for easy operation and safety

Superlight

Superlight alloy frame and rigid front forks and carefully selected parts for minimum weight

Simple and safe

Single chainring drivetrain is simple, safe and intuitive



F.L.Y. 26

MATTE LIME YELLOW/NEON YELLOW



GEARS	1x9
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	Alloy rigid Superlight
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
REAR DERAILLEUR	SHIMANO DEORE RD-M592-SGS SHADOW RD
CRANKSET	WheelTop M32 32T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO CS-HG200-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-400
HANDLEBAR	Alloy
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G311
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Shadow
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
REAR HUB	ONE Sport Light QR
RIMS	ONE J19SZ 24H
SPOKES	Sapim Galvanized
TIRES	Schwalbe CX Comp KevlarGuard 26x2.00"
WEIGHT	9.8 kg

FRAME SIZE	12"
WHEEL SIZE	26"
SEAT TUBE LENGTH	305
SEAT TUBE ANGLE	74°
EFFECTIVE TOP TUBE LENGTH	550
HEAD TUBE LENGTH	110
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	410

FRAME SIZE	12"
BB DROP	40
WHEELBASE	1029.8
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	350
HANDLEBAR WIDTH	580
STEM LENGTH	35
CRANK LENGTH	160

F.L.Y. 26

MATTE DARK GREY/GREY/NEON RED



GEARS	1x9
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	Alloy rigid Superlight
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
REAR DERAILLEUR	SHIMANO DEORE RD-M592-SGS SHADOW RD
CRANKSET	WheelTop M32 32T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO CS-HG200-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-400
HANDLEBAR	Alloy
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G311
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Shadow
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
REAR HUB	ONE Sport Light QR
RIMS	ONE J19SZ 24H
SPOKES	Sapim Galvanized
TIRES	Schwalbe CX Comp KevlarGuard 26x2.00"
WEIGHT	9.8 kg

FRAME SIZE	12"
WHEEL SIZE	26"
SEAT TUBE LENGTH	305
SEAT TUBE ANGLE	74°
EFFECTIVE TOP TUBE LENGTH	550
HEAD TUBE LENGTH	110
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	410

FRAME SIZE	12"
BB DROP	40
WHEELBASE	1029.8
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	350
HANDLEBAR WIDTH	580
STEM LENGTH	35
CRANK LENGTH	160

F.L.Y. 24

MATTE LIME YELLOW/NEON YELLOW



GEARS	1x8
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	Alloy rigid Superlight
SHIFTER	SHIMANO SL-M310 RapidFire Plus 3x8
REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000-SGS SHADOW RD
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-400
HANDLEBAR	HL Corp Alloy
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G311
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
REAR HUB	ONE Sport Light QR
RIMS	ONE J19SZ 24H
SPOKES	Sapim Galvanized
TIRES	Schwalbe CX Comp 24x1.75"
WEIGHT	9.1 kg

FRAME SIZE	11"
WHEEL SIZE	24"
SEAT TUBE LENGTH	280
SEAT TUBE ANGLE	73°
EFFECTIVE TOP TUBE LENGTH	500
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	390

FRAME SIZE	11"
BB DROP	25
WHEELBASE	959.7
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	300
HANDLEBAR WIDTH	540
STEM LENGTH	35
CRANK LENGTH	140

F.L.Y. 24

MATTE DARK GREY/GREY/NEON RED



GEARS	1x8
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	Alloy rigid Superlight
SHIFTER	SHIMANO SL-M310 RapidFire Plus 3x8
REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000-SGS SHADOW RD
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-400
HANDLEBAR	HL Corp Alloy
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G311
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
REAR HUB	ONE Sport Light QR
RIMS	ONE J19SZ 24H
SPOKES	Sapim Galvanized
TIRES	Schwalbe CX Comp 24x1.75"
WEIGHT	9.1 kg

FRAME SIZE	11"
WHEEL SIZE	24"
SEAT TUBE LENGTH	280
SEAT TUBE ANGLE	73°
EFFECTIVE TOP TUBE LENGTH	500
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	390

FRAME SIZE	11"
BB DROP	25
WHEELBASE	959.7
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	300
HANDLEBAR WIDTH	540
STEM LENGTH	35
CRANK LENGTH	140

F.L.Y. 20

MATTE LIME YELLOW/NEON YELLOW



GEARS	1x7
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	Alloy rigid Superlight
SHIFTER	SHIMANO SL-RS45 Revoshift 1x8
REAR DERAILLEUR	SHIMANO TOURNEY RD-FT35A
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG200-7 12-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-202
HANDLEBAR	Alloy
STEM	Alloy 25.4 mm
GRIPS	ONE MTB dual density kraton-gel
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
REAR HUB	ONE KT QR
RIMS	ONE J19SZ 20H
SPOKES	Sapim Galvanized
TIRES	Schwalbe CX Comp KevlarGuard 20x1.75"
WEIGHT	8.1 kg

FRAME SIZE	9"
WHEEL SIZE	20"
SEAT TUBE LENGTH	230
SEAT TUBE ANGLE	71°
EFFECTIVE TOP TUBE LENGTH	450
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	330

FRAME SIZE	9"
BB DROP	0
WHEELBASE	820.2
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	230
HANDLEBAR WIDTH	500
STEM LENGTH	35
CRANK LENGTH	127

F.L.Y. 20

MATTE DARK GREY/GREY/NEON RED



GEARS	1x7
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	Alloy rigid Superlight
SHIFTER	SHIMANO SL-RS45 Revoshift 1x8
REAR DERAILLEUR	SHIMANO TOURNEY RD-FT35A
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG200-7 12-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-202
HANDLEBAR	Alloy
STEM	Alloy 25.4 mm
GRIPS	ONE MTB dual density kraton-gel
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
REAR HUB	ONE KT QR
RIMS	ONE J19SZ 20H
SPOKES	Sapim Galvanized
TIRES	Schwalbe CX Comp KevlarGuard 20x1.75"
WEIGHT	8.1 kg

FRAME SIZE	9"
WHEEL SIZE	20"
SEAT TUBE LENGTH	230
SEAT TUBE ANGLE	71°
EFFECTIVE TOP TUBE LENGTH	450
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	330

FRAME SIZE	9"
BB DROP	0
WHEELBASE	820.2
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	230
HANDLEBAR WIDTH	500
STEM LENGTH	35
CRANK LENGTH	127

RACER & MODO

SUPERIOR 

- SIMPLE, SAFE AND INTUITIVE
- HIGH VALUE-FOR-MONEY RATIO
- EASY STEP-IN

Comfort Set ready

Accessory mounts for fast and easy assembly of accessories (mudguards, kickstand, lights, etc.)



Comfort Set ready

Accessory mounts for fast and easy assembly of accessories (mudguards, kickstand, lights, etc.)

Easy riding

Light wheels and fast rolling tires for easy riding with minimal rider's effort

RACER XC 27

MATTE NEON RED/WHITE/DARK RED



GEARS	1x8
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	FSA No.10 Semi-Cartridge
FORK	SR Suntour XCT, 100 mm travel
SHIFTER	SHIMANO SL-RS45 Revoshift 1x8
REAR DERAILLEUR	SHIMANO ACERA RD-M360-SGS
CRANKSET	WheelTop M32 32T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G213
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Shadow
SEAT POST	ONE Sport XC, 27.2x350 mm
FRONT HUB	ONE Freewheel type QR
REAR HUB	SHIMANO FH-TX500 QR
RIMS	ONE J19SZ 32H
SPOKES	Sapim Galvanized
TIRES	Impac SmartPac 27.5x2.10"
WEIGHT	12.8 kg

FRAME SIZE	13"(XS)	15.5"(S)
WHEEL SIZE	27.5"	27.5"
SEAT TUBE LENGTH	330	393
SEAT TUBE ANGLE	74°	74°
EFFECTIVE TOP TUBE LENGTH	545	586
HEAD TUBE LENGTH	90	90
HEAD TUBE ANGLE	69°	69°
CHAINSTAY LENGTH	435	435

FRAME SIZE	13"(XS)	15.5"(S)
BB DROP	40	40
WHEELBASE	1063	1104
SEAT POST DIAMETER	27.2	27.2
SEAT POST LENGTH	300	300
HANDLEBAR WIDTH	660	660
STEM LENGTH	50	50
CRANK LENGTH	165	165

RACER XC 27

GLOSS BLACK/NEON YELLOW/DARK GREY



GEARS	1x8
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	FSA No.10 Semi-Cartridge
FORK	SR Suntour XCT, 100 mm travel
SHIFTER	SHIMANO SL-RS45 Revoshift 1x8
REAR DERAILLEUR	SHIMANO ACERA RD-M360-SGS
CRANKSET	WheelTop M32 32T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G213
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Shadow
SEAT POST	ONE Sport XC, 27.2x350 mm
FRONT HUB	ONE Freewheel type QR
REAR HUB	SHIMANO FH-TX500 QR
RIMS	ONE J19SZ 32H
SPOKES	Sapim Galvanized
TIRES	Impac SmartPac 27.5x2.10"
WEIGHT	12.8 kg

FRAME SIZE	13"(XS)	15.5"(S)
WHEEL SIZE	27.5"	27.5"
SEAT TUBE LENGTH	330	393
SEAT TUBE ANGLE	74°	74°
EFFECTIVE TOP TUBE LENGTH	545	586
HEAD TUBE LENGTH	90	90
HEAD TUBE ANGLE	69°	69°
CHAINSTAY LENGTH	435	435

FRAME SIZE	13"(XS)	15.5"(S)
BB DROP	40	40
WHEELBASE	1063	1104
SEAT POST DIAMETER	27.2	27.2
SEAT POST LENGTH	300	300
HANDLEBAR WIDTH	660	660
STEM LENGTH	50	50
CRANK LENGTH	165	165

RACER RX 24

GLOSS BLACK/NEON YELLOW/DARK GREY



GEARS	1x8
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm, Easy Step-In
HEAD SET	CH-290-TBW 1-1/8"
FORK	Hi-ten rigid
SHIFTER	SHIMANO SL-RS45 Revoshift 1x8
REAR DERAILLEUR	SHIMANO TOURNEY RD-TX800-SGS
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-400
HANDLEBAR	Steel rised
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G213
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE Freewheel type
REAR HUB	ONE Sport Light QR
RIMS	ONE J18D 24H
SPOKES	Sapim Zinc
TIRES	Impac CrossPac 24x2.00"
WEIGHT	10.5 kg

FRAME SIZE	11
WHEEL SIZE	24
SEAT TUBE LENGTH	280
SEAT TUBE ANGLE	71°
EFFECTIVE TOP TUBE LENGTH	510
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	390

FRAME SIZE	11
BB DROP	25
WHEELBASE	976.8
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	300
HANDLEBAR WIDTH	560
STEM LENGTH	35
CRANK LENGTH	160

RACER XC 24

GLOSS BLACK/NEON YELLOW/DARK GREY



GEARS	1x8
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm, Easy Step-In
HEAD SET	CH-290-TBW 1-1/8"
FORK	SR Suntour XCT JR24, 50 mm travel
SHIFTER	SHIMANO SL-RS45 Revoshift 1x8
REAR DERAILLEUR	SHIMANO TOURNEY RD-TX800-SGS
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-400
HANDLEBAR	HL Corp Alloy
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G213
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE Freewheel type
REAR HUB	ONE Sport Light QR
RIMS	ONE J18D 24H
SPOKES	Sapim Zinc
TIRES	Impac SmartPac 24x2.10"
WEIGHT	11.3 kg

FRAME SIZE	11"
WHEEL SIZE	24"
SEAT TUBE LENGTH	280
SEAT TUBE ANGLE	73°
EFFECTIVE TOP TUBE LENGTH	500
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	390

FRAME SIZE	11"
BB DROP	25
WHEELBASE	967
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	300
HANDLEBAR WIDTH	560
STEM LENGTH	35
CRANK LENGTH	160

RACER XC 24

MATTE NEON RED/WHITE/DARK RED



GEARS	1x8
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm, Easy Step-In
HEAD SET	CH-290-TBW 1-1/8"
FORK	SR Suntour XCT JR24, 50 mm travel
SHIFTER	SHIMANO SL-RS45 Revoshift 1x8
REAR DERAILLEUR	SHIMANO TOURNEY RD-TX800-SGS
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-400
HANDLEBAR	HL Corp Alloy
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G213
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE Freewheel type
REAR HUB	ONE Sport Light QR
RIMS	ONE J18D 24H
SPOKES	Sapim Zinc
TIRES	Impac SmartPac 24x2.10"
WEIGHT	11.3 kg

FRAME SIZE	11"
WHEEL SIZE	24"
SEAT TUBE LENGTH	280
SEAT TUBE ANGLE	73°
EFFECTIVE TOP TUBE LENGTH	500
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	390

FRAME SIZE	11"
BB DROP	25
WHEELBASE	967
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	300
HANDLEBAR WIDTH	560
STEM LENGTH	35
CRANK LENGTH	160

RACER XC 20

MATTE NEON RED/WHITE/DARK RED



GEARS	1x7
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm, Easy Step-In
HEAD SET	CH-290-TBW 1-1/8"
FORK	Hi-ten rigid
SHIFTER	SHIMANO SL-RS35 Revoshift 1x7
REAR DERAILLEUR	SHIMANO TOURNEY RD-FT35A
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO TZ21-7 14-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-202
HANDLEBAR	Steel flat
STEM	Alloy 25.4 mm
GRIPS	ONE MTB dual density kraton-gel
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE Freewheel type
REAR HUB	ONE KT QR
RIMS	ONE J18DA 24H
SPOKES	Sapim Zinc
TIRES	Impac RidgePac 20x2.00"
WEIGHT	9.1 kg

FRAME SIZE	9"
WHEEL SIZE	20"
SEAT TUBE LENGTH	230
SEAT TUBE ANGLE	71°
EFFECTIVE TOP TUBE LENGTH	450
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	330

FRAME SIZE	9"
BB DROP	0
WHEELBASE	828
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	230
HANDLEBAR WIDTH	500
STEM LENGTH	35
CRANK LENGTH	140

RACER XC 20

GLOSS BLACK/NEON YELLOW/DARK GREY



GEARS	1x7
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm, Easy Step-In
HEAD SET	CH-290-TBW 1-1/8"
FORK	Hi-ten rigid
SHIFTER	SHIMANO SL-RS35 Revoshift 1x7
REAR DERAILLEUR	SHIMANO TOURNEY RD-FT35A
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO TZ21-7 14-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-202
HANDLEBAR	Steel flat
STEM	Alloy 25.4 mm
GRIPS	ONE MTB dual density kraton-gel
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE Freewheel type
REAR HUB	ONE KT QR
RIMS	ONE J18DA 24H
SPOKES	Sapim Zinc
TIRES	Impac RidgePac 20x2.00"
WEIGHT	9.1 kg

FRAME SIZE	9"
WHEEL SIZE	20"
SEAT TUBE LENGTH	230
SEAT TUBE ANGLE	71°
EFFECTIVE TOP TUBE LENGTH	450
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	330

FRAME SIZE	9"
BB DROP	0
WHEELBASE	828
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	230
HANDLEBAR WIDTH	500
STEM LENGTH	35
CRANK LENGTH	140

MODO XC 20

MATTE TEAM PURPLE/PINK



GEARS	1x7
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm, Easy Step-In
HEAD SET	CH-290-TBW 1-1/8"
FORK	Hi-ten rigid
SHIFTER	SHIMANO SL-RS35 Revoshift 1x7
REAR DERAILLEUR	SHIMANO TOURNEY RD-FT35A
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO TZ21-7 14-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-202
HANDLEBAR	Steel flat
STEM	***HS,ID28.6x25.4xE35,10°xH40,AL,SABK,w/oLG
GRIPS	ONE MTB dual density kraton-gel
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE Freewheel type
REAR HUB	ONE KT QR
RIMS	ONE J18DA 24H
SPOKES	Sapim Zinc
TIRES	Impac CrossPac 20x1.75"
WEIGHT	9.1 kg

FRAME SIZE	9"
WHEEL SIZE	20"
SEAT TUBE LENGTH	230
SEAT TUBE ANGLE	71°
EFFECTIVE TOP TUBE LENGTH	450
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	330

FRAME SIZE	9"
BB DROP	0
WHEELBASE	828
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	230
HANDLEBAR WIDTH	500
STEM LENGTH	35
CRANK LENGTH	140

MODO XC 20

GLOSS NIGHT BLUE/TURQUOISE



GEARS	1x7
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm, Easy Step-In
HEAD SET	CH-290-TBW 1-1/8"
FORK	Hi-ten rigid
SHIFTER	SHIMANO SL-RS35 Revoshift 1x7
REAR DERAILLEUR	SHIMANO TOURNEY RD-FT35A
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO TZ21-7 14-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-202
HANDLEBAR	Steel flat
STEM	***HS,ID28.6x25.4xE35,10°xH40,AL,SABK,w/oLG
GRIPS	ONE MTB dual density kraton-gel
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE Freewheel type
REAR HUB	ONE KT QR
RIMS	ONE J18DA 24H
SPOKES	Sapim Zinc
TIRES	Impac CrossPac 20x1.75"
WEIGHT	9.1 kg

FRAME SIZE	9"
WHEEL SIZE	20"
SEAT TUBE LENGTH	230
SEAT TUBE ANGLE	71°
EFFECTIVE TOP TUBE LENGTH	450
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	330

FRAME SIZE	9"
BB DROP	0
WHEELBASE	828
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	230
HANDLEBAR WIDTH	500
STEM LENGTH	35
CRANK LENGTH	140

MODO XC 24

GLOSS NIGHT BLUE/TURQUOISE



GEARS	1x8
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm, Easy Step-In
HEAD SET	CH-290-TBW 1-1/8"
FORK	SR Suntour XCT JR24, 50 mm travel
SHIFTER	SHIMANO SL-RS45 Revoshift 1x8
REAR DERAILLEUR	SHIMANO TOURNEY RD-TX800-SGS
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-400
HANDLEBAR	HL Corp Alloy
STEM	***HS,ID28.6x25.4xE35,10°xH40,AL,SABK,w/oLG
GRIPS	Velo VL-G213
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE Freewheel type
REAR HUB	ONE Sport Light QR
RIMS	ONE J18D 24H
SPOKES	Sapim Zinc
TIRES	Impac CrossPac 24x2.00"
WEIGHT	11.3 kg

FRAME SIZE	11"
WHEEL SIZE	24"
SEAT TUBE LENGTH	280
SEAT TUBE ANGLE	73°
EFFECTIVE TOP TUBE LENGTH	500
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	390

FRAME SIZE	11"
BB DROP	25
WHEELBASE	967
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	300
HANDLEBAR WIDTH	560
STEM LENGTH	35
CRANK LENGTH	160

MODO XC 24

MATTE TEAM PURPLE/PINK



GEARS	1x8
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm, Easy Step-In
HEAD SET	CH-290-TBW 1-1/8"
FORK	SR Suntour XCT JR24, 50 mm travel
SHIFTER	SHIMANO SL-RS45 Revoshift 1x8
REAR DERAILLEUR	SHIMANO TOURNEY RD-TX800-SGS
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-400
HANDLEBAR	HL Corp Alloy
STEM	***HS,ID28.6x25.4xE35,10°xH40,AL,SABK,w/oLG
GRIPS	Velo VL-G213
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE Freewheel type
REAR HUB	ONE Sport Light QR
RIMS	ONE J18D 24H
SPOKES	Sapim Zinc
TIRES	Impac CrossPac 24x2.00"
WEIGHT	11.3 kg

FRAME SIZE	11"
WHEEL SIZE	24"
SEAT TUBE LENGTH	280
SEAT TUBE ANGLE	73°
EFFECTIVE TOP TUBE LENGTH	500
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	390

FRAME SIZE	11"
BB DROP	25
WHEELBASE	967
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	300
HANDLEBAR WIDTH	560
STEM LENGTH	35
CRANK LENGTH	160

MODO RX 24

GLOSS NIGHT BLUE/TURQUOISE



GEARS	1x8
FRAME	Custom Alu 6061.T6
HEAD SET	CH-290-TBW 1-1/8"
FORK	Hi-ten rigid
SHIFTER	SHIMANO SL-RS45 Revoshift 1x8
REAR DERAILLEUR	SHIMANO TOURNEY RD-TX800-SGS
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-400
HANDLEBAR	Steel rised
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G213
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE Freewheel type
REAR HUB	ONE Sport Light QR
RIMS	ONE J18D 24H
SPOKES	Sapim Zinc
TIRES	Impac CrossPac 24x2.00"
WEIGHT	10.5 kg

FRAME SIZE	11
WHEEL SIZE	24
SEAT TUBE LENGTH	280
SEAT TUBE ANGLE	71°
EFFECTIVE TOP TUBE LENGTH	510
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	390

FRAME SIZE	11
BB DROP	25
WHEELBASE	976.8
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	300
HANDLEBAR WIDTH	560
STEM LENGTH	35
CRANK LENGTH	160



**READY
FOR THE
NEW
EXPERIENCE**

EXTRA ENERGY

All Superior E-bikes deliver pure and original cycling experience. We created bikes that are real fun to ride and performance oriented as their motor-less siblings in the MTB range. Bikes where all elements are so perfectly integrated, that are as easy to control, so lightweight and so fun to ride that you will soon forget you are riding an e-bike. Only that you get the extra energy boost that will make you ride faster and further than ever before! So step in and enjoy the ride!

E-MTB TRAIL XF



- HI-PERFORMANCE POWER SYSTEM
- TRAIL-TUNED SUSPENSION WITH 130MM TRAVEL
- LOW WEIGHT AND CENTER OF GRAVITY
- PRECISE CONTROL & MANEUVERING
- PLAYFUL CHARACTER



Better traction

Wide 29+ tyres improve comfort, safety and traction on all types of surfaces

Powerful brakes

Modern 4-piston brakes increase braking performance and handle perfectly with higher weight of e-bike

Integration

Integration of the electric drive has enabled us to lower the bike's centre of gravity and shorten the rear stay, which radically improves handling and makes the ride feel very natural

eXF 949 R

MATTE BLACK/CHROME SILVER



FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	300	350	350	350
SEAT TUBE LENGTH	29"	29"	29"	29"
SEAT TUBE ANGLE	388	431	482	533
EFFECTIVE TOP TUBE LENGTH	74.4°	74.4°	74.4°	74.4°
REACH	584	602	626	640
STACK	413	431	452	462
HEAD TUBE LENGTH	616	616	625	635
	90	90	100	110

FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
HEAD TUBE ANGLE	67.2°	67.2°	67.2°	67.2°
CHAINSTAY LENGTH	440	440	440	440
BB DROP	37	37	37	37
WHEELBASE	1145	1163	1187	1202
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	60	80	90
CRANK LENGTH	170	170	170	170

GEARS	1x11
FRAME	Alu X6 Ultralite e-MTB BF-SU21, SHIMANO STEPS, e-Trail Geometry, 130 mm travel, Semi-Integrated Battery, Boost 12x148 mm Thru axle, Inner cable routing, Dropped post ready
HEAD SET	ACROS 310.02.553 AZX-251,, ZS44/28,6, EC49/40
FORK	DT Swiss F 535 29, Boost 15x110mm, Two-In-One remote LO, 140 mm travel
REAR SHOCK	DT Awiss R 535 Remote, 184x44 mm, hardware: 25.4x6 mm/14.1x8 mm SmartLink adaptor
SHIFTER	SHIMANO DEORE XT SL-M8000 I-spec II RapidFire Plus 1x11
REAR DERAILLEUR	SHIMANO DEORE XT RD-M8000-GS SHADOW RD+
CRANKSET	SHIMANO SHIMANO STEPS-E8000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SunRace CS-MS8 11-46T
CHAIN	KMC X11ET Turbo Power
PEDALS	Not included
HANDLEBAR	Alloy flat 31.8 mm
STEM	Alloy 31.8 mm
GRIPS	ESI Racers Edge silicone grips
BRAKES (FRONT/REAR)	SHIMANO BR-M8020 Hydraulic 4-piston disc brake 180/180
SADDLE	***SD,TAIGA,BLACK,S-AL BK RL,w/oCL
SEAT POST	***SP,HIGHLINE DROPPER POST31.6/400/150,BKM
FRONT HUB	DT Swiss H 1700 Spline 30 15x110 mm
REAR HUB	DT Swiss H 1700 Spline 30 12x148 mm
RIMS	DT Swiss H 1700 Spline 30
SPOKES	DT Swiss H 1700 Spline 30
TIRES	Schwalbe Nobby Nic SnakeSkin 29x2.60" SHIMANO STEPS DU-E8000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E8000
WEIGHT	21.3 kg

eXF 939

MATTE BLACK/BLACK



FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	300	350	350	350
SEAT TUBE LENGTH	29"	29"	29"	29"
SEAT TUBE ANGLE	388	431	482	533
EFFECTIVE TOP TUBE LENGTH	74.4°	74.4°	74.4°	74.4°
REACH	584	602	626	640
STACK	413	431	452	462
HEAD TUBE LENGTH	616	616	625	635
	90	90	100	110

FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
HEAD TUBE ANGLE	67.2°	67.2°	67.2°	67.2°
CHAINSTAY LENGTH	440	440	440	440
BB DROP	37	37	37	37
WHEELBASE	1145	1163	1187	1202
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	60	80	90
CRANK LENGTH	170	170	170	170

GEARS	1x11
FRAME	Alu X6 Ultralite e-MTB BF-SU21, SHIMANO STEPS, e-Trail Geometry, 130 mm travel, Semi-Integrated Battery, Boost 12x148 mm Thru axle, Inner cable routing, Dropped post ready
HEAD SET	ACROS 310.02.553 AZX-251,, ZS44/28,6, EC49/40
FORK	RockShox Reba RL, Boost 15x110mm, 130 mm travel
REAR SHOCK	RockShox Monarch RT-D3, 184x44 mm, hardware: 25.4x6 mm/14.0x8 mm
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 1x11
REAR DERAILLEUR	SHIMANO DEORE XT RD-M8000-GS SHADOW RD+
CRANKSET	SHIMANO SHIMANO STEPS-E8000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SunRace CS-MS8 11-46T
CHAIN	KMC X11ET Turbo Power
PEDALS	Not included
HANDLEBAR	Alloy flat 31.8 mm
STEM	Alloy 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BRMT520 Hydraulic 4-piston disc brake
	180/180
SADDLE	***SD,TAIGA,BLACK,S-AL BK RL,w/oCL
SEAT POST	Crank Brothers Highline Dropper 31.6 mm
FRONT HUB	DT Swiss H 1900 Spline 30 15x110 mm
REAR HUB	DT Swiss H 1900 Spline 30 12x148 mm
RIMS	DT Swiss H 1900 Spline 30
SPOKES	DT Swiss H 1900 Spline 30
TIRES	Schwalbe Nobby Nic SnakeSkin 29x2.60"
	SHIMANO STEPS DU-E8000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002
	25 km/h
DISPLAY	SHIMANO STEPS SC-E8000
WEIGHT	21.5 kg

eXF 919

MATTE PETROL BLUE/BLACK/RED



FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	300	350	350	350
SEAT TUBE LENGTH	29"	29"	29"	29"
SEAT TUBE ANGLE	388	431	482	533
EFFECTIVE TOP TUBE LENGTH	74.4°	74.4°	74.4°	74.4°
REACH	584	602	626	640
STACK	413	431	452	462
HEAD TUBE LENGTH	616	616	625	635
	90	90	100	110

FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
HEAD TUBE ANGLE	67.2°	67.2°	67.2°	67.2°
CHAINSTAY LENGTH	440	440	440	440
BB DROP	37	37	37	37
WHEELBASE	1145	1163	1187	1202
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	60	80	90
CRANK LENGTH	170	170	170	170

GEARS	1x11
FRAME	Alu X6 Ultralite e-MTB BF-SU21, SHIMANO STEPS, e-Trail Geometry, 130 mm travel, Semi-Integrated Battery, Boost 12x148 mm Thru axle, Inner cable routing, Dropped post ready
HEAD SET	ACROS 310.02.553 AZX-251,, ZS44/28,6, EC49/40
FORK	RockShox Recon RL, Boost 15x110mm, 130 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 1x11
REAR DERAILLEUR	SHIMANO SLX RD-M7000-GS SHADOW RD+
CRANKSET	SHIMANO SHIMANO STEPS-E8000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SunRace CS-MS8 11-46T
CHAIN	KMC X11ET Turbo Power
PEDALS	Not included
HANDLEBAR	Alloy flat 31.8 mm
STEM	Alloy 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	Tektro HDM745 Hydraulic Disc Brake,4 PISTONS 180/180
SADDLE	***SD,TAIGA,BLACK,S-AL BK RL,w/oCL
SEAT POST	ONE MT-171 Dropper 31.6 mm
FRONT HUB	SHIMANO HB-M6010 CL 15x110 mm
RIMS	***RIM,622x26,32H/14G/F2,VH6.5,DISC,BLK,w/S
REAR HUB	SHIMANO FH-M6010 CL 12x148 mm
SPOKES	Sapim Race
TIRES	Schwalbe Nobby Nic SnakeSkin 29x2.60" SHIMANO STEPS DU-E8000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	21.5 kg

MODO eXF 919

MATTE ANTHRACITE/BLACK/PINK



FRAME SIZE	15.5"(S)	17.5"(M)
	300	350
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	388	431
SEAT TUBE ANGLE	74.4°	74.4°
EFFECTIVE TOP TUBE LENGTH	584	602
REACH	413	431
STACK	616	616
HEAD TUBE LENGTH	90	90

FRAME SIZE	15.5"(S)	17.5"(M)
HEAD TUBE ANGLE	67.2°	67.2°
CHAINSTAY LENGTH	440	440
BB DROP	37	37
WHEELBASE	1145	1163
SEAT POST DIAMETER	31.6	31.6
HANDLEBAR WIDTH	740	740
STEM LENGTH	60	60
CRANK LENGTH	170	170

GEARS	1x11
FRAME	Alu X6 Ultralite e-MTB BF-SU21, SHIMANO STEPS, e-Trail Geometry, 130 mm travel, Semi-Integrated Battery, Boost 12x148 mm Thru axle, Inner cable routing, Dropped post ready
HEAD SET	ACROS 310.02.553 AZX-251,, ZS44/28,6, EC49/40
FORK	RockShox Recon RL, Boost 15x110mm, 130 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 1x11
REAR DERAILLEUR	SHIMANO SLX RD-M7000-GS SHADOW RD+
CRANKSET	SHIMANO SHIMANO STEPS-E8000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SunRace CS-MS8 11-46T
CHAIN	KMC X11ET Turbo Power
PEDALS	Not included
HANDLEBAR	Alloy flat 31.8 mm
STEM	Alloy 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	Tektro HDM745 Hydraulic Disc Brake,4 PISTONS 180/180
SADDLE	***SD,TAIGA,BLACK,S-AL BK RL,w/oCL
SEAT POST	ONE MT-171 Dropper 31.6 mm
FRONT HUB	SHIMANO HB-M6010 CL 15x110 mm
RIMS	***RIM,622x26,32H/14G/F2,VH6.5,DISC,BLK,w/S
REAR HUB	SHIMANO FH-M6010 CL 12x148 mm
SPOKES	Sapim Race
TIRES	Schwalbe Nobby Nic SnakeSkin 29x2.60" SHIMANO STEPS DU-E8000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	20.5 kg

eXF 909

MATTE ANTHRACITE/BLACK/RED



FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	300	350	350	350
SEAT TUBE LENGTH	29"	29"	29"	29"
SEAT TUBE ANGLE	388	431	482	533
EFFECTIVE TOP TUBE LENGTH	74.4°	74.4°	74.4°	74.4°
REACH	584	602	626	640
STACK	413	431	452	462
HEAD TUBE LENGTH	616	616	625	635
	90	90	100	110

FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
HEAD TUBE ANGLE	67.2°	67.2°	67.2°	67.2°
CHAINSTAY LENGTH	440	440	440	440
BB DROP	37	37	37	37
WHEELBASE	1145	1163	1187	1202
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	60	80	90
CRANK LENGTH	170	170	170	170

GEARS	1x11
FRAME	Alu X6 Ultralite e-MTB BF-SU21, SHIMANO STEPS, e-Trail Geometry, 130 mm travel, Semi-Integrated Battery, Boost 12x148 mm Thru axle, Inner cable routing, Dropped post ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	RockShox Recon RL, Boost 15x110mm, 130 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 1x11
REAR DERAILLEUR	SHIMANO SLX RD-M7000-GS SHADOW RD+
CRANKSET	SHIMANO SHIMANO STEPS-E8000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SunRace CS-MS8 11-46T
CHAIN	KMC X11ET Turbo Power
PEDALS	Not included
HANDLEBAR	Alloy flat 31.8 mm
STEM	Alloy 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	Tektro HDM745 Hydraulic Disc Brake,4 PISTONS 180/180
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race
FRONT HUB	SHIMANO HB-M6010 CL 15x110 mm
RIMS	***RIM,622x36,32H/14G,VH6.5,D,BLK,UNI STICK
REAR HUB	SHIMANO FH-M6010 CL 12x148 mm
SPOKES	Sapim Race
TIRES	Schwalbe Smart Sam Performance 29x2.6" SHIMANO STEPS DU-E7000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	21.5 kg



E-MTB PERFORMANCE

SUPERIOR 

- HI-PERFORMANCE POWER SYSTEM WITH SENSITIVE ASSISTANCE
- NATURAL RIDE FEELING
- BALANCED ALL-ROUND GEOMETRY
- LOW WEIGHT AND CENTER OF GRAVITY
- CLEAN DESIGN

Easy maneuvering

Balanced all-round geometry and low center of gravity for easy maneuvering and natural ride feeling



Wide gear range

Wide range drivetrain allows to pass steep climbs easily

SHIMANO STEPS E7000

Lightweight, compact and powerful

eXP 939

MATTE BLACK/BLACK



FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	300	350	350	350
SEAT TUBE LENGTH	29"	29"	29"	29"
SEAT TUBE ANGLE	388	431	482	533
EFFECTIVE TOP TUBE LENGTH	74.4°	74.4°	74.4°	74.4°
REACH	584	602	626	640
STACK	413	431	452	462
HEAD TUBE LENGTH	616	616	625	635
	90	90	100	110

FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
HEAD TUBE ANGLE	67.2°	67.2°	67.2°	67.2°
CHAINSTAY LENGTH	440	440	440	440
BB DROP	37	37	37	37
WHEELBASE	1145	1163	1187	1202
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	60	80	90
CRANK LENGTH	170	170	170	170

GEARS	1x11
FRAME	Alu X6 Ultralite e-MTB, SHIMANO STEPS, e-MTB Geometry, Semi-Integrated Battery, Boost 12x148 mm Thru axle, Inner cable routing, Dropped post ready
HEAD SET	ACROS 310.02.553 AZX-251,, ZS44/28,6, EC49/40
FORK	RockShox Reba RL, Boost 15x110mm, 120 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 1x11
REAR DERAILLEUR	SHIMANO DEORE XT RD-M8000-GS SHADOW RD+
CRANKSET	SHIMANO SHIMANO STEPS-E8000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SunRace CS-MS8 11-46T
CHAIN	KMC X11ET Turbo Power
PEDALS	Not included
HANDLEBAR	Alloy flat 31.8 mm
STEM	Alloy 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BRMT520 Hydraulic 4-piston disc brake
	180/180
SADDLE	***SD,TAIGA,BLACK,S-AL BK RL,w/oCL
SEAT POST	***SP,HIGHLINE DROPPER
	POST30.9/400/150,BKM
FRONT HUB	DT Swiss H 1900 Spline 30 15x110 mm
REAR HUB	DT Swiss H 1900 Spline 30 12x148 mm
RIMS	DT Swiss H 1900 Spline 30
SPOKES	DT Swiss H 1900 Spline 30
TIRES	Schwalbe Nobby Nic SnakeSkin 29x2.60"
	SHIMANO STEPS DU-E8000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002
	25 km/h
DISPLAY	SHIMANO STEPS SC-E8000
WEIGHT	19.9 kg

eXP 919

MATTE BLACK/DARK GREY/RED



FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
300	350	350	350	350
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	584	602	626	640
REACH	404	422	443	455
STACK	629	629	638	647
HEAD TUBE LENGTH	90	90	100	110

FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
HEAD TUBE ANGLE	68°	68°	68°	68°
CHAINSTAY LENGTH	450	450	450	450
BB DROP	51	51	51	51
WHEELBASE	1134	1152	1177	1195
SEAT POST DIAMETER	30.9	30.9	30.9	30.9
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	60	80	90
CRANK LENGTH	170	170	170	170

GEARS	1x11
FRAME	Alu X6 Ultralite e-MTB, SHIMANO STEPS, e-MTB Geometry, Semi-Integrated Battery, Boost 12x148 mm Thru axle, Inner cable routing, Dropped post ready
HEAD SET	ACROS 310.02.553 AZX-251,, ZS44/28,6, EC49/40
FORK	RockShox Recon RL, Boost 15x110mm, 130 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 1x11
REAR DERAILLEUR	SHIMANO SLX RD-M7000-GS SHADOW RD+
CRANKSET	SHIMANO SHIMANO STEPS-E8000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SunRace CS-MS8 11-46T
CHAIN	KMC X11ET Turbo Power
PEDALS	Not included
HANDLEBAR	Alloy flat 31.8 mm
STEM	Alloy 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	Tektro HDM745 Hydraulic Disc Brake,4 PISTONS 180/180
SADDLE	***SD,TAIGA,BLACK,S-AL BK RL,w/oCL
SEAT POST	***SP,M171 DROPPER POST 30.9/L440/T150,CL,A
RIMS	***RIM,622x26,32H/14G/F2,VH6.5,DISC,BLK,w/S
TIRES	Schwalbe Smart Sam Performance 29x2.6" SHIMANO STEPS DU-E8000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	20.5 kg

eXP 909

MATTE GREY/BLACK/NEON RED



FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
WHEEL SIZE	300	350	350	350
SEAT TUBE LENGTH	29"	29"	29"	29"
SEAT TUBE ANGLE	393	431	482	533
EFFECTIVE TOP TUBE LENGTH	74°	74°	74°	74°
REACH	584	602	626	640
STACK	404	422	443	455
HEAD TUBE LENGTH	629	629	638	647
	90	90	100	110

FRAME SIZE	15.5"(S)	17.5"(M)	19.0"(L)	21.0"(XL)
HEAD TUBE ANGLE	68°	68°	68°	68°
CHAINSTAY LENGTH	450	450	450	450
BB DROP	51	51	51	51
WHEELBASE	1134	1152	1177	1195
SEAT POST DIAMETER	30.9	30.9	30.9	30.9
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	60	80	90
CRANK LENGTH	170	170	170	170

GEARS	1x11
FRAME	Alu X6 Ultralite e-MTB, SHIMANO STEPS, e-MTB Geometry, Semi-Integrated Battery, Boost 12x148 mm Thru axle, Inner cable routing, Dropped post ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	RockShox Judy Silver TK, Boost 15x110mm, 120 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 1x11
REAR DERAILLEUR	SHIMANO SLX RD-M7000-GS SHADOW RD+
CRANKSET	SHIMANO SHIMANO STEPS-E8000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SunRace CS-MS8 11-46T
CHAIN	KMC X11ET Turbo Power
PEDALS	Not included
HANDLEBAR	Alloy flat 31.8 mm
STEM	Alloy 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	Tektro HDM745 Hydraulic Disc Brake,4 PISTONS 180/180
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race
FRONT HUB	SHIMANO HB-M6010 CL 15x110 mm
RIMS	***RIM,622x26,32H/14G/F2,VH6.5,DISC,BLK,w/S
REAR HUB	SHIMANO FH-M6010 CL 12x148 mm
SPOKES	Sapim Race
TIRES	Schwalbe Smart Sam Performance 29x2.6"
BATTERY	SHIMANO STEPS DU-E7000
charger	SHIMANO STEPS BT-E8010, 504Wh SHIMANO STEPS EC-E6002
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	25 km/h 20.5 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

eXC 889

MATTE BLACK/DARK GREY/RED



FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	300	350	350	350
SEAT TUBE LENGTH	29"	29"	29"	29"
SEAT TUBE ANGLE	406	457	508	559
EFFECTIVE TOP TUBE LENGTH	72.4°	72.4°	72.4°	72.4°
REACH	570	590	610	630
STACK	369	389	409	423
HEAD TUBE LENGTH	570	590	610	630
	120	120	120	140

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
HEAD TUBE ANGLE	69°	69°	69°	69°
CHAINSTAY LENGTH	465	465	465	465
BB DROP	60	60	60	60
WHEELBASE	1100	1120	1140	1161
SEAT POST DIAMETER	30.9	30.9	30.9	30.9
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	170	170	170

GEARS	1x10
FRAME	Alu 6061.T6 e-MTB, SHIMANO STEPS, e-MTB Sport Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	FSA Orbit 1.5B NO.57B-1
FORK	SR Suntour XCR32 Air LO-R, 100 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 1x10
REAR DERAILLEUR	SHIMANO DEORE RD-M6000-GS SHADOW RD+
CRANKSET	SHIMANO SHIMANO STEPS-E8000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG500, 11-42T
CHAIN	KMC X10ES Sport Power
PEDALS	Marwi SP-610
HANDLEBAR	Alloy riser
STEM	ONE Sport XC 31.8 mm
GRIPS	***GR, 131.6MM, RIGHT, BLK/PLASTIC RED, END
BRAKES (FRONT/REAR)	SHIMANO BL-MT400 180/160
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
REAR HUB	SHIMANO FH-TX5058 CL QR
RIMS	ONE J25D 32H
SPOKES	Sapim Leader
TIRES	Impac RidgePac 29x2.25" SHIMANO STEPS DU-E7000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	20.9 kg

eXC 849

MATTE BLACK/DARK GREY/NEON YELLOW



FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	406	457	508	559
SEAT TUBE ANGLE	72.4°	72.4°	72.4°	72.4°
EFFECTIVE TOP TUBE LENGTH	570	590	610	630
REACH	369	389	409	423
STACK	570	590	610	630
HEAD TUBE LENGTH	120	120	120	140

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
HEAD TUBE ANGLE	69°	69°	69°	69°
CHAINSTAY LENGTH	465	465	465	465
BB DROP	60	60	60	60
WHEELBASE	1100	1120	1140	1161
SEAT POST DIAMETER	30.9	30.9	30.9	30.9
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	170	170	170

GEARS	1x8
FRAME	Alu 6061.T6 e-MTB, SHIMANO STEPS, e-MTB Sport Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	FSA Orbit 1.5B NO.57B-1
FORK	SR Suntour XCM HLO, 100 mm travel
SHIFTER	SHIMANO SL-M310 RapidFire Plus 1x8
REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000-SGS HADOW RD
CRANKSET	SHIMANO STEPS-E6100, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG500, 11-42T
CHAIN	***CN,116L,3/32"7.3MM,w/CL573EPT750
PEDALS	Marwi SP-610
HANDLEBAR	Alloy rised
STEM	ONE Sport XC 31.8 mm
GRIPS	***GR,131.6MM,LEFT,BLACK/PLASTIC PMS389,END
BRAKES (FRONT/REAR)	SHIMANO BL-MT200 180/160
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Leader
TIRES	Impac RidgePac 29x2.25" SHIMANO STEPS DU-E7000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	21.3 kg

eXC 829

MATTE GREY/BLACK/NEON RED



FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
	300	350	350	350
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	406	457	508	559
SEAT TUBE ANGLE	72.4°	72.4°	72.4°	72.4°
EFFECTIVE TOP TUBE LENGTH	570	590	610	630
REACH	369	389	409	423
STACK	570	590	610	630
HEAD TUBE LENGTH	120	120	120	140

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
HEAD TUBE ANGLE	69°	69°	69°	69°
CHAINSTAY LENGTH	465	465	465	465
BB DROP	60	60	60	60
WHEELBASE	1100	1120	1140	1161
SEAT POST DIAMETER	30.9	30.9	30.9	30.9
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	170	170	170

GEARS	1x8
FRAME	Alu 6061.T6 e-MTB, SHIMANO STEPS, e-MTB Sport Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	FSA Orbit 1.5B NO.57B-1
FORK	SR Suntour XCM HLO, 100 mm travel
SHIFTER	SHIMANO SL-M310 RapidFire Plus 1x8
REAR DERAILLEUR	SHIMANO ACERA RD-M360-SGS
CRANKSET	SHIMANO STEPS-E6100, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG31 11-34T
CHAIN	***CN,116L,3/32"7.3MM,w/CL573EPT750
PEDALS	Marwi SP-610
HANDLEBAR	Alloy rised
STEM	ONE Sport XC 31.8 mm
GRIPS	***GR,131.6MM,RIGHT,BLK/PLASTIC RED,END
BRAKES (FRONT/REAR)	SHIMANO BL-MT200 180/160
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Leader
TIRES	Impac RidgePac 29x2.25" SHIMANO STEPS DU-E6100
BATTERY	SHIMANO STEPS BT-E8014, 418Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	21.3 kg

MODO eXP 909

MATTE ANTHRACITE/BLACK/PINK



FRAME SIZE	15.5"(S)	17.5"(M)
	300	350
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	393	431
SEAT TUBE ANGLE	74°	74°
EFFECTIVE TOP TUBE LENGTH	584	602
REACH	404	422
STACK	629	629
HEAD TUBE LENGTH	90	90

FRAME SIZE	15.5"(S)	17.5"(M)
HEAD TUBE ANGLE	68°	68°
CHAINSTAY LENGTH	450	450
BB DROP	51	51
WHEELBASE	1134	1152
SEAT POST DIAMETER	30.9	30.9
HANDLEBAR WIDTH	740	740
STEM LENGTH	60	60
CRANK LENGTH	170	170

GEARS	1x11
FRAME	Alu X6 Ultralite e-MTB, SHIMANO STEPS, e-MTB Geometry, Semi-Integrated Battery, Boost 12x148 mm Thru axle, Inner cable routing, Dropped post ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	RockShox Judy Silver TK, Boost 15x110mm, 120 mm travel
SHIFTER	SHIMANO SLX SL-M7000 RapidFire Plus 1x11
REAR DERAILLEUR	SHIMANO SLX RD-M7000-GS SHADOW RD+
CRANKSET	SHIMANO SHIMANO STEPS-E8000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SunRace CS-MS8 11-46T
CHAIN	KMC X11ET Turbo Power
PEDALS	Not included
HANDLEBAR	Alloy flat 31.8 mm
STEM	Alloy 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	Tektro HDM745 Hydraulic Disc Brake,4 PISTONS 180/180
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race
FRONT HUB	SHIMANO HB-M6010 CL 15x110 mm
RIMS	***RIM,622x26,32H/14G/F2,VH6.5,DISC,BLK,w/S
REAR HUB	SHIMANO FH-M6010 CL 12x148 mm
SPOKES	Sapim Race
TIRES	Schwalbe Smart Sam Performance 29x2.6"
BATTERY	SHIMANO STEPS DU-E7000
charger	SHIMANO STEPS BT-E8010, 504Wh SHIMANO STEPS EC-E6002
	25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	20.5 kg

MODO eXC 889

MATTE BLACK/ANTHRACITE/TURQUOISE



FRAME SIZE	16.0"(S)	18.0"(M)
	300	350
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	406	457
SEAT TUBE ANGLE	72.4°	72.4°
EFFECTIVE TOP TUBE LENGTH	570	590
REACH	369	389
STACK	570	590
HEAD TUBE LENGTH	120	120

FRAME SIZE	16.0"(S)	18.0"(M)
HEAD TUBE ANGLE	69°	69°
CHAINSTAY LENGTH	465	465
BB DROP	60	60
WHEELBASE	1100	1120
SEAT POST DIAMETER	30.9	30.9
HANDLEBAR WIDTH	740	740
STEM LENGTH	70	70
CRANK LENGTH	170	170

GEARS	1x10
FRAME	Alu 6061.T6 e-MTB, SHIMANO STEPS, e-MTB Sport Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	FSA Orbit 1.5B NO.57B-1
FORK	SR Suntour XCR32 Air LOR, 100 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 1x10
REAR DERAILLEUR	SHIMANO DEORE RD-M6000-GS SHADOW RD+
CRANKSET	SHIMANO SHIMANO STEPS-E8000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG500 11-42T
CHAIN	KMC X10ES Sport Power
PEDALS	Marwi SP-610
HANDLEBAR	Alloy rised
STEM	ONE Sport XC 31.8 mm
GRIPS	***GR, 131.6MM, RIGHT, BLK/PLASTIC RED, END
BRAKES (FRONT/REAR)	SHIMANO BL-MT400 180/160
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC 27.2 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
REAR HUB	SHIMANO FH-TX5058 CL QR
RIMS	ONE J25D 32H
SPOKES	Sapim Leader
TIRES	Impac RidgePac 29x2.25" SHIMANO STEPS DU-E7000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	20.9 kg

MODO eXC 829

MATTE NIGHT BLUE/PINK



FRAME SIZE	16.0"(S)	18.0"(M)
	300	350
WHEEL SIZE	29"	29"
SEAT TUBE LENGTH	406	457
SEAT TUBE ANGLE	72.4°	72.4°
EFFECTIVE TOP TUBE LENGTH	570	590
REACH	369	389
STACK	570	590
HEAD TUBE LENGTH	120	120

FRAME SIZE	16.0"(S)	18.0"(M)
HEAD TUBE ANGLE	69°	69°
CHAINSTAY LENGTH	465	465
BB DROP	60	60
WHEELBASE	1100	1120
SEAT POST DIAMETER	30.9	30.9
HANDLEBAR WIDTH	740	740
STEM LENGTH	70	70
CRANK LENGTH	170	170

GEARS	1x8
FRAME	Alu 6061.T6 e-MTB, SHIMANO STEPS, e-MTB Sport Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	FSA Orbit 1.5B NO.57B-1
FORK	SR Suntour XCM HLO, 100 mm travel
SHIFTER	SHIMANO SL-M310 RapidFire Plus 1x8
REAR DERAILLEUR	SHIMANO ACERA RD-M360-SGS
CRANKSET	SHIMANO STEPS-E6100, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG31 11-34T
CHAIN	***CN,116L,3/32"7.3MM,w/CL573EPT750
PEDALS	Marwi SP-610
HANDLEBAR	Alloy riser
STEM	ONE Sport XC 31.8 mm
GRIPS	***GR,131.6MM,RIGHT,BLK/PLASTIC RED,END
BRAKES (FRONT/REAR)	SHIMANO BL-MT200 180/160
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC 27.2 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Leader
TIRES	Impac RidgePac 29x2.25" SHIMANO STEPS DU-E6100
BATTERY	SHIMANO STEPS BT-E8014, 418Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	21.3 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.



E-CROSS

SUPERIOR 

- MODERN COMFORT GEOMETRY
- INTUITIVE USING
- SAFE AND EASY RIDING
- STYLE AND VERSATILITY



Style and versatility

Touring Set (mudguards/carrier, kickstand and AXA lock) for everyday safe, comfort and stylish use

Safety & Comfort

Wider rims and tyres combination increases comfort and traction what means better grip and safety during the fast passing curves and reduction of braking distance

SHIMANO after-sales support

Modern SHIMANO STEPS power systems come with worldwide service and update support

eRX 690

MATTE BLACK/DARK GREY/SILVER



FRAME SIZE	19.0"(L)	21.5"(XL)
	300	350
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	483	546
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	590	610
REACH	403	418
STACK	630	649
HEAD TUBE LENGTH	140	160

FRAME SIZE	19.0"(L)	21.5"(XL)
HEAD TUBE ANGLE	70°	70°
CHAINSTAY LENGTH	450	450
BB DROP	65	65
WHEELBASE	1102	1124
SEAT POST DIAMETER	27.2	27.2
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170

GEARS	1x10
FRAME	Alu 6061.T6 e-Cross, SHIMANO STEPS, Suburban Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	RockShox Paragon RL, 63 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 1x10
REAR DERAILLEUR	SHIMANO DEORE RD-M6000-GS SHADOW RD+
CRANKSET	SHIMANO STEPS-E6100, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG500 11-42T
CHAIN	KMC X10ES Sport Power
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT400 180/160
SADDLE	Selle Royal Essenza Athletic
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Race
TIRES	Schwalbe G-One Bite, SnakeSkin, 28x2.0" SHIMANO STEPS DU-E7000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	19.9 kg

eRX 690 TOURING

MATTE BLACK/DARK GREY/SILVER



FRAME SIZE	19.0"(L)	21.5"(XL)
	300	350
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	483	546
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	590	610
REACH	403	418
STACK	630	649
HEAD TUBE LENGTH	140	160

FRAME SIZE	19.0"(L)	21.5"(XL)
HEAD TUBE ANGLE	70°	70°
CHAINSTAY LENGTH	450	450
BB DROP	65	65
WHEELBASE	1102	1124
SEAT POST DIAMETER	27.2	27.2
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170

GEARS	1x10
FRAME	Alu 6061.T6 e-Cross, SHIMANO STEPS, Suburban Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	RockShox Paragon RL, 63 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 1x10
REAR DERAILLEUR	SHIMANO DEORE RD-M6000-GS SHADOW RD+
CRANKSET	SHIMANO STEPS-E6100, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG500 11-42T
CHAIN	KMC X10ES Sport Power
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT400 180/160
SADDLE	Selle Royal Essenza Athletic
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Race
TIRES	Schwalbe G-One Bite, SnakeSkin, 28x2.0" SHIMANO STEPS DU-E7000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	20.5 kg

eRX 670

MATTE BLACK/DARK GREY/ORANGE



FRAME SIZE	19.0"(L)	21.5"(XL)
	300	350
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	483	546
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	590	610
REACH	403	418
STACK	630	649
HEAD TUBE LENGTH	140	160

FRAME SIZE	19.0"(L)	21.5"(XL)
HEAD TUBE ANGLE	70°	70°
CHAINSTAY LENGTH	450	450
BB DROP	65	65
WHEELBASE	1102	1124
SEAT POST DIAMETER	27.2	27.2
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170

GEARS	1x9
FRAME	Alu 6061.T6 e-Cross, SHIMANO STEPS, Suburban Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	SR Suntour NEX HLO, 63 mm travel
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 1x9
REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000-SGS Shadow
CRANKSET	SHIMANO STEPS-E6100, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO CS-HG201-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT200 160/160
SADDLE	Selle Royal Essenza Athletic
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Leader
TIRES	Schwalbe G-One Bite, SnakeSkin, 28x2.0" SHIMANO STEPS DU-E6100
BATTERY	SHIMANO STEPS BT-E8014, 418Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	20.5 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

eRX 650

MATTE BLACK/DARK GREY/NEON YELLOW



FRAME SIZE	19.0"(L)	21.5"(XL)
	300	350
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	483	546
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	590	610
REACH	403	418
STACK	630	649
HEAD TUBE LENGTH	140	160

FRAME SIZE	19.0"(L)	21.5"(XL)
HEAD TUBE ANGLE	70°	70°
CHAINSTAY LENGTH	450	450
BB DROP	65	65
WHEELBASE	1102	1124
SEAT POST DIAMETER	27.2	27.2
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170

GEARS	1x8
FRAME	Alu 6061.T6 e-Cross, SHIMANO STEPS, Suburban Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	SR Suntour NEX HLO, 63 mm travel
SHIFTER	SHIMANO SL-M310 RapidFire Plus 1x8
REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000-SGS Shadow
CRANKSET	SHIMANO STEPS-E5000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG31 11-34T
CHAIN	KMC X8
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT200 160/160
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Leader
TIRES	Schwalbe G-One Bite, SnakeSkin, 28x2.0" SHIMANO STEPS DU-E5000
BATTERY	SHIMANO STEPS BT-E8014, 418Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	19.9 kg

eRX 630

MATTE BLACK/DARK GREY/RED



FRAME SIZE	19.0"(L)	21.5"(XL)
	300	350
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	483	546
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	590	610
REACH	403	418
STACK	630	649
HEAD TUBE LENGTH	140	160

FRAME SIZE	19.0"(L)	21.5"(XL)
HEAD TUBE ANGLE	70°	70°
CHAINSTAY LENGTH	450	450
BB DROP	65	65
WHEELBASE	1102	1124
SEAT POST DIAMETER	27.2	27.2
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170

GEARS	1x8
FRAME	Alu 6061.T6 e-Cross, SHIMANO STEPS, Suburban Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	eRX Alu rigid
SHIFTER	SHIMANO SL-M310 RapidFire Plus 1x8
REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000-SGS Shadow
CRANKSET	SHIMANO STEPS-E5000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG31 11-34T
CHAIN	KMC X8
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT200 160/160
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Leader
TIRES	Schwalbe G-One Bite, SnakeSkin, 28x2.0" SHIMANO STEPS DU-E5000
BATTERY	SHIMANO STEPS BT-E8014, 418Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	9.5 kg
WEIGHT	19.5 kg

eRX 630 TOURING

MATTE BLACK/DARK GREY/RED



FRAME SIZE	19.0"(L)	21.5"(XL)
	300	350
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	483	546
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	590	610
REACH	403	418
STACK	630	649
HEAD TUBE LENGTH	140	160

FRAME SIZE	19.0"(L)	21.5"(XL)
HEAD TUBE ANGLE	70°	70°
CHAINSTAY LENGTH	450	450
BB DROP	65	65
WHEELBASE	1102	1124
SEAT POST DIAMETER	27.2	27.2
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170

GEARS	1x8
FRAME	Alu 6061.T6 e-Cross, SHIMANO STEPS, Suburban Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	eRX Alu rigid
SHIFTER	SHIMANO SL-M310 RapidFire Plus 1x8
REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000-SGS Shadow
CRANKSET	SHIMANO STEPS-E5000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG31 11-34T
CHAIN	KMC X8
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT200 160/160
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Leader
TIRES	Schwalbe G-One Bite, SnakeSkin, 28x2.0" SHIMANO STEPS DU-E5000
BATTERY	SHIMANO STEPS BT-E8014, 418Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	19.9 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

eRX 690 LADY

MATTE BLACK/ANTHRACITE/TURQUOISE



FRAME SIZE	16.5"(S)	18.0"(L)
	300	300
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	420	457
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	575	585
REACH	394	398
STACK	611	630
HEAD TUBE LENGTH	120	140

FRAME SIZE	16.5"(S)	18.0"(L)
HEAD TUBE ANGLE	70°	70°
CHAINSTAY LENGTH	450	450
BB DROP	65	65
WHEELBASE	1086	1097
SEAT POST DIAMETER	27.2	27.2
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170

GEARS	1x10
FRAME	Alu 6061.T6 e-Cross, SHIMANO STEPS, Suburban Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	RockShox Paragon RL, 63 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 1x10
REAR DERAILLEUR	SHIMANO DEORE RD-M6000-GS SHADOW RD+
CRANKSET	SHIMANO STEPS-E6100, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG500 11-42T
CHAIN	KMC X10ES Sport Power
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT400 180/160
SADDLE	Selle Royal Essenza Athletic
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Race
TIRES	Schwalbe G-One Bite, SnakeSkin, 28x2.0" SHIMANO STEPS DU-E7000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	19.9 kg

eRX 690 LADY TOURING

MATTE BLACK/ANTHRACITE/TURQUOISE



FRAME SIZE	16.5"(S)	18.0"(L)
	300	300
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	420	457
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	575	585
REACH	394	398
STACK	611	630
HEAD TUBE LENGTH	120	140

FRAME SIZE	16.5"(S)	18.0"(L)
HEAD TUBE ANGLE	70°	70°
CHAINSTAY LENGTH	450	450
BB DROP	65	65
WHEELBASE	1086	1097
SEAT POST DIAMETER	27.2	27.2
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170

GEARS	1x10
FRAME	Alu 6061.T6 e-Cross, SHIMANO STEPS, Suburban Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	RockShox Paragon RL, 63 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 1x10
REAR DERAILLEUR	SHIMANO DEORE RD-M6000-GS SHADOW RD+
CRANKSET	SHIMANO STEPS-E6100, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG500 11-42T
CHAIN	KMC X10ES Sport Power
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT400 180/160
SADDLE	Selle Royal Essenza Athletic
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	***Sapim Race Black
TIRES	Schwalbe G-One Bite, SnakeSkin, 28x2.0" SHIMANO STEPS DU-E7000
BATTERY	SHIMANO STEPS BT-E8010, 504Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	20.5 kg

eRX 670 LADY

MATTE ANTHRACITE/BLACK/PINK



FRAME SIZE	16.5"(S)	18.0"(L)
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	420	457
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	575	585
REACH	394	398
STACK	611	630
HEAD TUBE LENGTH	120	140

FRAME SIZE	16.5"(S)	18.0"(L)
HEAD TUBE ANGLE	70°	70°
CHAINSTAY LENGTH	450	450
BB DROP	65	65
WHEELBASE	1086	1097
SEAT POST DIAMETER	27.2	27.2
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170

GEARS	1x9
FRAME	Alu 6061.T6 e-Cross, SHIMANO STEPS, Suburban Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	SR Suntour NEX HLO, 63 mm travel
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 1x9
REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000-SGS Shadow
CRANKSET	SHIMANO STEPS-E6100, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO CS-HG201-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT200 160/160
SADDLE	Selle Royal Essenza Athletic
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Leader
TIRES	Schwalbe G-One Bite, SnakeSkin, 28x2.0" SHIMANO STEPS DU-E6100
BATTERY	SHIMANO STEPS BT-E8014, 418Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	20.5 kg

eRX 650 LADY

MATTE NIGHT BLUE/TURQUOISE



FRAME SIZE	16.5"(S)	18.0"(L)
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	420	457
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	575	585
REACH	394	398
STACK	611	630
HEAD TUBE LENGTH	120	140

FRAME SIZE	16.5"(S)	18.0"(L)
HEAD TUBE ANGLE	70°	70°
CHAINSTAY LENGTH	450	450
BB DROP	65	65
WHEELBASE	1086	1097
SEAT POST DIAMETER	27.2	27.2
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170

GEARS	1x8
FRAME	Alu 6061.T6 e-Cross, SHIMANO STEPS, Suburban Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	SR Suntour NEX HLO, 63 mm travel
SHIFTER	SHIMANO SL-M310 RapidFire Plus 1x8
REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000-SGS Shadow
CRANKSET	SHIMANO STEPS-E5000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG31 11-34T
CHAIN	KMC X8
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT200 160/160
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Leader
TIRES	Schwalbe G-One Bite, SnakeSkin, 28x2.0" SHIMANO STEPS DU-E5000
BATTERY	SHIMANO STEPS BT-E8014, 418Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	19.9 kg

eRX 630 LADY

MATTE BLACK/ANTHRACITE/PINK



FRAME SIZE	16.5"(S)	18.0"(L)
	300	300
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	420	457
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	575	585
REACH	394	398
STACK	611	630
HEAD TUBE LENGTH	120	140

FRAME SIZE	16.5"(S)	18.0"(L)
HEAD TUBE ANGLE	70°	70°
CHAINSTAY LENGTH	450	450
BB DROP	65	65
WHEELBASE	1086	1097
SEAT POST DIAMETER	27.2	27.2
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170

GEARS	1x8
FRAME	Alu 6061.T6 e-Cross, SHIMANO STEPS, Suburban Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	eRX Alu rigid
SHIFTER	SHIMANO SL-M310 RapidFire Plus 1x8
REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000-SGS Shadow
CRANKSET	SHIMANO STEPS-E5000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG31 11-34T
CHAIN	KMC X8
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT200 160/160
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Leader
TIRES	Schwalbe G-One Bite, SnakeSkin, 28x2.0" SHIMANO STEPS DU-E5000
BATTERY	SHIMANO STEPS BT-E8014, 418Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	19.5 kg

eRX 630 LADY TOURING

MATTE BLACK/ANTHRACITE/PINK



FRAME SIZE	16.5"(S)	18.0"(L)
	300	300
WHEEL SIZE	700C	700C
SEAT TUBE LENGTH	420	457
SEAT TUBE ANGLE	73.5°	73.5°
EFFECTIVE TOP TUBE LENGTH	575	585
REACH	394	398
STACK	611	630
HEAD TUBE LENGTH	120	140

FRAME SIZE	16.5"(S)	18.0"(L)
HEAD TUBE ANGLE	70°	70°
CHAINSTAY LENGTH	450	450
BB DROP	65	65
WHEELBASE	1086	1097
SEAT POST DIAMETER	27.2	27.2
HANDLEBAR WIDTH	660	660
STEM LENGTH	70	90
CRANK LENGTH	170	170

GEARS	1x8
FRAME	Alu 6061.T6 e-Cross, SHIMANO STEPS, Suburban Geometry, Smooth Welding, Semi-Integrated Battery, 9x135 QR axle, Inner cable routing, IDK Dropout, City Set ready
HEAD SET	ACROS 310.02.554 AZX-252, ZS44/28,6, EC49/40 /
FORK	eRX Alu rigid
SHIFTER	SHIMANO SL-M310 RapidFire Plus 1x8
REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000-SGS Shadow
CRANKSET	SHIMANO STEPS-E5000, 170MM, W/O CHAINRING,
FREEWHEEL/CASSETTE	SHIMANO HG31 11-34
CHAIN	KMC X8
PEDALS	Marwi SP-610
HANDLEBAR	Alloy flat
STEM	ONE Sport XC 31.8 mm
GRIPS	Velo VL-G1777D2
BRAKES (FRONT/REAR)	SHIMANO BL-MT200 160/160
SADDLE	Selle Royal Essenza
SEAT POST	ONE Sport XC 27.2x300 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
RIMS	ONE J20S 32H
REAR HUB	SHIMANO FH-TX5058 CL QR
SPOKES	Sapim Leader
TIRES	Schwalbe G-One Bite, SnakeSkin, 28x2.0" SHIMANO STEPS DU-E5000
BATTERY	SHIMANO STEPS BT-E8014, 418Wh
charger	SHIMANO STEPS EC-E6002 25 km/h
DISPLAY	SHIMANO STEPS SC-E7000
WEIGHT	19.9 kg