

XP 909

MATTE RED/WHITE/DARK RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	586	605	626	646
REACH	412	428	446	463
STACK	607	619	628	640
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	434	434	434	434
BB DROP	55	55	55	55
WHEELBASE	1084	1098	1120	1135
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	2x10
FRAME	Alu X6 Ultralite, Race Geometry, 9x135 mm QR axle, PressFit BB92, Inner cable routing
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox 30 Silver TK, QR, PopLoc remote LO, 100 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 2x10
FRONT DERAILLEUR	SHIMANO FD-M6020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-SGS SHADOW RD+
CRANKSET	SHIMANO FC-MT500-2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SHIMANO HG50-10 11-36T
CHAIN	KMC X10
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x400 mm
FRONT HUB	SHIMANO HB-M6000 CL QR
RIMS	ONE J25D 32H
REAR HUB	SHIMANO FH-M6000 CL QR
SPOKES	Sapim Leader
TIRES	Schwalbe Rapid Rob KevlarGuard 29x2.10"
WEIGHT	12.8 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

XP 909

MATTE BLACK/WHITE/TEAM RED



FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	393	431	482	533
SEAT TUBE ANGLE	74°	74°	74°	74°
EFFECTIVE TOP TUBE LENGTH	586	605	626	646
REACH	412	428	446	463
STACK	607	619	628	640
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	70.5°	71°	71°	71.5°

FRAME SIZE	15.5"(S)	17.5"(M)	19"(L)	21"(XL)
CHAINSTAY LENGTH	434	434	434	434
BB DROP	55	55	55	55
WHEELBASE	1084	1098	1120	1135
SEAT POST DIAMETER	27.2	27.2	27.2	27.2
SEAT POST LENGTH	400	400	400	400
HANDLEBAR WIDTH	760	760	760	760
STEM LENGTH	60	80	90	100
CRANK LENGTH	170	175	175	175

GEARS	2x10
FRAME	Alu X6 Ultralite, Race Geometry, 9x135 mm QR axle, PressFit BB92, Inner cable routing
HEAD SET	ACROS AZX-212 R5, Zero Stack 44/28.6/1-1/8"x1.5"
FORK	RockShox 30 Silver TK, QR, PopLoc remote LO, 100 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 2x10
FRONT DERAILLEUR	SHIMANO FD-M6020-E
REAR DERAILLEUR	SHIMANO SLX RD-M7000-SGS SHADOW RD+
CRANKSET	SHIMANO FC-MT500-2 36-26T
BOTTOM BRACKET	SHIMANO BB-RS500 PressFit, shell 41x92 mm
FREEWHEEL/CASSETTE	SHIMANO HG50-10 11-36T
CHAIN	KMC X10
PEDALS	Not included
HANDLEBAR	ONE Race Ultralight
STEM	ONE Race Superflat 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT400/BR-MT400, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal Seta Performa
SEAT POST	ONE Race, 27.2x400 mm
FRONT HUB	SHIMANO HB-M6000 CL QR
RIMS	ONE J25D 32H
REAR HUB	SHIMANO FH-M6000 CL QR
SPOKES	Sapim Leader
TIRES	Schwalbe Rapid Rob KevlarGuard 29x2.10"
WEIGHT	12.8 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

XC 889

MATTE RADIOACTIVE YELLOW/BLACK/RED



GEARS	2x10
FRAME	Alu 6061.T6 Double Butted, Smooth Welding, Sport Geometry, Tapered HT, BB BSA 73 mm, Inner cable routing, IDK dropout
HEAD SET	FSA Orbit 1.5B ZS No.57B
FORK	SR Suntour XCR32 Air LOR, 100 mm travel
SHIFTER	SHIMANO DEORE SL-M6000 RapidFire Plus 2x10
FRONT DERAILLEUR	SHIMANO DEORE FD-M6025-L
REAR DERAILLEUR	SHIMANO DEORE XT RD-M781-GS SHADOW RD
CRANKSET	SHIMANO FC-MT500-2 36-26T
FREEWHEEL/CASSETTE	SHIMANO HG50-10 11-36T
CHAIN	KMC X10
PEDALS	Marwi SP-610
HANDLEBAR	Alloy, 12 mm rised
STEM	ONE Sport XC 31.8 mm
GRIPS	ONE Lock-On
BRAKES (FRONT/REAR)	SHIMANO BL-MT200/BR-MT200, hydraulic disc, 160/160 mm rotor
SADDLE	Selle Royal 2075HRN
SEAT POST	ONE Sport XC, 31.6x350 mm
FRONT HUB	SHIMANO HB-TX505 CL QR
REAR HUB	SHIMANO FH-TX5058 CL QR
RIMS	ONE J20S 32H
SPOKES	Sapim Galvanized
TIRES	Impac RidgePac 29x2.10"
WEIGHT	13.9 kg

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
WHEEL SIZE	29"	29"	29"	29"
SEAT TUBE LENGTH	406	457	508	559
SEAT TUBE ANGLE	72.4	72.4	72.4	72.4
EFFECTIVE TOP TUBE LENGTH	570	590	610	630
REACH	372	387	407	421
STACK	620	639	639	657
HEAD TUBE LENGTH	100	120	120	140
HEAD TUBE ANGLE	70"	70"	70"	70"

FRAME SIZE	16.0"(S)	18.0"(M)	20.0"(L)	22.0"(XL)
CHAINSTAY LENGTH	445	445	445	445
BB DROP	60	60	60	60
WHEELBASE	1066	1087	1107	1128
SEAT POST DIAMETER	31.6	31.6	31.6	31.6
SEAT POST LENGTH	350	350	350	350
HANDLEBAR WIDTH	740	740	740	740
STEM LENGTH	70	70	90	90
CRANK LENGTH	170	175	175	175

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

F.L.Y. 26

MATTE RED/CHROME SILVER/BLACK



FRAME SIZE	12"
WHEEL SIZE	26"
SEAT TUBE LENGTH	305
SEAT TUBE ANGLE	74°
EFFECTIVE TOP TUBE LENGTH	550
HEAD TUBE LENGTH	110
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	410

FRAME SIZE	12"
BB DROP	40
WHEELBASE	1029.8
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	350
HANDLEBAR WIDTH	580
STEM LENGTH	35
CRANK LENGTH	160

GEARS	1x9
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	Alloy rigid Superlight
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
REAR DERAILLEUR	SHIMANO DEORE RD-M592-SGS SHADOW RD
CRANKSET	WheelTop M32 32T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO CS-HG200-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-400
HANDLEBAR	Alloy
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G311
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Shadow
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
REAR HUB	ONE Sport Light QR
RIMS	ONE J19SZ 24H
SPOKES	Sapim Galvanized
TIRES	Schwalbe CX Comp KevlarGuard 26x2.00"
WEIGHT	9.8 kg

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

F.L.Y. 26

MATTE BLACK/CHROME SILVER/DARK GREY



GEARS	1x9
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	Alloy rigid Superlight
SHIFTER	SHIMANO ALTUS SL-M2000 RapidFire Plus 3x9
REAR DERAILLEUR	SHIMANO DEORE RD-M592-SGS SHADOW RD
CRANKSET	WheelTop M32 32T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO CS-HG200-9 11-36T
CHAIN	KMC X9
PEDALS	Marwi SP-400
HANDLEBAR	Alloy
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G311
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Shadow
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
REAR HUB	ONE Sport Light QR
RIMS	ONE J19SZ 24H
SPOKES	Sapim Galvanized
TIRES	Schwalbe CX Comp KevlarGuard 26x2.00"
WEIGHT	9.8 kg

FRAME SIZE	12"
WHEEL SIZE	26"
SEAT TUBE LENGTH	305
SEAT TUBE ANGLE	74°
EFFECTIVE TOP TUBE LENGTH	550
HEAD TUBE LENGTH	110
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	410

FRAME SIZE	12"
BB DROP	40
WHEELBASE	1029.8
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	350
HANDLEBAR WIDTH	580
STEM LENGTH	35
CRANK LENGTH	160

F.L.Y. 24

MATTE RED/CHROME SILVER/BLACK



FRAME SIZE	11"
WHEEL SIZE	24"
SEAT TUBE LENGTH	280
SEAT TUBE ANGLE	73°
EFFECTIVE TOP TUBE LENGTH	500
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	390

FRAME SIZE	11"
BB DROP	25
WHEELBASE	959.7
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	300
HANDLEBAR WIDTH	540
STEM LENGTH	35
CRANK LENGTH	140

GEARS	1x8
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	Alloy rigid Superlight
SHIFTER	SHIMANO SL-M310 RapidFire Plus 3x8
REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000-SGS SHADOW RD
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-400
HANDLEBAR	HL Corp Alloy
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G311
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
REAR HUB	ONE Sport Light QR
RIMS	ONE J19SZ 24H
SPOKES	Sapim Galvanized
TIRES	Schwalbe CX Comp 24x1.75"
WEIGHT	9.1 kg

F.L.Y. 24

MATTE BLACK/CHROME SILVER/DARK GREY



FRAME SIZE	11"
WHEEL SIZE	24"
SEAT TUBE LENGTH	280
SEAT TUBE ANGLE	73°
EFFECTIVE TOP TUBE LENGTH	500
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	390

FRAME SIZE	11"
BB DROP	25
WHEELBASE	959.7
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	300
HANDLEBAR WIDTH	540
STEM LENGTH	35
CRANK LENGTH	140

GEARS	1x8
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	Alloy rigid Superlight
SHIFTER	SHIMANO SL-M310 RapidFire Plus 3x8
REAR DERAILLEUR	SHIMANO ALIVIO RD-M4000-SGS SHADOW RD
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG31-8 11-34T
CHAIN	KMC Z51
PEDALS	Marwi SP-400
HANDLEBAR	HL Corp Alloy
STEM	Alloy 25.4 mm
GRIPS	Velo VL-G311
BRAKES (FRONT/REAR)	Tekro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
REAR HUB	ONE Sport Light QR
RIMS	ONE J19SZ 24H
SPOKES	Sapim Galvanized
TIRES	Schwalbe CX Comp 24x1.75"
WEIGHT	9.1 kg

F.L.Y. 20

MATTE RED/CHROME SILVER/BLACK



FRAME SIZE	9"
WHEEL SIZE	20"
SEAT TUBE LENGTH	230
SEAT TUBE ANGLE	71°
EFFECTIVE TOP TUBE LENGTH	450
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	330

FRAME SIZE	9"
BB DROP	0
WHEELBASE	820.2
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	230
HANDLEBAR WIDTH	500
STEM LENGTH	35
CRANK LENGTH	127

GEARS	1x7
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	Alloy rigid Superlight
SHIFTER	SHIMANO SL-RS45 Revoshift 1x8
REAR DERAILLEUR	SHIMANO TOURNEY RD-FT35A
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG200-7 12-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-202
HANDLEBAR	Alloy
STEM	Alloy 25.4 mm
GRIPS	ONE MTB dual density kraton-gel
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
REAR HUB	ONE KT QR
RIMS	ONE J19SZ 20H
SPOKES	Sapim Galvanized
TIRES	Schwalbe CX Comp KevlarGuard 20x1.75"
WEIGHT	8.1 kg

F.L.Y. 20

MATTE BLACK/CHROME SILVER/DARK GREY



FRAME SIZE	9"
WHEEL SIZE	20"
SEAT TUBE LENGTH	230
SEAT TUBE ANGLE	71°
EFFECTIVE TOP TUBE LENGTH	450
HEAD TUBE LENGTH	100
HEAD TUBE ANGLE	71°
CHAINSTAY LENGTH	330

FRAME SIZE	9"
BB DROP	0
WHEELBASE	820.2
SEAT POST DIAMETER	27.2
SEAT POST LENGTH	230
HANDLEBAR WIDTH	500
STEM LENGTH	35
CRANK LENGTH	127

GEARS	1x7
FRAME	Alu 6061.T6 Double Butted, Junior Advanced Geometry, 1x Optimized, BB BSA 68 mm
HEAD SET	CH-290-TBW 1-1/8"
FORK	Alloy rigid Superlight
SHIFTER	SHIMANO SL-RS45 Revoshift 1x8
REAR DERAILLEUR	SHIMANO TOURNEY RD-FT35A
CRANKSET	WheelTop M32 28T
BOTTOM BRACKET	Thun Topaz, shell BSA
FREEWHEEL/CASSETTE	SHIMANO HG200-7 12-28T
CHAIN	KMC Z50
PEDALS	Marwi SP-202
HANDLEBAR	Alloy
STEM	Alloy 25.4 mm
GRIPS	ONE MTB dual density kraton-gel
BRAKES (FRONT/REAR)	Tektro BR-855 V-Brake
SADDLE	Selle Royal Junior
SEAT POST	HL Alloy, 27.2 mm
FRONT HUB	ONE KT QR
REAR HUB	ONE KT QR
RIMS	ONE J19SZ 20H
SPOKES	Sapim Galvanized
TIRES	Schwalbe CX Comp KevlarGuard 20x1.75"
WEIGHT	8.1 kg