

F.L.Y. 20

GLOSS PINK/RADIOACTIVE YELLOW/DARK RED



JUNIOR / RACER

FRAME

FRAME

Alu 6061 T6 Double Butted, Advanced Junior Geometry, 1xOptimized, BB BSA, SR dropout

HEAD SET

CH290TBW, 1-1/8"

FORK

F.L.Y.20", Alloy rigid, Ahead 1-1/8", V-Brake, QR Type

DRIVETRAIN

CASSETTE

SHIMANO TY CS-HG200-7, 12-28T

BOTTOM BRACKET

Thun Topaz 120mm, BSA, shell 68mm

CHAIN

KMC Z8.3

PEDALS

Marwi SP-202

GEARS

1x7

SHIFTER

SHIMANO TY SL-RS45-7R RevoShift, 7-speed

REAR DERAILLEUR

SHIMANO TX RD-FT35-A

CRANKSET

Wheel Top SXB4BL-WM, 28T

WHEELS

RIMS

Stars J19SZ, 20H

TIRES

Schwalbe CX Comp, 20x1.75", Reflective tape

SPOKES

Sapim Galvanized Black

FRONT HUB

ONE1 KTA55F, 20H, M9x100mm, QR Type

REAR HUB

ONE1 KTAZ2R, 20H, M10x130, CASSETTE, QR Type

WEIGHT

WEIGHT

7.9kg

COMPONENTS

GRIPS

Velo VLG-311, ONE1 VLG-311-6, DUAL DENSITY KRATON-GEL

SADDLE

Selle Royal Junior

SEAT POST

ONE1 Alloy, SP C207, 27.2x230mm

HANDLEBAR

ONE1 Alloy, MTB AL-718BT, 30mm rise, 500mm, 25.4mm

STEM

ONE1 MAS-M30258 Alloy, 25.4mm, 10°

GEOMETRY

FRAME SIZE	9
WHEEL SIZE	20
SEAT TUBE LENGTH (MM)	230
SEAT TUBE ANGLE (DEGREE)	72
EFFECTIVE TOP TUBE LENGTH (MM)	450
REACH (MM)	326
STACK (MM)	378
HEAD TUBE LENGTH (MM)	100
HEAD TUBE ANGLE (DEGREE)	67
CHAINSTAY LENGTH (MM)	330
BB DROP (MM)	0
WHEELBASE (MM)	859
HANDLEBAR WIDTH (MM)	500
STEM LENGTH (MM)	35
CRANK LENGTH (MM)	127
SEAT POST LENGTH (MM)	230

*The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city /country

SUPERIOR

F.L.Y. 20

MATTE RED/CHROME SILVER/BLACK



JUNIOR / RACER

FRAME

FRAME

Alu 6061 T6 Double Butted, Advanced Junior Geometry, 1xOptimized, BB BSA, SR dropout

HEAD SET

CH290TBW, 1-1/8"

FORK

F.L.Y.20", Alloy rigid, Ahead 1-1/8", V-Brake, QR Type

DRIVETRAIN

CASSETTE

SHIMANO TY CS-HG200-7, 12-28T

BOTTOM BRACKET

Thun Topaz 120mm, BSA, shell 68mm

CHAIN

KMC Z8.3

PEDALS

Marwi SP-202

GEARS

1x7

SHIFTER

SHIMANO TY SL-RS45-7R RevoShift, 7-speed

REAR DERAILLEUR

SHIMANO TX RD-FT35-A

CRANKSET

Wheel Top SXB4BL-WM, 28T

WHEELS

RIMS

Stars J19SZ, 20H

TIRES

Schwalbe CX Comp, 20x1.75", Reflective tape

SPOKES

Sapim Galvanized Black

FRONT HUB

ONE1 KTA55F, 20H, M9x100mm, QR Type

REAR HUB

ONE1 KTAZ2R, 20H, M10x130, CASSETTE, QR Type

WEIGHT

WEIGHT

7.9kg

COMPONENTS

GRIPS

Velo VLG-311, ONE1 VLG-311-6, DUAL DENSITY KRATON-GEL

SADDLE

Selle Royal Junior

SEAT POST

ONE1 Alloy, SP C207, 27.2x230mm

HANDLEBAR

ONE1 Alloy, MTB AL-718BT, 30mm rise, 500mm, 25.4mm

STEM

ONE1 MAS-M30258 Alloy, 25.4mm, 10°

GEOMETRY

FRAME SIZE	9
WHEEL SIZE	20
SEAT TUBE LENGTH (MM)	230
SEAT TUBE ANGLE (DEGREE)	72
EFFECTIVE TOP TUBE LENGTH (MM)	450
REACH (MM)	326
STACK (MM)	378
HEAD TUBE LENGTH (MM)	100
HEAD TUBE ANGLE (DEGREE)	67
CHAINSTAY LENGTH (MM)	330
BB DROP (MM)	0
WHEELBASE (MM)	859
HANDLEBAR WIDTH (MM)	500
STEM LENGTH (MM)	35
CRANK LENGTH (MM)	127
SEAT POST LENGTH (MM)	230

*The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city /country

SUPERIOR

F.L.Y. 24

GLOSS PINK/RADIOACTIVE YELLOW/DARK RED



JUNIOR / RACER

FRAME

FRAME

Alu 6061 T6 Double Butted, Advanced Junior Geometry, 1xOptimized, BB BSA, SR dropout

HEAD SET

CH290TBW, 1-1/8"

FORK

F.L.Y.24", Alloy rigid, Ahead 1-1/8", V-Brake, QR Type

DRIVETRAIN

CASSETTE

SHIMANO ALTUS CS-HG31-8, 11-34T

BOTTOM BRACKET

Thun Topaz 120mm, BSA, shell 68mm

CHAIN

KMC Z8.3

PEDALS

Marwi SP-400

GEARS

1x8

SHIFTER

SHIMANO ALTUS SL-M315-8R

RapidFire Plus, 8-speed

REAR DERAILLEUR

SHIMANO ALIVIO RD-M4000-SGS

Shadow

CRANKSET

Wheel Top SXB4BL-WM, 28T

WHEELS

RIMS

Stars J19SZ, 24H

TIRES

Schwalbe CX Comp, 24x1.75",
Reflective tape

SPOKES

Sapim Galvanized Black

FRONT HUB

ONE1 KTA55F, 24H, M9x100mm, QR
Type

REAR HUB

ONE1 KTAZER, 24H, M10x130,
CASSETTE, QR Type

WEIGHT

WEIGHT

8.9kg

COMPONENTS

GRIPS

Velo VLG-311

SADDLE

Selle Royal Junior

SEAT POST

ONE1 Alloy, SP C207, 27.2x300mm

HANDLEBAR

ONE1 Alloy, MTB AL-718BT, 30mm
rise, 540mm, 25.4mm

STEM

ONE1 MAS-M30258 Alloy, 25.4mm, 10°

GEOMETRY

FRAME SIZE	11
WHEEL SIZE	24
SEAT TUBE LENGTH (MM)	280
SEAT TUBE ANGLE (DEGREE)	73
EFFECTIVE TOP TUBE LENGTH (MM)	500
REACH (MM)	362
STACK (MM)	448
HEAD TUBE LENGTH (MM)	100
HEAD TUBE ANGLE (DEGREE)	68
CHAINSTAY LENGTH (MM)	390
BB DROP (MM)	25
WHEELBASE (MM)	939
HANDLEBAR WIDTH (MM)	540
STEM LENGTH (MM)	35
CRANK LENGTH (MM)	140
SEAT POST LENGTH (MM)	300

*The specifications, colors, and availability of the products can be subjects to alter without prior notification.
For availability and prices, please contact the retailers in your city /country

F.L.Y. 24

MATTE RED/CHROME SILVER/BLACK



JUNIOR / RACER

FRAME

FRAME

Alu 6061 T6 Double Butted, Advanced Junior Geometry, 1xOptimized, BB BSA, SR dropout

HEAD SET

CH290TBW, 1-1/8"

FORK

F.L.Y.24", Alloy rigid, Ahead 1-1/8", V-Brake, QR Type

DRIVETRAIN

CASSETTE

SHIMANO ALTUS CS-HG31-8, 11-34T

BOTTOM BRACKET

Thun Topaz 120mm, BSA, shell 68mm

CHAIN

KMC Z8.3

PEDALS

Marwi SP-400

GEARS

1x8

SHIFTER

SHIMANO ALTUS SL-M315-8R

RapidFire Plus, 8-speed

REAR DERAILLEUR

SHIMANO ALIVIO RD-M4000-SGS

Shadow

CRANKSET

Wheel Top SXB4BL-WM, 28T

WHEELS

RIMS

Stars J19SZ, 24H

TIRES

Schwalbe CX Comp, 24x1.75",
Reflective tape

SPOKES

Sapim Galvanized Black

FRONT HUB

ONE1 KTA55F, 24H, M9x100mm, QR
Type

REAR HUB

ONE1 KTAZER, 24H, M10x130,
CASSETTE, QR Type

WEIGHT

WEIGHT

8.9kg

COMPONENTS

GRIPS

Velo VLG-311

SADDLE

Selle Royal Junior

SEAT POST

ONE1 Alloy, SP C207, 27.2x300mm

HANDLEBAR

ONE1 Alloy, MTB AL-718BT, 30mm
rise, 540mm, 25.4mm

STEM

ONE1 MAS-M30258 Alloy, 25.4mm, 10°

GEOMETRY

FRAME SIZE	11
WHEEL SIZE	24
SEAT TUBE LENGTH (MM)	280
SEAT TUBE ANGLE (DEGREE)	73
EFFECTIVE TOP TUBE LENGTH (MM)	500
REACH (MM)	362
STACK (MM)	448
HEAD TUBE LENGTH (MM)	100
HEAD TUBE ANGLE (DEGREE)	68
CHAINSTAY LENGTH (MM)	390
BB DROP (MM)	25
WHEELBASE (MM)	939
HANDLEBAR WIDTH (MM)	540
STEM LENGTH (MM)	35
CRANK LENGTH (MM)	140
SEAT POST LENGTH (MM)	300

*The specifications, colors, and availability of the products can be subjects to alter without prior notification.
For availability and prices, please contact the retailers in your city /country

F.L.Y. 27

GLOSS PINK/RADIOACTIVE YELLOW/DARK RED



JUNIOR / RACER

FRAME

FRAME

Alu 6061 T6 Double Butted, Advanced Junior Geometry, 1xOptimized, BB BSA, SR dropout

HEAD SET

CH290TBW, 1-1/8"

FORK

F.L.Y.28", Hi-ten rigid, Ahead 1-1/8", V-Brake, QR Type

DRIVETRAIN

CASSETTE

SHIMANO ACERA CS-HG201-9, 11-36T

BOTTOM BRACKET

Thun Topaz 120mm, BSA, shell 68mm

CHAIN

KMC X9

PEDALS

Marwi SP-400

GEARS

1x9

SHIFTER

SHIMANO ALTUS SL-M2010-9R

RapidFire Plus, 9-speed

REAR DERAILLEUR

SHIMANO DEORE RD-M592 Shadow

CRANKSET

Wheel Top SXB4BL-WM, 32T

WHEELS

RIMS

Stars J19SZ, 24H

TIRES

Schwalbe Smart Sam Performance, 27.5x2.10", ADDIX

SPOKES

Sapim Galvanized Black

FRONT HUB

ONE1 KTA55F, 24H, M9x100mm, QR Type

REAR HUB

ONE1 KTAZER, 24H, M10x130, CASSETE, QR Type

WEIGHT

WEIGHT

9.9kg

COMPONENTS

GRIPS

Velo VLG-311

SADDLE

Selle Royal Shadow

SEAT POST

ONE1 Alloy, SP C207, 27.2x350mm

HANDLEBAR

ONE1 Alloy, MTB AL-718BT, 34mm rise, 600mm, 25.4mm

STEM

ONE1 MAS-M30258 Alloy, 25.4mm, 10°

GEOMETRY

FRAME SIZE	13.0 (XS)	15,5 (S)
WHEEL SIZE	27.5	27.5
SEAT TUBE LENGTH (MM)	330	393
SEAT TUBE ANGLE (DEGREE)	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	545	586
REACH (MM)	402	442
STACK (MM)	499	499
HEAD TUBE LENGTH (MM)	90	90
HEAD TUBE ANGLE (DEGREE)	69	69
CHAINSTAY LENGTH (MM)	435	435
BB DROP (MM)	40	40
WHEELBASE (MM)	1056	1097
HANDLEBAR WIDTH (MM)	600	600
STEM LENGTH (MM)	35	35
CRANK LENGTH (MM)	160	160
SEAT POST LENGTH (MM)	350	350

*The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city /country

SUPERIOR

F.L.Y. 27

MATTE RED/CHROME SILVER/BLACK



JUNIOR / RACER

FRAME

FRAME

Alu 6061 T6 Double Butted, Advanced Junior Geometry, 1xOptimized, BB BSA, SR dropout

HEAD SET

CH290TBW, 1-1/8"

FORK

F.L.Y.28", Hi-Ten rigid, Ahead 1-1/8", V-Brake, QR Type

DRIVETRAIN

CASSETTE

SHIMANO ACERA CS-HG201-9, 11-36T

BOTTOM BRACKET

Thun Topaz 120mm, BSA, shell 68mm

CHAIN

KMC X9

PEDALS

Marwi SP-400

GEARS

1x9

SHIFTER

SHIMANO ALTUS SL-M2010-9R

RapidFire Plus, 9-speed

REAR DERAILLEUR

SHIMANO DEORE RD-M592 Shadow

CRANKSET

Wheel Top SXB4BL-WM, 32T

WHEELS

RIMS

Stars J19SZ, 24H

TIRES

Schwalbe Smart Sam Performance, 27.5x2.10", ADDIX

SPOKES

Sapim Galvanized Black

FRONT HUB

ONE1 KTA55F, 24H, M9x100mm, QR Type

REAR HUB

ONE1 KTAZER, 24H, M10x130, CASSETTE, QR Type

WEIGHT

WEIGHT

9.9kg

COMPONENTS

GRIPS

Velo VLG-311

SADDLE

Selle Royal Shadow

SEAT POST

ONE1 Alloy, SP C207, 27.2x350mm

HANDLEBAR

ONE1 Alloy, MTB AL-718BT, 34mm rise, 600mm, 25.4mm

STEM

ONE1 MAS-M30258 Alloy, 25.4mm, 10°

GEOMETRY

FRAME SIZE	13.0 (XS)	15,5 (S)
WHEEL SIZE	27.5	27.5
SEAT TUBE LENGTH (MM)	330	393
SEAT TUBE ANGLE (DEGREE)	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	545	586
REACH (MM)	402	442
STACK (MM)	499	499
HEAD TUBE LENGTH (MM)	90	90
HEAD TUBE ANGLE (DEGREE)	69	69
CHAINSTAY LENGTH (MM)	435	435
BB DROP (MM)	40	40
WHEELBASE (MM)	1056	1097
HANDLEBAR WIDTH (MM)	600	600
STEM LENGTH (MM)	35	35
CRANK LENGTH (MM)	160	160
SEAT POST LENGTH (MM)	350	350

*The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city /country

SUPERIOR

MODO XP 909

MATTE PURPLE/PINK



MTB HARDTAIL / RACE

FRAME

FRAME

Alloy X6 Ultimate, Race Geometry, Tapered Head Tube, BB92, SR dropout, Boost Thru axle 148x12mm, Inner Cable Routing

HEAD SET

ACROS AZX-212 R5, Zero Stack, 1-1/8"x1.5"

FORK

RockShox 30 Silver TK, Tapered, SoloAir, QR Type, remote Lockout, 100mm travel

DRIVETRAIN

CRANKSET

ONE1 TAM38D-B34NC, 34T

CASSETTE

SunRace CS-MZ800-12, 11-51T

BOTTOM BRACKET

SHIMANO BB-RS500 PressFit, shell 41x92mm

CHAIN

KMC X12

GEARS

1x12

SHIFTER

SHIMANO SLX SL-M7100-R RapidFire Plus, 12-speed

REAR DERAILLEUR

SHIMANO SLX RD-M7100 Shadow Plus

WHEELS

RIMS

Stars J25D, 32H

TIRES

Schwalbe Rapid Rob KevlarGuard, 29x2.10"

SPOKES

Sapim Leader, Stainless Black

FRONT HUB

SHIMANO ALIVIO HB-M4050, 32H, CENTER LOCK, QR Type

REAR HUB

SHIMANO ALIVIO FH-MT400-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE

WEIGHT

WEIGHT

12.4kg

COMPONENTS

GRIPS

ONE1 VLG-1661D2N, Lock-On

SADDLE

fizik Vesta MG

SEAT POST

ONE1 Race Alloy, SP 218, 27.2x400mm

HANDLEBAR

ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 720mm, 31.8mm

STEM

ONE1 Race RAS-D63028 Alloy, 31.8mm, -10°

GEOMETRY

FRAME SIZE	15.5 (S)	17.5 (M)	19.0 (L)	21.0 (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	585	610	630	650
REACH (MM)	415	437	455	472
STACK (MM)	591	600	609	619
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	69	69	69	69
CHAINSTAY LENGTH (MM)	440	440	440	440
BB DROP (MM)	55	55	55	55
WHEELBASE (MM)	1105	1130	1151	1172
HANDLEBAR WIDTH (MM)	760/720			
STEM LENGTH (MM)	60	70/60	80	90
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	400	400	400	400

*The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city /country

SUPERIOR

RACER XC 20

MATTE DARK BLUE/NEON BLUE



JUNIOR / RACER

FRAME

FRAME

Alu 6061 T6 Double Butted, Advanced Junior Geometry, 1xOptimized, BB BSA, SR dropout

HEAD SET

CH290TBW, 1-1/8"

FORK

Racer XC20" U-Big, Hi-ten rigid, Ahead 1-1/8", V-Brake, QR Type

DRIVETRAIN

CASSETTE

SHIMANO MF-TZ500-7, 14-28T

BOTTOM BRACKET

Thun Topaz 120mm, BSA, shell 68mm

CHAIN

KMC Z8.3

PEDALS

Marwi SP-202

GEARS

1x7

SHIFTER

SHIMANO TY SL-RS35-7R RevoShift, 7-speed

REAR DERAILLEUR

SHIMANO TX RD-FT35-A

CRANKSET

Wheel Top SXB4BL-WM, 28T

WHEELS

RIMS

Stars J19SD, 24H

TIRES

Schwalbe Impac RidgePac, 20x2.00"

SPOKES

Sapim Zinc

FRONT HUB

ONE1 KTA55F, 24H, M9x100mm, QR Type

REAR HUB

ONE1 KTA52R, 24H, M10x135, FREEWHEEL, QR Type

WEIGHT

WEIGHT

8.6kg

COMPONENTS

GRIPS

Velo VLG-311, ONE1 VLG-311-6, DUAL DENSITY KRATON-GEL

SADDLE

Selle Royal Junior

SEAT POST

ONE1 Alloy, SP C208, 27.2x230mm

HANDLEBAR

ONE1 Hi-ten, MTB-110PP, 10° backsweep, 500mm, 25.4mm

STEM

ONE1 MAS-M30258 Alloy, 25.4mm, 10°

GEOMETRY

FRAME SIZE	9
WHEEL SIZE	20
SEAT TUBE LENGTH (MM)	230
SEAT TUBE ANGLE (DEGREE)	73
EFFECTIVE TOP TUBE LENGTH (MM)	450
REACH (MM)	328
STACK (MM)	375
HEAD TUBE LENGTH (MM)	100
HEAD TUBE ANGLE (DEGREE)	67
CHAINSTAY LENGTH (MM)	330
BB DROP (MM)	0
WHEELBASE (MM)	827
HANDLEBAR WIDTH (MM)	500
STEM LENGTH (MM)	35
CRANK LENGTH (MM)	127
SEAT POST LENGTH (MM)	230

*The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city /country

RACER XC 24

MATTE DARK BLUE/NEON BLUE



JUNIOR / RACER

FRAME

FRAME

Alu 6061 T6 Double Butted, Advanced Junior Geometry, 1xOptimized, BB BSA, SR dropout

HEAD SET

CH290TBW, 1-1/8"

FORK

SR Suntour XCT JR24, 1-1/8", Soft Spring, QR Type, 50mm travel

DRIVETRAIN

CASSETTE

SHIMANO ALTUS CS-HG31-8, 11-34T

BOTTOM BRACKET

Thun Topaz 120mm, BSA, shell 68mm

CHAIN

KMC Z8.3

PEDALS

Marwi SP-400

GEARS

1x7

SHIFTER

SHIMANO TY SL-RS45-8R RevoShift, 8-speed

REAR DERAILLEUR

SHIMANO TY RD-TX800

CRANKSET

Wheel Top SXB4BL-WM, 28T

WHEELS

RIMS

Stars J19SD, 24H

TIRES

Schwalbe Impac SmartPac, 24x2.10"

SPOKES

Sapim Zinc

FRONT HUB

ONE1 KTA55F, 24H, M9x100mm, QR Type

REAR HUB

ONE1 KTAZER, 24H, M10x130, CASSETE, QR Type

WEIGHT

WEIGHT

10.7kg

COMPONENTS

SADDLE

Selle Royal Junior

SEAT POST

ONE1 Alloy, SP C208, 27.2x300mm

HANDLEBAR

ONE1 Alloy, MTB-110PP, 10° backsweep, 500mm, 25.4mm

STEM

ONE1 MAS-M30258 Alloy, 25.4mm, 10°

GEOMETRY

FRAME SIZE	11
WHEEL SIZE	24
SEAT TUBE LENGTH (MM)	280
SEAT TUBE ANGLE (DEGREE)	73
EFFECTIVE TOP TUBE LENGTH (MM)	500
REACH (MM)	356
STACK (MM)	469
HEAD TUBE LENGTH (MM)	100
HEAD TUBE ANGLE (DEGREE)	68
CHAINSTAY LENGTH (MM)	390
BB DROP (MM)	25
WHEELBASE (MM)	993
HANDLEBAR WIDTH (MM)	540
STEM LENGTH (MM)	35
CRANK LENGTH (MM)	140
SEAT POST LENGTH (MM)	300

*The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city /country

RACER XC 27 DB

MATTE DARK BLUE/NEON BLUE



JUNIOR / RACER

FRAME

FRAME

Alu 6061 T6 Double Butted, Advanced Junior Geometry, 1xOptimized, BB BSA, SR dropout

HEAD SET

FSA, FLAT TOP CAP, 1-1/8", Alloy, Black, FSA No.10 Semi-Cartridge, 1-1/8"

FORK

SR Suntour XCT, 1-1/8", Coil, QR Type, Hydraulic Lockout, 100mm travel

DRIVETRAIN

CASSETTE

SHIMANO ALTUS CS-HG31-8, 11-34T

BOTTOM BRACKET

Thun Topaz 120mm, BSA, shell 68mm

CHAIN

KMC Z8.3

PEDALS

Marwi SP-610

GEARS

1x8

SHIFTER

SHIMANO ALTUS SL-M315-8R

RapidFire Plus, 8-speed

REAR DERAILLEUR

SHIMANO ACERA RD-M360-L

CRANKSET

Wheel Top SXB4BL-WM, 32T

WHEELS

RIMS

Stars J20S, 32H

TIRES

Schwalbe Impac SmartPac, 27.5x2.10"

SPOKES

Sapim Galvanized Black

FRONT HUB

SHIMANO TX HB-TX505, 32H, CENTER LOCK, QR Type

REAR HUB

SHIMANO TX FH-TX505-8, 32H, CENTER LOCK, M10x135mm, QR Type

WEIGHT

WEIGHT

12.9kg

COMPONENTS

BRAKES

SHIMANO ALTUS BL-MT200/BR-MT200, hydraulic disc brake

SADDLE

Selle Royal Shadow

SEAT POST

ONE1 Sport Alloy, SP C208, 27.2x350mm

HANDLEBAR

ONE1 Alloy, MTB AL-718BT, 34mm rise, 600mm, 25.4mm

STEM

ONE1 MAS-M30258 Alloy, 25.4mm, 10°

GRIPS

ONE1 VLG-1661D2N, Lock-On

GEOMETRY

FRAME SIZE	13 (XS)	15.5 (S)
WHEEL SIZE	27.5	27.5
SEAT TUBE LENGTH (MM)	343	393
SEAT TUBE ANGLE (DEGREE)	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	547	586
REACH (MM)	382	423
STACK (MM)	566	566
HEAD TUBE LENGTH (MM)	90	90
HEAD TUBE ANGLE (DEGREE)	69	69
CHAINSTAY LENGTH (MM)	435	435
BB DROP (MM)	40	40
WHEELBASE (MM)	1064	1103
HANDLEBAR WIDTH (MM)	600	600
STEM LENGTH (MM)	35	35
CRANK LENGTH (MM)	160	160
SEAT POST LENGTH (MM)	350	350

*The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city /country

SUPERIOR

XP 29 SE

MATTE BLACK/NEON RED



MTB HARDTAIL / RACE

FRAME

FRAME

Alu X6 Ultralite, Race Geometry, Conical Head Tube, BB92, SR dropout, Boost Thru axle 148x12mm, Inner cable routing

HEAD SET

ACROS AZX-212 R5, Zero Stack, 1-1/8"x1.5"

FORK

RockShox 30 Silver TK, Tapered, SoloAir, QR Type, remote Lockout, 100mm travel

DRIVETRAIN

CRANKSET

SHIMANO SLX FC-MT600, 36-26T

CASSETTE

SunRace CS-MS7-11, 11-42T

BOTTOM BRACKET

SHIMANO BB-RS500 PressFit, shell 41x92mm

CHAIN

KMC X11

GEARS

2x11

SHIFTER

SHIMANO SLX SL-M7000-L RapidFire Plus, 2-speed, SHIMANO SLX SL-M7000-R RapidFire Plus, 11-speed

FRONT DERAILLEUR

SHIMANO XT FD-M8020-E, SIDE SWING, FRONT-PULL

REAR DERAILLEUR

SHIMANO XT RD-M8000 Shadow Plus

WHEELS

RIMS

Stars J25D, 32H

TIRES

Schwalbe Rapid Rob KevlarGuard, 29x2.10"

SPOKES

Sapim Leader, Stainless Black

FRONT HUB

SHIMANO ALIVIO HB-M4050, 32H, CENTER LOCK, QR Type

REAR HUB

SHIMANO ALIVIO FH-MT400-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE

COMPONENTS

BRAKES

SHIMANO ACERA BL-MT401/BR-MT400, hydraulic disc brake

SADDLE

fizik Taiga

SEAT POST

ONE1 Race Alloy, SP 218, 27.2x400mm

HANDLEBAR

ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm

STEM

ONE1 Race RAS-D63028 Alloy, 31.8mm, -10°

GRIPS

ONE1 VLG-1661D2N, Lock-On

*The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city /country

XP 29 SE

MATTE BLACK/CHROME SILVER



MTB HARDTAIL / RACE

FRAME

FRAME

Alu X6 Ultralite, Race Geometry, Conical Head Tube, BB92, SR dropout, Boost Thru axle 148x12mm, Inner cable routing

HEAD SET

ACROS AZX-212 R5, Zero Stack, 1-1/8"x1.5"

FORK

RockShox 30 Silver TK, Tapered, SoloAir, QR Type, remote Lockout, 100mm travel

DRIVETRAIN

CRANKSET

SHIMANO SLX FC-MT600, 36-26T

CASSETTE

SunRace CS-MS7-11, 11-42T

BOTTOM BRACKET

SHIMANO BB-RS500 PressFit, shell 41x92mm

CHAIN

KMC X11

GEARS

2x11

SHIFTER

SHIMANO SLX SL-M7000-L RapidFire Plus, 2-speed, SHIMANO SLX SL-M7000-R RapidFire Plus, 11-speed

FRONT DERAILLEUR

SHIMANO XT FD-M8020-E, SIDE SWING, FRONT-PULL

REAR DERAILLEUR

SHIMANO XT RD-M8000 Shadow Plus

WHEELS

RIMS

Stars J25D, 32H

TIRES

Schwalbe Rapid Rob KevlarGuard, 29x2.10"

SPOKES

Sapim Leader, Stainless Black

FRONT HUB

SHIMANO ALIVIO HB-M4050, 32H, CENTER LOCK, QR Type

REAR HUB

SHIMANO ALIVIO FH-MT400-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE

COMPONENTS

BRAKES

SHIMANO ACERA BL-MT401/BR-MT400, hydraulic disc brake

SADDLE

fizik Taiga

SEAT POST

ONE1 Race Alloy, SP 218, 27.2x400mm

HANDLEBAR

ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm

STEM

ONE1 Race RAS-D63028 Alloy, 31.8mm, -10°

GRIPS

ONE1 VLG-1661D2N, Lock-On

*The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city /country

XP 29 SE

MATTE DARK BLUE/NEON BLUE



MTB HARDTAIL / RACE

FRAME

FRAME

Alu X6 Ultralite, Race Geometry, Conical Head Tube, BB92, SR dropout, Boost Thru axle 148x12mm, Inner cable routing

HEAD SET

ACROS AZX-212 R5, Zero Stack, 1-1/8"x1.5"

FORK

RockShox 30 Silver TK, Tapered, SoloAir, QR Type, remote Lockout, 100mm travel

DRIVETRAIN

CRANKSET

SHIMANO SLX FC-MT600, 36-26T

CASSETTE

SunRace CS-MS7-11, 11-42T

BOTTOM BRACKET

SHIMANO BB-RS500 PressFit, shell 41x92mm

CHAIN

KMC X11

GEARS

2x11

SHIFTER

SHIMANO SLX SL-M7000-L RapidFire Plus, 2-speed, SHIMANO SLX SL-M7000-R RapidFire Plus, 11-speed

FRONT DERAILLEUR

SHIMANO XT FD-M8020-E, SIDE SWING, FRONT-PULL

REAR DERAILLEUR

SHIMANO XT RD-M8000 Shadow Plus

WHEELS

RIMS

Stars J25D, 32H

TIRES

Schwalbe Rapid Rob KevlarGuard, 29x2.10"

SPOKES

Sapim Leader, Stainless Black

FRONT HUB

SHIMANO ALIVIO HB-M4050, 32H, CENTER LOCK, QR Type

REAR HUB

SHIMANO ALIVIO FH-MT400-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE

COMPONENTS

BRAKES

SHIMANO ACERA BL-MT401/BR-MT400, hydraulic disc brake

SADDLE

fizik Taiga

SEAT POST

ONE1 Race Alloy, SP 218, 27.2x400mm

HANDLEBAR

ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm

STEM

ONE1 Race RAS-D63028 Alloy, 31.8mm, -10°

GRIPS

ONE1 VLG-1661D2N, Lock-On

*The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city /country

XP 909

MATTE BLACK/WHITE/TEAM RED



MTB HARDTAIL / RACE

FRAME

FRAME

Alloy X6 Ultimate, Race Geometry, Tapered Head Tube, BB92, SR dropout, Boost Thru axle 148x12mm, Inner Cable Routing

HEAD SET

ACROS AZX-212 R5, Zero Stack, 1-1/8"x1.5"

FORK

RockShox 30 Silver TK, Tapered, SoloAir, QR Type, remote Lockout, 100mm travel

DRIVETRAIN

CRANKSET

ONE1 TAM38D-B36NC, 36T

CASSETTE

SunRace CS-MZ800-12, 11-51T

BOTTOM BRACKET

SHIMANO BB-RS500 PressFit, shell 41x92mm

CHAIN

KMC X12

GEARS

1x12

SHIFTER

SHIMANO SLX SL-M7100-R RapidFire Plus, 12-speed

REAR DERAILLEUR

SHIMANO SLX RD-M7100 Shadow Plus

WHEELS

RIMS

Stars J25D, 32H

TIRES

Schwalbe Rapid Rob KevlarGuard, 29x2.10"

SPOKES

Sapim Leader, Stainless Black

FRONT HUB

SHIMANO ALIVIO HB-M4050, 32H, CENTER LOCK, QR Type

REAR HUB

SHIMANO ALIVIO FH-MT400-B, 32H, CENTER LOCK, 12x148mm THRU Type AXLE

WEIGHT

WEIGHT

12.4kg

COMPONENTS

BRAKES

SHIMANO ACERA BL-MT401/BR-MT400, hydraulic disc brake

SADDLE

fizik Taiga

SEAT POST

ONE1 Race Alloy, SP 218, 27.2x400mm

HANDLEBAR

ONE1 Race, Horizon Bow, 9° backsweep, 5mm rise, 760mm, 31.8mm

STEM

ONE1 Race RAS-D63028 Alloy, 31.8mm, -10°

GRIPS

ONE1 VLG-1661D2N, Lock-On

GEOMETRY

FRAME SIZE	15.5 (S)	17.5 (M)	19.0 (L)	21.0 (XL)
WHEEL SIZE	29	29	29	29
SEAT TUBE LENGTH (MM)	393	431	482	533
SEAT TUBE ANGLE (DEGREE)	74	74	74	74
EFFECTIVE TOP TUBE LENGTH (MM)	585	610	630	650
REACH (MM)	415	437	455	472
STACK (MM)	591	600	609	619
HEAD TUBE LENGTH (MM)	90	100	110	120
HEAD TUBE ANGLE (DEGREE)	69	69	69	69
CHAINSTAY LENGTH (MM)	440	440	440	440
BB DROP (MM)	55	55	55	55
WHEELBASE (MM)	1105	1130	1151	1172
HANDLEBAR WIDTH (MM)	760/720			
STEM LENGTH (MM)	60	70/60	80	90
CRANK LENGTH (MM)	170	175	175	175
SEAT POST LENGTH (MM)	400	400	400	400

*The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city /country